





NO-NONSENSE & ALL-PURPOSE MU-X LS-M (24MY)











Engine Types





4X4

Drivetrains

4X2



Model shown is 4x4 LS-M in Obsidian Grey mica

LS-M key features:

Push Button Start

Tilt & Telescopic Adjustable Steering Wheel

Electric Power Steering

Electric Park Brake with Auto Hold

Carpet Flooring

High Grade Cloth Seats

7" Touchscreen Audio with Android Auto™ & wireless Apple CarPlay® Compatibility

Reversing Camera with Rear Parking Sensors

17" Alloy Wheels & 255 65 R17 All-Terrain Tyres

Black & Gunmetal Grey Grille with Matte Black Mirrors

Bi-LED Headlights with Auto Levelling

Manual Air Conditioning (with second & third row vents)

Black Aluminium Side Steps

Available colours



Magnetic Red mica



Mercury Silver metallic Mineral White

Obsidian Grey mica

SUBSTANCE & STYLE MU-X LS-U (24MY)







Engine Types





ЛХЛ





Drivetrains

4X2

4X4



Model shown is 4x4 LS-U in Magnetic Red mica

LS-U key features:

Smart Keyless Entry & Push Button Start

Walk Away Door Lock

Hands-free Power Tailgate

Tilt & Telescopic Adjustable Steering Wheel

Electric Power Steering

Electric Park Brake with Auto Hold

Auto-Dimming Rear View Mirror & Heated Door Mirrors

High Grade Cloth Seats

Carpet Flooring

Power Lumbar Support Driver's Seat

Tyre Pressure Monitoring System (TPMS)

Front & Rear Parking Sensors with Reversing Camera

9" Touchscreen Audio with Android Auto™, wireless Apple CarPlay® compatibility & built-in Satellite Navigation

18" Tungsten Silver Alloy Wheels & 265 60 R18 Highway-Terrain Tyres

Tungsten Silver & Chrome Grille with Body-Coloured Mirrors

Bi-LED Headlights with Auto Levelling

Dual Zone Climate Control Air Conditioning (with second & third row vents)

Aluminium Side Steps

Available colours



±1.9L engine only available on 4x4 model.

BIGGER & BOLDER MU-X LS-T (24MY)













Drivetrains

ANCAP

4X2

4X4



Model shown is 4x4 LS-T in Galaxy Blue mica

LS-T includes all LS-U features plus:

Remote Engine Start

Leather Accented Seats[†]

Electric Eight-Way Adjustable Driver's Seat with Power Lumbar Support

Electric Four-Way Adjustable Front Passenger Seat Variable Heated Front Driver & Passenger Seats

20" Machined Two-Tone Alloy Wheels & 265 50 R20 Highway-Terrain Tyres

Ambient Interior Lighting

Centre Console Overhead Guidelight

Available colours



Cobalt Blue mica Galaxy Blue mica



Mercury Silver metallic Mineral White

Moonstone White pearl Obsidian Grey mica

All features mentioned are a guide for quick comparison. Refer to the MU-X specification sheet for further details on available features. Apple CarPlay is a trademark of Apple Inc. Android Auto is a trademark of Google LLC. Not all devices will be compatible & functionality will vary depending on the device. Mobile Data & SMS rates may apply & are the responsibility of the user. Please check your local road rules before using these functions. *Seats have leather touches or accents, but are not wholly leather.

24MY ISUZU MU-X SPECIFICATIONS

Engine	3.0L	1.9L
Series	Isuzu 4JJ3-TCX	RZ4E-TC
Description	3.0 litre turbo-diesel, in-line 4-cylinder, DOHC, 16-valve with Diesel Particulate Diffuser (DPD)	1.9-litre turbo-diesel, in-line 4-cylinder, DOHC, 16-valve with Diesel Particulate Diffuser (DPD)
Maximum torque	450Nm @ 1600→2600 rpm (automatic)	350Nm @ 1800→2600 rpm (automatic)
Maximum power	140kW @ 3600 rpm	110kW @ 3600 rpm
Bore x stroke	95.4mm x 104.9mm	80mm x 94.4mm
Displacement	2999сс	1898cc
Compression ratio	16.3 : 1	15.9: 1
Cylinder head	Isuzu-patent special aluminium alloy	Isuzu-patent special aluminium alloy
Valve gear	Chain-driven dual overhead camshafts, roller rockers, 4 valves/cylinder	Chain-driven dual overhead camshafts, roller rockers, 4 valves/cylinder
Induction	Electronic high pressure common rail direct fuel injection with VSS (Variable Swirl System) and intercooled electric control VGS (Variable Geometry System) turbocharger	Electronic high pressure common rail direct fuel injection with VSS (Variable Swirl System) and intercooled electric control VGS (Variable Geometry System) turbocharger
Cylinder block	Cast iron upper with induction-hardened cylinder bores, cast alloy lower	Cast iron upper with induction-hardened cylinder bores, cast alloy lower
Emission level	Euro 5	Euro 5
Alternator	120 amp with Intelligent Battery Sensor (IBS)	120 amp with Intelligent Battery Sensor (IBS)

Transmissions

Transmission	5					
Automatic	Aisin AWR6B45 II 6-speed with sequential shift and brake shift lock electronica controlled, tri-mode with Adaptive Logic Control and fuel-saving lock-up torque converter on gears 3, 4, 5 and 6 • Uphill/Downhill Transmission Control: holds gear in varied-gradient ascents, sel gear on steep descents to hold speed with engine braking					
Ratios: 1	6-speed Automatic 1st 2nd 3rd 4th 5th 6th Reverse	3.600 2.090 1.488 1.000 0.687 0.580 3.732				
Final drive	4x2 / 4x4 3.0L 4JJ3-TCX 4x2 / 4x4 1.9L RZ4E-TC	3.727 4.100				
	Snorkelled diff breathers to incre	ase fording depth and reduce mud blockage				
Transfer gearing	4x4 low-range 4x4 high-range	2.482 1.000				
4x4 system		ain Command" control with 'shift on the fly' to 100km/h, 4-low with rear differential lock				
Drivetrain system	TCS (Traction Control System) or	n all model variants				

Steering

Electric power steering with speed-sensing steering feel (light at low speed, heavy at high speed); tilt and telescopic adjustable steering wheel

Speed-sensitive variable capacity Electric power system; 3.84 turns lock-to-lock via tilt-adjustable steering wheel

Chassis

Frame

Ladder frame chassis constructed with high-tensile steel with 9 crossmembers

Front suspension

Independent, high-ride, coil springs, gas shock absorbers, upper and lower wishbones, stabiliser bar

Rear suspension

Multi-link coil suspension, gas shock absorbers, stabiliser bar

Axles

Front

Independent 4x4: fully floating with outer CV, inner double offset joints and equal length driveshafts. Rating: 1450kg

Rear

Rigid semi-floating banjo with hypoid final drive and dual tapered needle roller bearings. Rating: 1650kg

Brakes

Anti-lock Brake System (ABS) with Electronic Brakeforce Distribution (EBD), Electronic Stability Control (ESC), Emergency Brake Assist (EBA), Traction Control System (TCS), Roll Over Mitigation, Hill Start Assist (HSA), Hill Descent Control (HDC) and Trailer Sway Control (TSC)

All models: 320mm dia. ventilated front discs with 2-piston calipers, 318mm dia. ventilated rear discs with 1-piston calipers

Power-assisted via 10" servo unit; central electrical switch park brake

Wheels and Tyres

4x4 & 4x2 LS-M	17" x 7" alloy; 255 / 65 R17 All-Terrain
4x4 & 4x2 LS-U	18" x 7.5" alloy; 265 / 60 R18 Highway-Terrain
4x4 & 4x2 LS-T	20" x 7.5" alloy; 265 / 50 R20 Highway-Terrain
Spare	LS-M & LS-U Models: full size steel spare wheel LS-T Models: full size alloy spare wheel

Service Plus

Warranty	For the ultimate peace of mind, every Isuzu MU-X comes standard with a comprehensive, bumper-to-bumper 6 years/150,000km warranty^.
Roadside Assistance	Enjoy up to 7 years Roadside Assistance ^{<} when you complete your scheduled services at a Participating Isuzu UTE Dealer.
Flat Price Servicing	As an owner you will get access to our Flat Price Servicing ⁵ Program. The FPS Program covers the first 5 Scheduled Services at \$449 per service in line with the Scheduled Service Intervals.

The Flat Price Servicing Program ("FPS Program") applies to FPS Eligible Vehicles (excludes Rental & Government Customers) at Participating Isuzu UTE Dealers only. For 24MY and later vehicle models, the Flat Price Servicing covers the first 5 Scheduled Services up to 5 years/75,000km (whichever occurs first). FPS Program is subject to change. For full terms & conditions, current pricing & model eligibility visit isuzuute.com.au/flat-price-service-disclaimer. '6 years/150,000km (whichever occurs first), for Isuzu UTE Vehicles with a Warranty Start Date on or after 1/1/19. Excludes trays & accessories. 'The Roadside Assistance Program ("RSA Program") provides Coverage to RSA Eligible Vehicles (Private, ABN and Business Fleet Customers only with a Warranty Start Date on or after 1/9/20 for a maximum of 7 years (unlimited kilometres). Initial 13 months Coverage provided from the Warranty Start Date on or after on other 13 months from each date that a Participating Isuzu UTE Dealer conducts a Scheduled Service on the vehicle.



Safety

IDAS

Every MU-X comes with Isuzu's Intelligent Driver Assistance System (IDAS*) built-in to protect and enhance the driving experience. IDAS includes smart technologies as well as other passive and active safety features.

*IDAS features are designed to assist the driver, but should not be relied upon nor used as a substitute for safe driving practices. Feature operation may vary in different driving conditions. For full explanation of limitations, see Owner's & Prince Manual



ANCAP RATING

The entire MU-X range has achieved a maximum 5-star ANCAP safety rating in 2022.



SPECIFICATIONS		4x2			4x4	
SPECIFICATIONS						
Engine	LS-M	LS-U	LS-T	LS-M	LS-U	LS-T
1898cc DOHC 4cyl. with intercooled turbocharger (350Nm, 110kW)					•	
1899cc DOHC 4cyl, with intercooled turbocharger (350kill, 110kW) 2999cc DOHC 4cyl, with intercooled turbocharger (450kill, 110kW)						
,	•	•				
Transmissions		_	_		_	
6-speed "Rev-Tronic" automatic transmission with sequential sport mode	•	•	•	•	•	•
Safety and Security						
4-channel 4-sensor Anti-lock Brake System (ABS) with Electronic Brakeforce Distribution (EBD)	•	•	•	•	•	•
Electronic Stability Control (ESC)	•	•	•	•	•	•
Traction Control System (TCS)	•	•	•	•	•	•
Emergency Brake Assist (EBA)	•	•	•	•	•	•
Hill Start Assist (HSA) Hill Descent Control (HDC)	•	•	•	•	•	•
Roll-Over Mitigation (ROM)	•	•	•		•	•
Autonomous Emergency Braking (AEB)						
Autoinfolds Enlergency Braking (ALB) Turn Assist with AEB						
Post-Collision Braking (PCB)						
Forward Collision Warning (FCW)	•	•	•	•	•	•
Misacceleration Mitigation	•	•	•	•	•	•
Adaptive Cruise Control (ACC) with Stop and Go Functionality	•	•	•	•	•	•
Traffic Sign Recognition (TSR)	•	•	•	•	•	•
Intelligent Speed Limiter	•	•	•	•	•	•
Manual Speed Limiter	•	•	•	•	•	•
Lane Departure Warning (LDW)	•	•	•	•	•	•
Lane Departure Prevention (LDP)	•	•	•	•	•	•
Lane Keep Assist (LKA)	•	•	•	•	•	•
Emergency Lane Keeping (ELK)	•	•	•	•	•	•
Lane Support System (LSS) Switch (disables LDW, LDP, LKA, ELK)	•	•	•	•	•	•
Driver Attention Assist Blind Spot Monitoring (BSM)					- :	
Ballid Spot Workinshing (BSW) Rear Cross Traffic Alert (RCTA)						
BSM/RCTA Auto Switch Off (disables BSM/RCTA when the genuine tow harness is connected)						
Reversing Camera with dynamic guidelines	•	•	•	•	•	•
Front Park Assist Sensors		•	•		•	•
Rear Park Assist Sensors	•	•	•	•	•	•
8 Airbags: dual front, curtain, side, driver's knee and far side airbags	•	•	•	•	•	•
Passenger side SRS airbag on/off switch	•	•	•	•	•	•
Height-adjustable upper mounts for front seat belts	•	•	•	•	•	•
Pre-tensioners with load limiters for front seat belts	•	•	•	•	•	•
Pre-tensioners with load limiters for outer second row seat belts	•	•	•	•	•	•
3-point retractable seat belts for third row and centre seating positions	•	•	•	•	•	•
Intelligent seatbelt reminder (all seats) Three childseat top tethers for second row						
Two ISO FIX compatible anchor points for second row						
Height-adjustable head restraints for all seats						
Child-proof rear door locks		•				
Anti-theft alarm	•	•	•	•	•	•
Side anti-intrusion bars inside all doors	•	•	•	•	•	•
Engine immobilizer	•	•	•	•	•	•
Rear window demister with timer and intermittent wiper	•	•	•	•	•	•
High Density Polyethylene (HDPE) fuel tank	•	•	•	•	•	•
High mount brake light on tailgate	•	•	•	•	•	•
Dual horn Protection	•	•	•	•	•	•
Under-front steel skid plate Steel plate guards: sump, transfer case, fuel tank leading edge; reinforced resin under fuel tank		•	•	•	•	•
Suspension and Brakes						
Electric Park Brake with Auto Hold feature	•	•	•	•	•	•
Single 10 inch servo brake master cylinder	•	•	•	•	•	•
Rear 5-link coil suspension with stabiliser bar	•	•	•	•	•	•
Front independent, coil spring suspension w/gas shock absorbers, upper and lower wishbones and stabiliser bar	•	•	•	•	•	•
Heavy duty brakes: 220mm ventilated front discs w/twin not calinors, 210mm ventilated rear discs with single not calinors						

Heavy-duty brakes: 320mm ventilated front discs w/twin-pot calipers, 318mm ventilated rear discs with single-pot calipers

SPECIFICATIONS

SPECIFICATIONS						
eating	LS-M	LS-U	LS-T	LS-M	LS-U	LS-1
ligh grade cloth seats	•	•				
ign grade court seats eather accented seats	•	•			•	
		•				
ront bucket whiplash protection seats	•		•	•		•
-way adjustable driver seat	•	•	_	•	•	_
-way electric adjustable driver seat			•			•
Electric adjustable lumbar support (driver seat only)		•	•		•	•
-way electric adjustable front passenger seat			•	_		•
0:40 reclining split-fold second row seats with fold away centre arm rest	•	•	•	•	•	•
0:50 reclining split-fold third row seats	•	•	•	•	•	•
/ariable heated front driver and passenger seats			•			•
n-cabin Storage						
Ipper and lower glovebox compartments	•	•	•	•	•	•
Power outlet in lower instrument panel	•	•	•	•	•	•
Centre floor console with two USB ports	•	•	•	•	•	•
Dual-purpose driver and front passenger cup holder tray	•	•	•	•	•	•
tear passenger door cup holders	•	•	•	•	•	•
econd row fold out cup holder/storage tray	•	•	•	•	•	•
hird row outer armrests with integrated cup holders	•	•	•	•	•	•
Pockets on backs of front seats	•	•	•	•	•	•
Overhead console with twin map lights and flip-down sunglasses case	•	•	•	•	•	•
ront door storage compartment with bottle bulge	•	•	•	•	•	•
iwo coat hooks	•	•	•	•	•	•
lip up convenience hook behind passenger front seat	•	•	•	•	•	•
Storage space under rear cargo flooring	•	•	•	•	•	•
Tool storage space inside rear cargo wall (driver side)	•	•	•	•	•	•
xterior Style						
Short front overhang for optimal manoeuvrability and approach angle	•	•	•	•	•	•
3i-LED headlights with auto-levelling function	•	•	•	•	•	•
Automatic headlights	•	•	•	•	•	•
Automatic high beam	•	•	•	•	•	•
Coming home light		•	•	•	•	•
ED Daytime Running Lights (DRLs)		•	•	•	•	•
ED fog lights						
Slack and gunmetal grey grille		•	•			·
Magnetite and black chrome grille						
Colour-coded front bumper						
Black aluminium side steps		•	•			•
Agnetite aluminium side steps	•				_	_
riagnierite autimituri side steps Black door handles		•	•	•	•	•
	•	_		•	_	
olour-coded door handles		•	•	_	•	•
Annual tailgate with integrated rear spoiler	•			•	_	_
lands-free power tailgate with integrated rear spoiler		•	•		•	•
colour-coded power fold-in door mirrors with integrated turn indicators		•	•	-	•	•
lack power door mirrors	•			•		
lear privacy glass		•	•		•	•
leated door mirrors		•	•		•	•
Centre front roof-mounted bee-sting aerial Roof rails (maximum load capacity 100kg)	•	•	•	•	•	•

4x4

SPECIFICATIONS

	LS-M	LS-U	LS-T	LS-M	LS-U	LS-T
Cabin Amenities						
Dual zone climate control air-conditioning with integrated heater/demister		•	•		•	•
Manual air-conditioning with integrated heater/demister	•			•		
Second and third row air-conditioning vents with controls	•	•	•	•	•	•
Pollen and fine particle air filter	•	•	•	•	•	•
Power windows with one-touch up/down driver's window with safety stop	•	•	•	•	•	•
Comfort turn signal	•	•	•	•	•	•
Central locking with keyless entry	•	•	•	•	•	•
Smart keyless entry		•	•		•	•
Walk away door lock		•	•		•	•
Welcome home light		•	•		•	•
Push button start	•	•	•	•	•	•
Remote engine start			•			•
Ambient door lighting			•			•
Centre console overhead guidelight			•			•
Power-adjustable door mirrors with turn indicator lights		•	•		•	•
Poweradjustable door mirrors	•			•		
4 speaker sound system	•			•		
3 speaker sound system		•	•		•	•
inch touchscreen display with Apple CarPlay® and Android Auto™		•	•		•	•
7 inch touchscreen display with Apple CarPlay® and Android Auto™	•			•		
Built-in satellite navigation with MID turn-by-turn directions		•	•		•	•
wo rear centre console USB charging ports	•	•	•	•	•	•
ilt and telescopic adjustable steering wheel with electric power steering	•	•	•	•	•	•
Jrethane steering wheel with cruise, audio and voice recognition controls	•			•		
eather steering wheel with cruise, audio and voice recognition controls		•	•		•	•
Smart MID with digital speedometer, safety information, fuel economy & range, odometer, trip information and service reminder	•	•	•	•	•	•
yre Pressure Monitoring System		•	•		•	•
Electro-luminescent gauges	•	•	•	•	•	•
Terrain Command" 4x4 select dial				•	•	•
Rear Differential Lock button				•	•	•
lough Terrain Mode button				•	•	•
automatic Windshield Wipers	•	•	•	•	•	•
ntuitive Flat Wiper Blade		•	•		•	•
Manual day/night interior rear view mirror	•			•		
uto-dimming rear view mirror		•	•		•	•
Sun visors with vanity mirrors (driver and passenger) and ticket retaining strap (driver)		•	•		•	•
Sun visors with vanity mirror (passenger) and ticket retaining strap (driver)	•			•		
ixed A-pillar assist-grips for driver and front passenger	•	•	•	•	•	•
ixed B-pillar assist-grips for rear passengers	•	•	•	•	•	•
folding assist-grips for driver and front passenger	•	•	•	•	•	•
Folding assist-grips for rear passengers	•	•	•	•	•	•
Carpet flooring	•	•	•	•	•	•
12 volt power outlets in lower instrument panel and rear cargo area	•	•	•	•	•	•

FUEL, WEIGHTS AND DIMENSIONS		4x2			4x4			
MU-X ADR 81/02 ^A Fuel Consumption Values	LS-M 1.9L 3.0L	LS-U	LS-T	LS-M 1.9L 3.0L	LS-U 1.9L 3.0L	LS-T		
Transmission (AT = Automatic)	AT AT	AT	AT	AT AT	AT AT	AT		
FUEL CONSUMPTION (litres/100km)								
Combined	7.4 7.8	7.8	7.8	7.4 8.3	7.4 8.3	8.3		
Urban	9.0 9.6	9.6	9.6	9.0 10.3	9.0 10.3	10.3		
Extra Urban	6.7 6.8	6.8	6.8	6.7 7.2	6.7 7.2	7.2		
CO ² (g/km)								
Combined	196 206	206	206	196 220	196 220	220		
Urban	237 253	253	253	237 271	237 271	271		
Extra Urban	177 179	179	179	177 190	177 190	190		
Dimensions (mm unless stated otherwise)						,		
Wheelbase	2855	2855	2855	2855	2855	2855		
Overall length	4850	4850	4850	4850	4850	4850		
Overall width (excluding door mirrors)	1870	1870	1870	1870	1870	1870		
Overall height	1815	1825	1825	1815	1825	1825		
Front overhang	895	895	895	895	895	895		
Rear overhang	1100	1100	1100	1100	1100	1100		
Wheel track width	1570	1570	1570	1570	1570	1570		
Ground clearance	230	235	235	230	235	235		
Turning circle diameter between kerbs (metres)	11.4	11.4	11.4	11.4	11.4	11.4		
Approach angle	23.4° 28.6°	29.2°	29.2°	23.4° 28.6°	24.0° 29.2°	29.2°		
Departure angle	27.6° 27.6°	26.9°	26.4°	27.6° 27.6°	26.9° 26.9°	26.4°		
Ramp-over angle	19.1° 22.6°	23.1°	23.1°	19.1° 22.6°	19.6° 23.1°	23.1°		
Wading depth [‡]	800	800	800	800	800	800		
Interior								
Leg room - front (mm)	1075	1075	1075	1075	1075	1075		
Lea room - 2nd row (mm)	915	915	915	915	915	915		
Leg room - 3rd row (mm)	850	850	850	850	850	850		
Shoulder room - front (mm)	1460	1460	1460	1460	1460	1460		
Head room - front (mm)	1020	1020	1020	1020	1020	1020		
Rear cargo space - 2nd & 3rd row flat (litres)	2138	2138	2138	2138	2138	2138		
Rear cargo space - 3rd row flat (litres)	1119	1119	1119	1119	1119	1119		
Rear cargo space - 3rd row up (litres)	311	311	311	311	311	311		
Mass (kg)	011	011	011	0	011	011		
Gross Vehicle Mass (GVM)	2700 2700	2700	2700	2800 2800	2800 2800	2800		
Kerb weight*	1975 2050	2065	2090	2065 2140	2080 2160	2180		
Payload~	725 650	635	610	735 665	720 645	620		
Gross Combination Mass (GCM)	5500 5900	5900	5900	5500 5900	5500 5900	5900		
Maximum towing mass (braked trailer)	3000 3500	3500	3500	3000 3500	3000 3500	3500		
Maximum towing mass (non-braked trailer)	750 750	750	750	750 750	750 750	750		
Maximum tow ball download (when fitted with genuine Isuzu UTE tow kit)	300 350	350	350	300 350	300 350	350		
Washington Washington Washington Read of Edward	80 80	80	80	80 80	80 80	80		
Tabi talik dapabity (ilitob)	00 00	00	00	00 00	00 00	00		

^AFuel consumption & emissions figures based on ADR 81/02 and are to be used for vehicle comparison purposes only. Actual fuel consumption & emissions will vary depending on many factors including, but not limited to, traffic conditions, individual driving style & vehicle condition.


*Up to 800mm of wading depth on all MU-X models when travelling at a consistent speed of 7km/h. Water ingress may occur if speed is not maintained or if the vehicle is static in water above 350mm.

*Kerb weight - unladen mass of vehicle & full tank of fuel. Fuel weight ratio is based on Fuel Standard (Automotive Diesel) Determination 2001. *Payload equals GVM minus kerb weight.


BODY STYLES AND DIMENSIONS (24MY)




Isuzu MU-X LS-M 4x2 and 4x4















Isuzu MU-X LS-U 4x2 and 4x4














Isuzu MU-X LS-T 4x2 and 4x4









Go your own way for longer with Isuzu UTE Service Plus, I-Venture Club, Isuzu UTE Genuine Accessories and Isuzu UTE Approved Accessories.

SERVICE PLUS

With every new Isuzu MU-X you'll get:

Up to five years Flat Price Servicing, ensuring you know your service costs up-front with a flat price of \$449 per service fixed for the first five scheduled services. Plus, a six year or 150,000km warranty, and up to seven years roadside assistance.

Enjoy peace of mind and go your own way with confidence thanks to Isuzu UTE Service Plus.

I-VENTURE CLUB

You won't want to miss the opportunity to properly test your MU-X's potential - and take your skills to the next level. Whether it is during one of our information-packed towing training sessions or on a day out in some of Australia's most epic off-roading locations, I-Venture Club offers the perfect opportunity to build your skillset and get the most from your MU-X.

As an Isuzu UTE owner you can sign up to fun-filled trips and training sessions, where you will meet like-minded adventurers, learn from our qualified instructors and get to experience the capabilities of your MU-X.

Head to www.iventureclub.com.au for a taste of what's to come.

GENUINE ACCESSORIES


Isuzu UTE Genuine Accessories¹ are the key to taking on more challenging terrain in true 'Go your own way' style. Isuzu UTE's extensive range of accessories allows you to enhance and personalise your ride with precision engineered parts of the highest quality, with correct fit guaranteed every time. Each genuine accessory comes with a comprehensive warranty, providing ultimate peace of mind, and the chance to pack more, do more, or just add a little more style to your MU-X. See the full range of accessories in the MU-X Accessories brochure or at isuzuute.com.au.

ISUZU UTE GENUINE ACCESSORIES

APPROVED ACCESSORIES

Isuzu UTE Approved Accessories² are third-party branded accessories that have been thoroughly tested and vetted to ensure they meet Isuzu's highest standards. Constructed for local conditions by a variety of Australian manufacturers you know and trust. they provide another way to enhance and personalise your MU-X with the confidence of Isuzu UTE Australia's seal of approval. Whether used in combination with Genuine Accessories or without, Isuzu UTE Approved Accessories can be trusted to maintain the integrity of your MU-X – while also offering a distinctly individual touch. See the full range of accessories in the MU-X Accessories brochure or at isuzuute.com.au.





ISUZU UTE
APPROVED ACCESSORIES

The Flat Price Servicing Program ("FPS Program") applies to FPS Eligible Vehicles (excludes Rental & Government Customers) at Participating Isuzu UTE Dealers only. For 24MY and later vehicle models, the Flat Price Servicing covers the first 5 Scheduled Services up to 5 years/75,000km (whichever occurs first). FPS Program is subject to change. For full terms & conditions, current pricing & model eligibility visit isuzuute.com.au/flat-price-service-disclaimer. 6 years/150,000km (whichever occurs first), for Isuzu UTE Vehicles with a Warranty Start Date on or after 1/1/19. Excludes trays & accessories. *The Roadside Assistance Program ("RSA Program") provides Coverage to RSA Eligible Vehicles (Private, ABN and Business Fleet Customers only) with a Warranty Start Date on or after 1/9/20 for a maximum of 7 years (unlimited kilometres). Initial 13 months Coverage provided from the Warranty Start Date. The Coverage will be reset for another 13 months from each date that a Participating Isuzu UTE Dealer conducts a Scheduled Service on the vehicle. For full terms & conditions visit isuzuute.com.au/roadside-assistance-disclaimer.

'Warranty for Isuzu UTE Genuine Accessories fitted by an authorised Isuzu UTE Dealer at the point of sale of a new Isuzu UTE vehicle are covered for three (3) years or 100,000 kilometres, whichever occurs first; Isuzu UTE Genuine Accessories fitted by an authorised Isuzu UTE Dealer after the delivery of a new Isuzu UTE Dealer are covered for one (1) year or 40,000 kilometres from the date of accessory purchase, whichever occurs first; Isuzu UTE Genuine Accessories not fitted by an authorised Isuzu UTE Dealer are warranted from the date of purchase for one (1) year or 20,000 kilometres, whichever occurs first.

2 Isuzu UTE Approved Accessories are not manufactured or warranted by Isuzu UTE Australia Pty Ltd. The warranty is provided by the manufacturer of the accessory. For more information refer to the Isuzu MU-X Accessories brochure.

