

**ISUZU D-MAX** **BLADE**





# INTRODUCING THE NEW ISUZU D-MAX BLADE

**Specially developed for Australian conditions to deliver the perfect balance of driving performance and ultimate comfort.**

The D-MAX BLADE has been engineered for adventure – with better handling, versatility and capability. With limits tested on every surface and boundaries pushed at every turn during development, the D-MAX BLADE is a vehicle that will take you further than you ever expected.

With a locally-developed suspension tune, and wheels and tyres exclusive to this model, it's built to take on Australia's most challenging terrain. Dual 8-tonne rated recovery points, a 3mm-thick bash plate, tubular steel side steps and greater ground clearance will allow you to take on your next adventure with confidence.

The bold exterior styling is highlighted by a new grille and integrated lightbar, unique black decals across the bonnet, side and tailgate, matte black sports bar, Australian designed flow-formed 17-inch alloy wheels wrapped with Goodyear Wrangler Duratrec RT all-terrain tyres, and red bash plate and recovery hooks. Inside, the interior has been customised with embossed scuff plates, embroidered headrests and floor mats, and a build plate with unique numbering, making each vehicle truly unique.

Every adventure is made better with the Isuzu D-MAX BLADE.

BLADE





## Performance - Chassis and Suspension

To ensure the most comfortable off-road ride, the D-MAX BLADE has been upgraded with a lift courtesy of new suspension components, including 35-mm MTV twin-tube dampers, and a larger wheel and tyre package. These enhancements give the vehicle greater chassis control and off-road capability, without compromising 3.5-tonne towing. These enhancements also provide an improved turn-in response and increased driver confidence with greater vehicle stability across a variety of terrain.



## Wheels

The 275/65R17 Goodyear Wrangler Duratrac RT all-terrain tyres, exclusive to this model, have been designed to be stronger and more durable. The superior traction and stability these tyres offer will improve the vehicle ride in on-road, off-road and wet weather situations, while the triple-ply sidewall offers puncture resistance when off-roading.



## Recovery Points and Bash Plate

This vehicle is built for going further than ever before and sometimes that means you get yourself into 'sticky' situations. The reinforced single piece recovery point frame with a load rating of 8-tonnes helps you get unstuck when you've found the limit, while the 3mm-thick steel bash plate protects vital components during each adventure.



## Exterior


Bolder, wider and taller, the D-MAX BLADE is our toughest looking D-MAX yet with an aggressive aesthetic emanating from the satin black grille, and a wider stance courtesy of contrasting fender flares and the fitment of wider wheels and tyres. An integrated lightbar lights up the road ahead, with a light throw of over 300 meters, while the signature red bash plate with rated recovery points provide a distinctive look. The tubular side steps and lightweight extended-leg sports bar, not only give a sportier look but those side steps offer better clearance and durability on tougher surfaces.

In addition, each D-MAX BLADE is fitted with special black badging and decals on the bonnet, sides and tailgate, as well as a unique build plate and customised production number in the engine bay and next to the transmission selector.



- A Steel Bash Plate & Recovery Points
- B Unique Front Grille & Bumper Cladding
- C Unique Fender Flares
- D Customised Leather Accented Interior
- E Unique Bonnet Decal
- F Tuned Red Suspension
- G BLADE Scuff Plates & Matte Black Steel Side Steps
- H Unique BLADE Sports Bar
- I LED Lightbar





# 24MY ISUZU D-MAX BLADE SPECIFICATIONS

<b>Engine</b>	<b>3.0L</b>	
Series	Isuzu 4JJ3-TCX	
Description	3-litre turbo-diesel, in-line 4-cylinder, DOHC, 16-valve with Diesel Particulate Diffuser (DPD)	
Maximum torque	450Nm @ 1600 → 2600 rpm (automatic & manual)	
Maximum power	140kW @ 3600 rpm	
Bore x stroke	95.4mm x 104.9mm	
Displacement	2999cc	
Compression ratio	16.3 : 1	
Cylinder head	Isuzu-patent special aluminium alloy	
Valve gear	Chain-driven dual overhead camshafts, roller rockers, 4 valves/cylinder	
Induction	Electronic high pressure common rail direct fuel injection with VSS (Variable Swirl System) and intercooled electric control VGS (Variable Geometry System) turbocharger	
Cylinder block	Cast iron upper with induction-hardened cylinder bores, cast alloy lower	
Emission level	Euro 5	
Alternator	90 amp with Intelligent Battery Sensor (IBS)	
<b>Transmissions</b>		
Automatic	Aisin AWR6B45 II 6-speed with sequential shift and brake shift lock electronically controlled, tri-mode with fuel-saving lock-up torque converter on gears 3, 4, 5 and 6 ► Uphill/Downhill Transmission Control: holds gear in varied-gradient ascents, selects gear on steep descents to hold speed with engine braking	
Ratios: 1	<b>3.0L Turbo</b>	<b>6-speed Automatic</b>
	1st	3.600
	2nd	2.090
	3rd	1.488
	4th	1.000
	5th	0.687
	6th	0.580
	Reverse	3.732
Final drive	4x4	3.727
	Snorkelled diff breathers to increase fording depth and reduce mud blockage	
Transfer gearing	4x4 low-range	2.482
	4x4 high-range	1.000
4x4 system	"Terrain Command" control with 'shift on the fly' 2-high ↔ 4-high selection at up to 100km/h, 4-low with rear differential lock	
Drivetrain system	TCS (Traction Control System) on all model variants	

**Steering**  
Electric power steering with speed-sensing steering feel (light at low speed, heavy at high speed); tilt and telescopic adjustable steering wheel

**Chassis**  
Separate, full-length heavy-duty chassis with 8 cross members

**Front suspension:** Independent, high-ride, Coil Springs & Walkinshaw-tuned MTV Twin Tube Dampers, upper and lower wishbones, stabiliser bar

**Rear suspension:** Alloy-steel overslung long-span semi-elliptic leaf springs; lifting blocks; Walkinshaw-tuned MTV Twin Tube Dampers

**Axles**  
**Front:** Independent 4x4: fully floating with outer CV, inner double offset joints and equal length driveshafts. Rating: 1450kg

**Rear:** Rigid semi-floating banjo with hypoid final drive and dual tapered needle roller bearings. Rating: 1910kg

**Brakes**  
Anti-lock Brake System (ABS) with Electronic Brakeforce Distribution (EBD), Electronic Stability Control (ESC), Emergency Brake Assist (EBA), Traction Control System (TCS), Rollover Mitigation, Hill Start Assist (HSA), Hill Descent Control (HDC) and Trailer Sway Control (TSC)

320mm dia. ventilated front discs with 2-piston calipers, 295mm rear drums  
Power-assisted via 10" servo unit; central pull up park brake

**Wheels and Tyres**  
**BLADE** 17" Satin Black Alloy Wheels & 275/65 R17 Goodyear Duratrac RT All-Terrain Tyres Full size spare wheel

**Service Plus**  
**Warranty** For the ultimate peace of mind, every Isuzu D-MAX comes standard with a comprehensive, bumper-to-bumper 6 years/150,000km warranty\*.



**Roadside Assistance** Enjoy up to 7 years Roadside Assistance\* when you complete your scheduled services at a Participating Isuzu UTE Dealer.

**Flat Price Servicing** As an owner you will get access to our Flat Price Servicing\* Program. The FPS Program covers the first 5 Scheduled Services at \$449 per service in line with the Scheduled Service Intervals.

\*The Flat Price Servicing Program ("FPS Program") applies to FPS Eligible Vehicles (excludes Rental & Government Customers) at Participating Isuzu UTE Dealers only. For 24MY and later vehicle models, the Flat Price Servicing covers the first 5 Scheduled Services up to 5 years/75,000km (whichever occurs first). FPS Program is subject to change. For full terms & conditions, current pricing & model eligibility visit [isuzuute.com.au/flat-price-service-disclaimer](http://isuzuute.com.au/flat-price-service-disclaimer). \*6 years/150,000km (whichever occurs first), for Isuzu UTE Vehicles with a Warranty Start Date on or after 1/1/19. Excludes trays & accessories. \*The Roadside Assistance Program ("RSA Program") provides Coverage to RSA Eligible Vehicles (Private, ABN and Business Fleet Customers only) with a Warranty Start Date on or after 1/9/20 for a maximum of 7 years (unlimited kilometres). Initial 13 months Coverage provided from the Warranty Start Date. The Coverage will be reset for another 13 months from each date that a Participating Isuzu UTE Dealer conducts a Scheduled Service on the vehicle. For full terms & conditions visit [isuzuute.com.au/roadside-assistance-disclaimer](http://isuzuute.com.au/roadside-assistance-disclaimer).

**Safety**  
**IDAS** Every D-MAX comes with Isuzu's Intelligent Driver Assistance System (IDAS\*) built-in to protect and enhance the driving experience. IDAS includes smart technologies as well as other passive and active safety features.

\*IDAS features are designed to assist the driver, but should not be relied upon nor used as a substitute for safe driving practices. Feature operation may vary in different driving conditions. For full explanation of limitations, see Owner's & Driver's Manual.





## Safety and Security

4-channel 4-sensor Anti-lock Brake System (ABS) with Electronic Brakeforce Distribution (EBD)
Electronic Stability Control (ESC)
Traction Control System (TCS)
Emergency Brake Assist (EBA)
Hill Start Assist (HSA)
Hill Descent Control (HDC)
Autonomous Emergency Braking (AEB)
Turn Assist with AEB
Post-Collision Braking
Forward Collision Warning (FCW)
Misacceleration Mitigation (*AT models only)
Intelligent Adaptive Cruise Control (IACC) with Stop and Go functionality
Traffic Sign Recognition (TSR)
Intelligent Speed Limiter
Manual Speed Limiter
Lane Departure Warning (LDW)
Lane Departure Prevention (LDP)
Lane Keep Assist (LKA)
Emergency Lane Keeping (ELK)
Lane Support System (LSS) Switch (disables LDW, LDP, LKA, ELK)
Driver Attention Assist
Blind Spot Monitoring (BSM)
Rear Cross Traffic Alert (RCTA)
Rear Cross Traffic Braking (RCTB)
BSM/RCTA/RCTB Auto Switch Off (disables BSM/RCTA/RCTB when the genuine tow harness is connected)
Digital Reversing camera w/ Dynamic Guidelines
Rear Park Assist Sensors
Front Park Assist Sensors
8 Airbags: dual front, curtain, side, driver's knee and far side airbags
Passenger side SRS airbag on/off switch
Height-adjustable upper mounts for front seat belts
Pre-tensioners with load limiters for front seat belts
Pre-tensioners with load limiters for outer rear seat belts
3-point retractable seat belts for all rear and centre seating positions
Intelligent seatbelt reminder (all seats)
2 childseat tethers and ISO FIX compatible anchor points
Height-adjustable head restraints for full-size seats
Integrated head restraint on front seats
Child-proof rear door locks
Single 10 inch servo brake master cylinder
Side anti-intrusion bars inside all doors
Engine immobilizer
Rear window demister
High Density Polyethylene (HDPE) fuel tank
High mount brake light on cabin
Dual horn

## Protection

Underbody Protection with Red 3mm Steel Bash Plate
Steel plate guards: sump, transfer case, fuel tank leading edge; reinforced resin under fuel tank
2x Red steel recovery points - 8,000kg rated

## In-cabin Storage

Upper and lower glovebox compartments
Power outlet in lower instrument panel
Centre floor console
Dual-purpose driver and front passenger cup holder tray
Rear passenger door cup holders
Pockets on backs of front seats
Overhead console with twin map lights and flip-down sunglasses case
Front door storage compartment with bottle bulge
2 coat hooks
Flip up convenience hook behind passenger front seat
Tool storage behind rear seats

## Rear Tub

Double-walled ute tub
Under rail tub liner
4 cargo tie-down hooks inside ute tub
Tailgate Assist

## Exterior Style

Short front overhang for optimal manoeuvrability and approach angle
Bi-LED headlights with auto-levelling function and integrated turn indicators
Automatic headlights
Automatic high beam
Coming home light
Headlight Welcome light
LED Daytime Running Lights (DRLs)
LED fog lights
Exclusive satin black radiator grille with integrated LED lightbar
Colour-coded front bumper with unique lower bumper cladding
Colour-coded integrated rear step bumper
Factory fitted tow bar receiver
Matte black tubular steel side steps
Black door and tailgate handles
Lockable tailgate
Unique matte black sports bar
Gloss Black fold-in power door mirrors with integrated turn indicators
Heated door mirrors
Centre front roof-mounted bee-sting aerial
LED rear combination lamps
Matte black decals on bonnet, tailgate, door panels & front fascia
Satin black fender flares
Unique satin black badges on tailgate
Unique numbered build plate in engine bay

## Seating

Leather accented seats with BLADE logo stitching on headrest
Front bucket whiplash protection seats
8-way electric adjustable driver seat
Electric adjustable lumbar support (driver seat only)
Heated front seats
Split-fold rear seat with centre arm rest
Rear centre seat headrest

## Cabin Amenities

Dual zone climate control air-conditioning with integrated heater/demister
Rear seat air-conditioning vents
Pollen and fine particle air filter
Power windows with one-touch up/down driver's window with safety stop and delay closing
Comfort turn signal
Central locking with keyless entry
Walk away lock
Remote key auto re-lock
Push button start
Remote engine start
Power-adjustable door mirrors with turn indicator lights
*Sky Sound <sup>®</sup> roof-mounted sound system with 8 speakers (mounted in front dash, doors and roof)
9 inch touchscreen display with wireless Apple CarPlay <sup>®</sup> and Android Auto <sup>®</sup> with MID Integration
Built-in satellite navigation with MID turn-by-turn directions
Rear centre console USB charging port
USB type C port in central instrument panel and rear floor console
USB type A port in Stereo Camera Housing
Tilt and telescopic adjustable steering wheel with electric power steering
Leather steering wheel with cruise, audio and voice recognition controls
7 inch Smart MID with digital speedometer, safety information, fuel economy and range, odometer, trip information and service reminder
Tyre Pressure Monitoring System (TPMS)
Electro-luminescent gauges
"Terrain Command" 4x4 select dial
Rear differential lock button
Rough Terrain Mode button
Automatic windshield wipers with intuitive flat wiper blade
Day/night interior rear view mirror
Auto-dimming rear view mirror
Sun visors with illuminated vanity mirrors (driver and passenger) and ticket retaining strap (driver)
Fixed A-pillar assist-grips for driver and front passenger
Fixed B-pillar assist-grips for rear passengers
Folding assist-grips for driver, front passenger and rear passengers
Carpet flooring & BLADE logo branded floor mats
BLADE logo branded scuff plates
Unique numbered build plate

## D-MAX ADR 81/02<sup>A</sup> Fuel Consumption Values

FUEL CONSUMPTION (litres/100km)	
Combined	8.0
Urban	9.8
Extra Urban	6.9
CO <sup>2</sup> (g/km)	
Combined	207
Urban	254
Extra Urban	180

## Dimensions (mm unless stated otherwise)

Wheelbase	3125
Overall length	5308
Overall width (excluding door mirrors)	1910
Overall height	1810
Front overhang	928
Rear overhang	1255
Wheel track width	1590
Ground clearance	244
Turning circle diameter between kerbs (metres)	12.65
Approach angle	29.2°
Departure angle	19.2°
Ramp-over angle	25.2°

## Load area (mm)

Cab to rear axle	450
Length (top)	1495
Length (floor)	1570
Maximum width	1530
Width between wheel houses	1122
Depth	490





## Interior (mm)

Leg room - front	1075
Leg room - rear	905
Shoulder room - front	1460
Head room - front	1020

## Mass (kg)

Gross Vehicle Mass (GVM)	3100
Kerb weight <sup>1</sup>	2204
Payload <sup>2</sup> (cab chassis models: final mass depends on body fitted)	896
Gross Combination Mass (GCM)	6000
Maximum towing mass (braked trailer)	3500
Maximum towing mass (non-braked trailer)	750
Maximum tow ball download (when fitted with genuine Isuzu UTE tow kit)	350
Fuel tank capacity (litres)	76

## Exterior Colour Options

Sunstone Orange mica	
Moonstone White pearl	
Basalt Black mica	
Granite Grey mica	



Apple CarPlay is a trademark of Apple Inc. Android Auto is a trademark of Google LLC. Not all devices will be compatible & functionality will vary depending on the device. Mobile Data & SMS rates may apply & are the responsibility of the user. Please check your local road rules before using these functions.

<sup>1</sup>Fuel consumption & emissions figures based on ADR 81/02 & are to be used for vehicle comparison purposes only. Actual fuel consumption & emissions will vary depending on many factors including, but not limited to, traffic conditions, individual driving style & vehicle condition. <sup>2</sup>Kerb weight - unladen mass of vehicle & full tank of fuel, excludes tray body for cab chassis vehicles. Fuel weight ratio is based on Fuel Standard (Automotive Diesel) Determination 2001. <sup>3</sup>Payload equals GVM minus kerb weight.









**ISUZU**  
**UTE**  
GO YOUR OWN WAY

[www.isuzuute.com.au](http://www.isuzuute.com.au) Toll Free: 1300 147 898

For further specifications & details, please refer to [isuzuute.com.au](http://isuzuute.com.au) or consult your authorised Isuzu UTE Dealer for current availability of colours & Isuzu UTE Genuine Accessories. Isuzu UTE Australia Pty Ltd (ABN 80 129 563 739) reserves the right to change specifications & content without notice, subject to any applicable Federal, State or Territory laws or regulations which may apply. Colours depicted herein may differ from actual due to the printing process. No part of this brochure can be reproduced without the written permission from Isuzu UTE Australia. All information is true & correct at the time of publishing, November 2024. Printed in Australia © Copyright Isuzu UTE Australia Pty Ltd 2024.

**ISUZU D-MAX** ///  
**BLADE**