



GO YOUR OWN WAY









### **NO-NONSENSE & ALL-PURPOSE MU-X LS-M (25MY)**









**Drivetrains** 

4X2







**Engine Types** 





4X4

Model shown is 4x4 LS-M in Obsidian Grey mica

#### LS-M key features:

Push Button Start

Tilt & Telescopic Adjustable Steering Wheel

Electric Power Steering

Electric Park Brake with Auto Hold

Carpet Flooring

High Grade Cloth Seats

8" Touchscreen Audio with wireless Android Auto™ & wireless Apple CarPlay® Compatibility

Digital Reversing Camera with Rear Parking Sensors

17" Alloy Wheels & 255 65 R17 All-Terrain Tyres

Black & Dark Grey Grille with Matte Black Mirrors


Bi-LED Headlights with Auto Levelling

Manual Air Conditioning (with second & third row vents)

Black Aluminium Side Steps

Rough Terrain Mode (4x4 models only)

#### **Available colours**



## **SUBSTANCE & STYLE MU-X LS-U (25MY)**





**Engine Types** 









**Drivetrains** 

4X2

4X4





Model shown is 4x4 LS-U in Magnetic Red mica

#### LS-U key features:

Smart Keyless Entry & Push Button Start

Walk Away Door Lock

Hands-free Power Tailgate

Tilt & Telescopic Adjustable Steering Wheel

Electric Power Steering

Electric Park Brake with Auto Hold

Auto-Dimming Rear View Mirror & Heated Door Mirrors

High Grade Cloth Seats

Carpet Flooring

Power Lumbar Support Driver's Seat

Tyre Pressure Monitoring System (TPMS)

Front & Rear Parking Sensors with Digital Reversing Camera

9" Touchscreen Audio with wireless Android Auto™, wireless Apple CarPlay® compatibility, built-in Satellite Navigation & MID Integration

18" Titanium Grey Silver Alloy Wheels & 265 60 R18 Highway-Terrain Tyres

Black & Titanium Grey Grille with Body-Coloured Mirrors

Bi-LED Headlights with Auto Levelling

Dual Zone Climate Control Air Conditioning (with second & third row vents)

Aluminium Side Steps

Rough Terrain Mode (4x4 models only)

#### **Available colours**



±1.9L engine only available on 4x4 model.

## BIGGER & BOLDER MU-X LS-T (25MY)









Model shown is 4x4 LS-T in Neptune Blue mica







**Drivetrains** 

4X2

4X4



#### LS-T includes all LS-U features plus:

Remote Engine Start

Leather Accented Seats<sup>†</sup>

Electric Eight-Way Adjustable Driver's Seat with Power Lumbar Support

Electric Four-Way Adjustable Front Passenger Seat

Variable Heated Front Driver & Passenger Seats

20" Machined Two-Tone Alloy Wheels & 265 50 R20 Highway-Terrain Tyres

Ambient Interior Lighting with Footwell Lamp

Centre Console Overhead Guidelight

360° Surround View Monitor<sup>∓</sup>

Dark Headline Trim

#### **Available colours**





Moonstone White pearl Neptune Blue mica

**Obsidian Grey mica** 

### **STYLISH & CONFIDENT MU-X X-TERRAIN (25MY)**











Model shown is 4x4 X-TERRAIN in Slate Grey metallic

#### X-TERRAIN includes all LS-T features plus:

XT Badging in Grille Mesh, on Fender & Tailgate

Leather Accented Seats† with Red Stitching

Gloss Black Fender Flares & Fender Garnish

Hot Stamp Radiator Grille

20" Gloss Black Alloy Wheels & 265 50 R20 Highway-Terrain Tyres Red Ambient Interior Lighting with Footwell Lamp

360° Surround View Monitor<sup>∓</sup>

Red-Themed 7" Multi-Information-Display

**Basalt Black mica** 

**Available colours** 

Mercury Silver metallic Moonstone White pearl Slate Grey metallic

All features mentioned are a guide for quick comparison. Refer to the MU-X specification sheet for further details on available features. Apple CarPlay is a trademark of Apple Inc. Android Auto is a trademark of Google LLC. Not all devices will be compatible & functionality will vary depending on the device. Mobile Data & SMS rates may apply & are the responsibility of the user. Please check your local road rules before using these functions. 'Seats have leather touches or accents, but are not wholly leather. 'Driver Assist Features are designed to aid the driver and should not be relied upon nor used as a substitute for safe driving practices. Features may vary in different driving conditions, refer to the Owner's Manual for details and limitations.

## **25MY ISUZU MU-X SPECIFICATIONS**

Engine	3.0L	1.9L
Series	Isuzu 4JJ3-TCX	RZ4E-TC
Description	3.0 litre turbo diesel, in-line 4-cylinder, DOHC, 16-valve with Diesel Particulate Diffuser (DPD)	1.9 litre turbo diesel, in-line 4-cylinder, DOHC, 16-valve with Diesel Particulate Diffuser (DPD)
Maximum torque	450Nm @ 1600→2600 rpm (automatic)	350Nm @ 1800→2600 rpm
Maximum power	140kW @ 3600 rpm	110kW @ 3600 rpm
Bore x stroke	95.4mm x 104.9mm	80mm x 94.4mm
Displacement	2999сс	1898cc
Compression ratio	16.3 : 1	15.9 : 1
Cylinder head	Isuzu-patent special aluminium alloy	Isuzu-patent special aluminium alloy
Valve gear	Chain-driven dual overhead camshafts, roller rockers, 4 valves/cylinder	Chain-driven dual overhead camshafts, roller rockers, 4 valves/cylinder
Induction	Electronic high pressure common rail direct fuel injection with VSS (Variable Swirl System) and intercooled electric control VGS (Variable Geometry System) turbocharger	Electronic high pressure common rail direct fuel injection with VSS (Variable Swirl System) and intercooled electric control VGS (Variable Geometry System) turbocharger
Cylinder block	Cast iron upper with induction-hardened cylinder bores, cast alloy lower	Cast iron upper with induction-hardened cylinder bores, cast alloy lower
Emission level	Euro 5	Euro 5
Alternator	120 amp with Intelligent Battery Sensor (IBS)	120 amp with Intelligent Battery Sensor (IBS)

#### **Transmissions**

i ransmission:	5	
Automatic	controlled, tri-mode with Adaptiv converter on gears 3, 4, 5 and 6 • Uphill/Downhill Transmission C	sequential shift and brake shift lock electronically be Logic Control and fuel-saving lock-up torque control: holds gear in varied-gradient ascents, s to hold speed with engine braking
Ratios: 1	6-speed Automatic 1st 2nd 3rd 4th 5th 6th Reverse	3.600 2.090 1.488 1.000 0.687 0.580 3.732
Final drive	4x2 / 4x4 3.0L 4JJ3-TCX 4x2 / 4x4 1.9L RZ4E-TC	3.727 4.100
	Snorkelled diff breathers to incre	ase fording depth and reduce mud blockage
Transfer gearing	4x4 low-range 4x4 high-range	2.482 1.000
4x4 system		ain Command" control with 'shift on the fly' to 100km/h, 4-low with rear differential lock
Drivetrain system	TCS (Traction Control System) or	n all model variants

#### Steering

Electric power steering with speed-sensing steering feel (light at low speed, heavy at high speed); tilt and telescopic adjustable steering wheel

Speed-sensitive variable capacity Electric power system; 3.84 turns lock-to-lock via tilt-adjustable steering wheel

#### **Chassis**

#### Frame

Ladder frame chassis constructed with high-tensile steel with 9 crossmembers

#### Front suspension

Independent, high-ride, coil springs, gas shock absorbers, upper and lower wishbones, stabiliser bar

#### Rear suspension

Multi-link coil suspension, gas shock absorbers, stabiliser bar

#### **Axles**

#### Front

Independent 4x4: fully floating with outer CV, inner double offset joints and equal length driveshafts. Rating: 1450kg

#### Rear

Rigid semi-floating banjo with hypoid final drive and dual tapered needle roller bearings. Rating: 1650kg

#### **Brakes**

Anti-lock Brake System (ABS) with Electronic Brakeforce Distribution (EBD), Electronic Stability Control (ESC), Emergency Brake Assist (EBA), Traction Control System (TCS), Roll Over Mitigation, Hill Start Assist (HSA), Hill Descent Control (HDC) and Trailer Sway Control (TSC)

All models: 320mm dia. ventilated front discs with 2-piston calipers, 318mm dia. ventilated rear discs with 2-piston calipers

Power-assisted via 10" servo unit; central electrical switch park brake

#### **Wheels and Tyres**

4x4 and 4x2 LS-M	17" x 7" alloy; 255 / 65 R17 All-Terrain
4x4 and 4x2 LS-U	18" x 7.5" alloy; 265 / 60 R18 Highway-Terrain
4x4 and 4x2 LS-T	20" x 7.5" alloy; 265 / 50 R20 Highway-Terrain
4x4 X-TERRAIN	20" x 7.5" alloy; 265 / 50 R20 Highway-Terrain
Spare	LS-M & LS-U models: full size steel spare wheel LS-T & X-TERRAIN models: full size alloy spare wheel

#### **Service Plus**

Warranty	For the ultimate peace of mind, every Isuzu MU-X comes standard with a comprehensive, bumper-to-bumper 6 years/150,000km warranty^.
Roadside Assistance	Enjoy up to 7 years Roadside Assistance <sup>&lt;</sup> when you complete your scheduled services at a Participating Isuzu UTE Dealer.
Flat Price Servicing	As an owner you will get access to our Flat Price Servicing <sup>2</sup> Program. The FPS Program covers the first 5 Scheduled Services in line with the Scheduled Service Intervals.

The Flat Price Servicing Program ("FPS Program") applies to FPS Eligible Vehicles (excludes Rental & Government Customers) at Participating Issuzu UTE Dealers only. For 24MV and later vehicle models, the Flat Price Servicing covers the first 5 Scheduled Services up to 5 years/75,000km (whichever occurs first). FPS Program is subject to change. For full terms & conditions, current pricing & model eligibility visit isuzuute.com.au/flat-price-servicedisclaimer. '6 years/150,000km (whichever occurs first), for Isuzu UTE Vehicles with a Warranty Start Date on or after 1/1/19. Excludes trays & accessories. 'The Roadside Assistance Program ("RSA Program") provides Coverage to RSA Eligible Vehicles (Private, ABN and Business Fleet Customers only) with a Warranty Start Date on or after 1/9/20 for a maximum of 7 years (unlimited kilometres). Initial 13 months Coverage provided from the Warranty Start Date. The Coverage will be reset for another 13 months from each date that a Participating Isuzu UTE Dealer conducts a Scheduled Service on the vehicle.



#### Safety

IDAS

Every MU-X comes with Isuzu's Intelligent Driver Assistance System (IDAS#) built-in to protect and enhance the driving experience. IDAS includes smart technologies as well as other passive and active safety features.

\*IDAS features are designed to assist the driver, but should not be relied upon nor used as a substitute for safe driving practices. Feature operation may vary in different driving conditions. For full explanation of limitations, see Owner's & Driver's Manual.



ANCAP RATING The entire MU-X range has achieved a maximum 5-star ANCAP safety rating in 2022.





SPECIFICATIONS	ATIONS 4x2			4x4						
Ingine	LS-M	LS-U	LS-T	LS-M	LS-U	LS-T	X-TERRAI			
1898cc DOHC 4cyl. with intercooled turbocharger (350Nm, 110kW)				•	•					
2999cc DOHC 4cyl, with intercooled turbocharger (450Nm, 140kW)		•	•	•	•	•	•			
ransmissions										
5-speed "Rev-Tronic" automatic transmission with sequential sport mode	•	•	•	•	•	•	•			
afety and Security		•	•		•	•	•			
4-channel 4-sensor Anti-lock Brake System (ABS) with Electronic Brakeforce Distribution (EBD)										
Admini 4-sensor Anthora Drake System (ABS) with Electronic Drakeholde Distribution (EBD)										
Traction Control System (TCS)										
Emergency Brake Assist (EBA)										
Hill Start Assist (HSA)										
Hill Descent Control (HDC)		•	•	•	•	•	•			
Roll-Over Mitigation (ROM)	•	•	•	•	•	•	•			
Autonomous Emergency Braking (AEB)	•	•	•	•	•	•	•			
Turn Assist with AEB	•	•	•	•	•	•	•			
Post-Collision Braking (PCB)	•	•	•	•	•	•	•			
Forward Collision Warning (FCW)	•	•	•	•	•	•	•			
Misacceleration Mitigation	•	•	•	•	•	•	•			
Intelligent Adaptive Cruise Control (IACC) with Stop & Go Functionality	•	•	•	•	•	•	•			
Traffic Jam Drive Assist	•	•	•	•	•	•	•			
Traffic Sign Recognition (TSR)	•	•	•	•	•	•	•			
Intelligent Speed Limiter	•	•	•	•	•	•	•			
Manual Speed Limiter	•	•	•	•	•	•	•			
Lane Departure Warning (LDW)	•	•	•	•	•	•	•			
Lane Departure Prevention (LDP)	•	•	•	•	•	•	•			
Lane Keep Assist (LKA)	•	•	•	•	•	•	•			
Emergency Lane Keeping (ELK)		•	•	•	•	•	•			
Lane Support System (LSS) Switch (disables LDW, LDP, LKA, ELK) Driver Attention Assist		•	•		•	•	•			
Driver Attention Assist Blind Spot Monitoring (BSM)										
Rear Cross Traffic Alert (RCTA)										
Rear Cross Traffic Braking (RCTB)										
BSM/RCTA/RCTB Auto Switch Off (disables BSM/RCTA/RCTB when the genuine tow harness is connected)	•	•			•	•	•			
Digital reversing camera with dynamic guidelines		•	•	•	•	•	•			
360° Surround View Monitor <sup>∓</sup>			•			•	•			
Front Park Assist Sensors		•	•		•	•	•			
Rear Park Assist Sensors	•	•	•	•	•	•	•			
3 Airbags: dual front, curtain, side, driver's knee and far side airbags	•	•	•	•	•	•	•			
Passenger side SRS airbag on/off switch	•	•	•	•	•	•	•			
Height-adjustable upper mounts for front seat belts	•	•	•	•	•	•	•			
Pre-tensioners with load limiters for front seat belts	•	•	•	•	•	•	•			
Pre-tensioners with load limiters for outer second row seat belts	•	•	•	•	•	•	•			
3-point retractable seat belts for third row and centre seating positions	•	•	•	•	•	•	•			
ntelligent seatbelt reminder (all seats)	•	•	•	•	•	•	•			
Three childseat top tethers for second row	•	•	•	•	•	•	•			
Two ISO FIX compatible anchor points for second row	•	•	•	•	•	•	•			
leight-adjustable head restraints for all seats	•	•	•	•	•	•	•			
Child-proof rear door locks	•	•	•	•	•	•	•			
Anti-theft alarm		•	•		•	•	•			
ide anti-intrusion bars inside all doors		•	•	•	•	•	•			
ingine immobilizer Rear window demister with timer and intermittent wiper										
ligh Density Polyethylene (HDPE) fuel tank										
light berisity i oryethylerie (i ibi z) fuer tank										
nign mount brake right on taligate Dual horn										
rotection		•	•		•		•			
					_					
Inderfront steel skid plate	•	•	•		•	•	•			
Steel plate guards: sump, transfer case, fuel tank leading edge; reinforced resin under fuel tank					•	•	•			
uspension and Brakes										
Electric Park Brake with Auto Hold feature	•	•	•	•	•	•	•			
Single 10 inch servo brake master cylinder	•	•	•	•	•	•	•			
Rear 5-link coil suspension with stabiliser bar	•	•	•	•	•	•	•			
Front independent, coil spring suspension w/gas shock absorbers, upper and lower wishbones and stabiliser bar										

<sup>\*</sup>Driver Assist Features are designed to aid the driver and should not be relied upon nor used as a substitute for safe driving practices. Features may vary in different driving conditions, refer to the Owner's Manual for details and limitations.

## **SPECIFICATIONS**

SPECIFICATIONS							
	LS-M	LS-U	LS-T	LS-M	LS-U	LS-T	X-TERR
eating							
gh grade cloth seats	•	•		•	•		
eather accented seats			•			•	
eather accented seats with red stitching							•
ont bucket whiplash protection seats	•	•	•	•	•	•	•
way adjustable driver seat	•	•		•	•		
way electric adjustable driver seat			•			•	•
lectric adjustable lumbar support (driver seat only)		•	•		•	•	•
way electric adjustable front passenger seat			•			•	•
0:40 reclining split-fold second row seats with fold away centre arm rest	•	•	•	•	•	•	•
0:50 reclining split-fold third row seats	•	•	•	•	•	•	•
ariable heated front driver and passenger seats			•			•	•
-cabin Storage							
ower glovebox compartment	•	•	•	•	•	•	•
ower outlet in lower instrument panel	•	•	•	•	•	•	•
entre floor console		•	•	•	•	•	•
ual-purpose driver and front passenger cup holder tray		•					
ear passenger door cup holders							
econd row fold out cup holder/storage tray							
nird row outer armrests with integrated cup holders							
- · · · · · · · · · · · · · · · · · · ·					•		
ockets on backs of front seats		•	-		•		
verhead console with twin map lights and flip-down sunglasses case		•	•	•	•	•	
ont door storage compartment with bottle bulge	•	•	•	•	•		
vo coat hooks	•		_	•	•	•	
p up convenience hook behind passenger front seat	•	•	•	•	•	•	•
torage space under rear cargo flooring	•	•	•	•	•	•	•
ool storage space inside rear cargo wall (driver side)	•	•	•	•	•	•	•
cterior Style							
hort front overhang for optimal manoeuvrability and approach angle	•	•	•	•	•	•	•
-LED headlights with auto-levelling function	•	•	•	•	•	•	•
utomatic headlights	•	•	•	•	•	•	•
utomatic high beam		•	•	•	•	•	•
eadlight welcome light		•	•				•
oming home light							
ED Daytime Running Lights (DRLs)							
	•			•			
ED fog lights		•	•		•	•	•
ack & dark grey metallic radiator grille	•			•	_	_	
ack & titanium carbide radiator grille		•	•		•	•	_
ot Stamp Radiator Grille with XT badge							•
T badging on fender and tailgate							•
loss black fender garnish			•			•	
olour-coded front bumper	•	•	•	•	•	•	•
ack aluminium side steps	•			•			
lagnetite aluminium side steps		•			•		
loss black aluminium side steps			•			•	•
ower body side skirt - body colour							•
ack door handles	•			•			
plour-coded door handles		•	•		•	•	•
anual tailgate with integrated rear spoiler	•			•			
ands-free power tailgate with integrated rear spoiler		•	•		•	•	•
oss black power fold-in door mirrors with integrated turn indicators			•			•	•
olour-coded power fold-in door mirrors with integrated turn indicators		•			•		
ack power door mirrors		-		•	-		
don portor door rimitoro			•		•	•	
ear privacy glass		-	-		-	•	-
			_		A		_
eated door mirrors		•	•		•	•	
ear privacy glass eated door mirrors entre front roof-mounted bee-sting aerial oof rails (maximum load capacity 100kg)	•	•	•	•	•		•

4x4

## **SPECIFICATIONS**

bin Amenities  all zone climate control air-conditioning with integrated heater/demister anual air-conditioning with integrated heater/demister cond and third row air-conditioning vents with controls  llen and fine particle air filter  wer windows with one-touch up/down driver's window with safety stop	•	•	•		•		
anual air-conditioning with integrated heater/demister cond and third row air-conditioning vents with controls Ilen and fine particle air filter wer windows with one-touch up/down driver's window with safety stop	•	•	•		•		
cond and third row air-conditioning vents with controls Ilen and fine particle air filter wer windows with one-touch up/down driver's window with safety stop	•					•	•
llen and fine particle air filter wer windows with one-touch up/down driver's window with safety stop	•	•		•			
wer windows with one-touch up/down driver's window with safety stop	•		•	•	•	•	•
		•	•	•	•	•	•
	•	•	•	•	•	•	•
mfort turn signal	•	•	•	•	•	•	•
entral locking with keyless entry	•	•	•	•	•	•	•
nart keyless entry		•	•		•	•	•
alk away door lock		•	•		•	•	•
elcome home light		•	•		•	•	•
sh button start	•	•	•	•	•	•	•
mote engine start			•			•	•
nbient door lighting with footwell lamp			•			•	
d ambient door lighting with footwell lamp							•
ntre console overhead guidelight			•			•	
ck roof lining			•			•	
veradjustable door mirrors with turn indicator lights							
veradjustable door mirrors			•		•		
peaker sound system							
peaker sound system	•			•			_
·		•			•	•	
ch touchscreen display with wireless Apple CarPlay® and wireless Android Auto® with MID Integration	_	•	•		•	•	•
ch touchscreen display with wireless Apple CarPlay® and wireless Android Auto®	•			•	_		
It-in satellite navigation with MID turn-by-turn directions		•	•		•	•	
b USB type C ports in central instrument panel		•	•		•	•	•
B type C port in Touchscreen	•			•			
USB type C ports in rear floor console	•	•	•	•	•	•	
3 type A port in Stereo Camera Housing	•	•	•	•	•	•	
and telescopic adjustable steering wheel with electric power steering	•	•	•	•	•	•	•
thane steering wheel with cruise, audio and voice recognition controls	•			•			
ther steering wheel with cruise, audio and voice recognition controls		•	•		•	•	
inch Smart MID with digital speedometer, safety information, fuel economy and range, odometer, trip information and service reminder	•			•			
sch Smart MID with digital speedometer, safety information, fuel economy and range, odometer, trip information and service reminder		•	•		•	•	
e Pressure Monitoring System		•	•		•	•	
ctro-luminescent gauges	•	•	•	•	•	•	•
rain Command" 4x4 select dial				•	•	•	
r Differential Lock button				•	•	•	
gh Terrain Mode button				•	•		
matic Windshield Wipers	•	•	•				
ititve Flat Wiper Blade	•						
nual day/night interior rear view mirror			•		•		
· ·	•						
o-dimming rear view mirror						•	
visors with vanity mirrors (driver and passenger) and ticket retaining strap (driver)	_	•	•	_	•	•	•
visors with vanity mirror (passenger) and ticket retaining strap (driver)	•	_		•			
d Apillar assist-grips for driver and front passenger	•	•	•	•	•	•	
d B-pillar assist-grips for rear passengers	•	•	•	•	•	•	•
ling assist-grips for driver and front passenger	•	•	•	•	•	•	
ding assist-grips for rear passengers	•	•	•	•	•	•	•
rpet flooring	•	•	•	•	•	•	•

4x4

# FUEL, WEIGHTS AND DIMENSIONS

MU-X ADR 81/02≙ Fuel Consumption Values	<b>LS</b> 1.9L	3.0L	LS-U	LS-T	1.9L	LS-M 1 9 3 01				LS-T	X-TERRAIN
Transmission (AT = Automatic)	AT	AT	AT	AT	AT	AT	AT	AT	AT	AT	
FUEL CONSUMPTION (litres/100km)	A	A.	AI.	AI .	Α.	ΑΙ	Α!	AI.	Al	Al	
Combined	7.4	7.8	7.8	7.8	7.4	8.3	7.4	8.3	8.3	8.3	
Urban	9.0	9.6	9.6	9.6	9.0	10.3	9.0	10.3	10.3	10.3	
Extra Urban	6.7	6.8	6.8	6.8	6.7	7.2	6.7	7.2	7.2	7.2	
CO² (g/km)											
Combined	196	206	206	206	196	220	196	220	220	220	
Urban	237	253	253	253	237	271	237	271	271	271	
Extra Urban	177	179	179	179	177	190	177	190	190	190	
Dimensions (mm unless stated otherwise)											
Wheelbase	28	355	2855	2855	28	355	28	55	2855	2855	
Overall length	48	360	4860	4860	48	360	48	60	4860	4860	
Overall width (excluding door mirrors)	18	370	1870	1870	18	370	18	70	1870	1870	
Overall height	18	315	1825	1825	18	315	18	25	1825	1825	
Front overhang	9	05	905	905	9	05	90	05	905	905	
Rear overhang	11	100	1100	1100	11	100	11	00	1100	1100	
Wheel track width	15	570	1570	1570	15	570	15	70	1570	1570	
Ground clearance	2	30	235	235	2	30	23	35	235	235	
Turning circle diameter between kerbs (metres)		1.6	11.6	11.6		1.6		1.6	11.6	11.6	
Approach angle	23.4°		29.2°	29.2°	23.4°	28.6°	24.0°	29.2°	29.2°	29.2°	
Departure angle	27.6°	27.6°	26.9°	26.4°	27.6°	27.6°			26.4°	26.4°	
Ramp-over angle		22.6°	23.1°	23.1°		22.6°		23.1°	23.1°	23.1°	
Wading depth <sup>‡</sup>	8	00	800	800	8	00	80	00	800	800	
Interior											
Leg room - front (mm)	10	)75	1075	1075	10	)75	10	75	1075	1075	
Leg room - 2nd row (mm)	9	15	915	915	9	15	9	15	915	915	
Leg room - 3rd row (mm)	8	50	850	850	8	50	85	50	850	850	
Shoulder room - front (mm)	14	160	1460	1460	14	160	14	60	1460	1460	
Head room - front (mm)	10	020	1020	1020	10	020	10	20	1020	1020	
Rear cargo space - 2nd & 3rd row flat (litres)	21	138	2138	2138	2	138	21	38	2138	2138	
Rear cargo space - 3rd row flat (litres)		119	1119	1119		119		19	1119	1119	
Rear cargo space - 3rd row up (litres)	3	11	311	311	3	11	3	11	311	311	
Mass (kg)											
Gross Vehicle Mass (GVM)	2700	2700	2700	2700	2800	2800	2800	2800	2800	2800	
Kerb weight <sup>^</sup>	1970	2050	2070	2095	2065	2140	2080	2160	2190	2195	
Payload~	730	650	630	605	735	660	720	640	610	605	
Gross Combination Mass (GCM)	5500	5900	5900	5900	5500	5900	5500	5900	5900	5900	
Maximum towing mass (braked trailer)	3000	3500	3500	3500	3000	3500	3000	3500	3500	3500	
Maximum towing mass (non-braked trailer)	750	750	750	750	750	750	750	750	750	750	
Maximum tow ball download (when fitted with genuine Isuzu UTE tow kit)	300	350	350	350	300	350	300	350	350	350	
Fuel tank capacity (litres)	80	80	80	80	80	80	80	80	80	80	

<sup>&</sup>lt;sup>4</sup>Fuel consumption & emissions figures based on ADR 81/02 and are to be used for vehicle comparison purposes only. Actual fuel consumption & emissions will vary depending on many factors including, but not limited to, traffic conditions, individual driving style & vehicle condition.

\*Up to 800mm of wading depth on all MU-X models when travelling at a consistent speed of 7km/h. Water ingress may occur if speed is not maintained or if the vehicle is static in water above 350mm.

<sup>^</sup>Kerb weight - unladen mass of vehicle & full tank of fuel. Fuel weight ratio is based on Fuel Standard (Automotive Diesel) Determination 2001. "Payload equals GVM minus kerb weight.

## **BODY STYLES AND DIMENSIONS (25MY)**



Isuzu MU-X LS-M 4x2 and 4x4




Isuzu MU-X LS-U 4x2 and 4x4




Isuzu MU-X LS-T 4x2 and 4x4





Isuzu MU-X X-TERRAIN 4x4









































## Go your own way for longer with Isuzu UTE Service Plus, I-Venture Club, Isuzu UTE Genuine Accessories and Isuzu UTE Approved Accessories.

## SERVICE PLUS

With every new Isuzu MU-X you'll get:

Up to five years Flat Price Servicing, ensuring you know your service costs up-front with a flat price per service fixed for the first five scheduled services. Plus, a six year or 150,000km warranty, and up to seven years roadside assistance.

Enjoy peace of mind and go your own way with confidence thanks to Isuzu UTE Service Plus.

### I-VENTURE CLUB

You won't want to miss the opportunity to properly test your MU-X's potential - and take your skills to the next level. Whether it is during one of our information-packed towing training sessions or on a day out in some of Australia's most epic off-roading locations, I-Venture Club offers the perfect opportunity to build your skillset and get the most from your MU-X.

Head to www.iventureclub.com.au for a taste of what's to come

## **GENUINE ACCESSORIES**

Isuzu UTE Genuine Accessories¹ are the key to taking on more challenging terrain in true 'Go your own way' style. Isuzu UTE's extensive range of accessories allows you to enhance and personalise your ride with precision engineered parts of the highest quality, with correct fit guaranteed every time. Each genuine accessory comes with a comprehensive warranty, providing ultimate peace of mind. See the full range of accessories in the MU-X Accessories brochure or at isuzuute.com.au.

## APPROVED ACCESSORIES

Isuzu UTE Approved Accessories<sup>2</sup> are third-party branded accessories that have been thoroughly tested and vetted to ensure they meet Isuzu's highest standards. Constructed for local conditions by a variety of Australian manufacturers they provide another way to enhance and personalise your MU-X with the confidence of Isuzu UTE Australia's seal of approval. Isuzu UTE Approved Accessories can be trusted to maintain the integrity of your MU-X – while also offering a distinctly individual touch. See the full range of accessories in the MU-X Accessories brochure or at isuzuute.com.au.







## ISUZU UTE APPROVED ACCESSORIES

The Flat Price Servicing Program ("FPS Program") applies to FPS Eligible Vehicles (excludes Rental & Government Customers) at Participating Isuzu UTE Dealers only. For 24MY and later vehicle models, the Flat Price Servicing covers the first 5 Scheduled Services up to 5 years/75,000km (whichever occurs first). FPS Program is subject to change. For full terms & conditions, current pricing & model eligibility visit isuzuute.com.au/flat-price-service-disclaimer. 6 years/150,000km (whichever occurs first), for Isuzu UTE Vehicles with a Warranty Start Date on or after 1/1/19. Excludes trays & accessories. The Roadside Assistance Program ("RSA Program") provides Coverage to RSA Eligible Vehicles (Private, ABN and Business Fleet Customers only) with a Warranty Start Date on or after 1/9/20 for a maximum of 7 years (unlimited kilometres). Initial 13 months Coverage provided from the Warranty Start Date. The Coverage will be reset for another 13 months from each date that a Participating Isuzu UTE Dealer conducts a Scheduled Service on the vehicle. For full terms & conditions visit isuzuute.com.au/roadside-assistance-disclaimer.

'Warranty for Isuzu UTE Genuine Accessories fitted by an authorised Isuzu UTE Dealer at the point of sale of a new Isuzu UTE vehicle are covered for three (3) years or 100,000 kilometres, whichever occurs first; Isuzu UTE Genuine Accessories fitted by an authorised Isuzu UTE Dealer are warranted from the date of accessory purchase, whichever occurs first; Isuzu UTE Genuine Accessories not fitted by an authorised Isuzu UTE Dealer are warranted from the date of purchase for one (1) year or 20,000 kilometres, whichever occurs first.

<sup>2</sup>Isuzu UTE Approved Accessories are not manufactured or warranted by Isuzu UTE Australia Pty Ltd. The warranty is provided by the manufacturer of the accessory. For more information refer to the Isuzu MU-X Accessories brochure.

\*Driver Assist Features are designed to aid the driver and should not be relied upon nor used as a substitute for safe driving practices. Features may vary in different driving conditions, refer to the Owner's Manual for details and limitations.



#### www.isuzuute.com.au Toll Free: 1300 147 898

Isuzu UTE Australia Pty Ltd (ABN 80 129 563 739, 1000 Wynnum Road, Cannon Hill, Queensland, 4170, Australia) reserves the right to change specifications & content without notice, subject to any applicable Federal, State or Territory laws or regulations which may apply. Any accessories shown herein are illustrative & generally are optional at extra cost, not standard equipment. Colours depicted herein may differ from actual due to the printing process. Please refer to isuzuute.com.au or consult your authorised Isuzu UTE Dealer for current availability of models, options, specifications, colours & Isuzu UTE Genuine Accessories. No part of this brochure can be reproduced without written permission from Isuzu UTE Australia.

All information is true & correct at the time of publishing, March 2025. Printed in Australia. © Copyright Isuzu UTE Australia Pty Ltd 2025. Part No.: M090050030 – 25MY MU-X SALES BROCHURE