



THE ULTIMATE WORKHORSE **D-MAX SX (24MY)**













Cabin Types



Single Cab Chassis (4x2 & 4x4)

SX key features



Space Cab Chassis (4x2 & 4x4)

Model shown is 4x4 D-MAX SX Crew Cab Ute in Mineral White



(4x2 & 4x4)



Crew Cab Ute (4x2 & 4x4)





Engine Types

1.9-litre & 3-litre engine variants available

Tilt & Telescopic Adjustable Steering Wheel

Electric Power Steering

Easy-Clean Vinyl Flooring

8" Touchscreen Audio with wireless Android Auto™ & wireless Apple CarPlay® Compatibility

Reversing Camera

Black Handles & Mirrors

17" Steel Wheels & 255 65 R17 All-Terrain Tyres

Black Radiator Grille

Halogen Headlights

Rear centre console USB type C port

Tailgate Assist (Ute variants only)

Rough Terrain Mode (4x4 models only)

Available colours



Basalt Black mica

Mercury Silver metallic Mineral White



Neptune Blue mica

Obsidian Grey mica

THE JACK OF ALL TRADES **D-MAX LS-M (24MY)**





Engine Type









Cabin Type



Crew Cab Ute (4x4 only)



Crew Cab Chassis (4x4 only)

Model shown is 4x4 D-MAX LS-M Crew Cab Ute in Neptune Blue mica

LS-M key features

Tilt & Telescopic Adjustable Steering Wheel

Electric Power Steering

Easy-Clean Vinyl Flooring

High Grade Cloth Seats

8" Touchscreen Audio with wireless Android Auto™ & wireless Apple CarPlay® Compatibility

Reversing Camera with Rear Park Assist Sensors (Cab Chassis model has Reversing Camera only)

Body Colour Handles & Mirrors

LED Fog Lights

17" Alloy Wheels & 255 65 R17 All-Terrain Tyres

Black-Grey Radiator Grille

Bi-LED Headlights with Auto Levelling

Tailgate Assist (Ute variants only)

Rough Terrain Mode (4x4 models only)

Available colours



Basalt Black mica



Neptune Blue mica

Obsidian Grey mica

THE PERFECT ALL-ROUNDER **D-MAX X-RIDER (24MY)**





Engine Type







Cabin Types



Crew Cab Ute (4x4 only)

Model shown is 4x4 D-MAX X-RIDER Crew Cab Ute in Magnetic Red mica

X-RIDER key features

Tilt & Telescopic Adjustable Steering Wheel

Electric Power Steering

Easy-Clean Vinyl Flooring

High Grade Cloth Seats

8" Touchscreen Audio with wireless Android Auto™ & wireless Apple CarPlay® Compatibility

Reversing Camera with Rear Park Assist Sensors

Body Colour Handles & Mirrors

LED Fog Lights

17" Gloss Black Alloy Wheels

Material Black Radiator Grille

Black Integrated Rear Step Bumper

Bi-LED Headlights with Auto Levelling

Dark Headline Trim

Basalt Black Door & Tailgate Handles

Basalt Black Power Door Mirrors with integrated Turn Indicators

Dark Grey Side Steps

Black Sports Bar

Soft Tonneau Cover

Rough Terrain Mode

Available colours





Mineral White

Neptune Blue mica

Obsidian Grey mica

THE DO-IT-ALL COMPANION D-MAX LS-U (24MY)



Engine Type









Cabin Types



Space Cab Ute (4x4 only)



Crew Cab Ute (4x2 & 4x4)



(4x4 only)

Model shown is 4x4 D-MAX LS-U Space Cab Ute in Obsidian Grey mica

LS-U key features

Tilt & Telescopic Adjustable Steering Wheel

Leather Steering Wheel

Smart Keyless Entry & Push Button Start

Auto-dimming Rear View Mirror & Heated Door Mirrors

Electric Power Steering

Carpet Flooring with Darkened Interior Finish

High Grade Cloth Seats

9" Touchscreen Audio with wireless Android Auto™ & wireless Apple CarPlay® Compatibility

Reversing Camera with with Dynamic Guidelines and Rear Park Sensors (Cab Chassis model has Reversing Camera only)

18" Two-Tone Machined Alloy Wheels & 265 60 R18 Highway-Terrain Tyres

Silky Silver Radiator Grille, Chrome Handles & Mirrors

Bi-LED Headlights with Auto Levelling

Power Lumbar Support Driver's Seat

Dual Zone Climate Control Air Conditioning (with rear seat vents in Crew Cab)

Silver Aluminium Side Steps

Under Rail Tub Liner

Tow Bar Receiver

Tyre Pressure Monitoring System (TPMS)

Tailgate Assist (Ute variants only)

Rough Terrain Mode (4x4 models only)

Available colours



Granite Grey mica

Magnetic Red mica

Mercury Silver metallic



Mineral White

Moonstone White Pearl Neptune Blue mica

Obsidian Grey mica

THE EVERYDAY ADVENTURER **D-MAX LS-U+ (24MY)**



Engine Type









Cabin Types



Crew Cab Ute (4x4 only)

Model shown is 4x4 D-MAX LS-U+ Crew Cab Ute in Mercury Silver metallic

LS-U+ key features

Tilt & Telescopic Adjustable Steering Wheel

Leather Steering Wheel

Smart Keyless Entry & Push Button Start

Auto-dimming Rear View Mirror & Heated Door Mirrors

Electric Power Steering

Carpet Flooring with Darkened Interior Finish

Leather Accented Seats[†] with Heated Front Seats

9" Touchscreen Audio with wireless Android Auto™ & wireless Apple CarPlay® Compatibility

Reversing Camera with Dynamic Guidelines and Rear Park Sensors Rear Park Assist Sensors

18" Two-Tone Machined Alloy Wheels & 265 60 R18 Highway-Terrain Tyres

Silky Silver Radiator Grille, Chrome Handles & Mirrors

Bi-LED Headlights with Auto Levelling

Electric Eight-Way Adjustable Driver's Seat with Power Lumbar Support

Dual Zone Climate Control Air Conditioning (with rear seat vents)

Silver Aluminium Side Steps

Under Rail Tub Liner


Tow Bar Receiver

Tyre Pressure Monitoring System (TPMS)

Tailgate Assist

Rough Terrain Mode

Available colours





Mineral White

Moonstone White Pearl Neptune Blue mica

Obsidian Grey mica

THE TOTAL PACKAGE **D-MAX X-TERRAIN (24MY)**





Engine Type







Cabin Type



Crew Cab Ute (4x4 only)

Model shown is 4x4 D-MAX X-TERRAIN in Sunstone Orange mica

X-TERRAIN key features

Smart Keyless Entry & Push Button Start Remote Engine Start & Walk Away Door Lock

Tilt & Telescopic Adjustable Steering Wheel

Electric Power Steering

Carpet Flooring with Darkened Interior Finish

Auto-dimming Rear View Mirror & Heated Door Mirrors

Leather Accented Seats[†] with Red Stitching and **Heated Front Seats**

9" Touchscreen Audio with wireless Android Auto™ & wireless Apple CarPlay® Compatibility

Bi-LED Headlights with Auto Levelling

Tyre Pressure Monitoring System (TPMS)

Front & Rear Park Assist Sensors with Reversing Camera

18" Matte Dark Grey Alloy Wheels & 265 60 R18 Highway-Terrain Tyres

Electric Eight-Way Adjustable Driver's Seat with Power Lumbar Support

Dual Zone Climate Control Air Conditioning (with rear seat vents)

Dark Grey Radiator Grille, Side Steps, Fender Flares & Aero Sports Bar

Black Roller Tonneau Cover

Under Rail Tub Liner

Tow Bar Receiver

Tailgate Assist

Rough Terrain Mode

Available colours





Mineral White

Moonstone White Pearl Neptune Blue mica

Obsidian Grey mica



All features mentioned are a guide for quick comparison. Refer to the D-MAX specification list for further details on available features. Apple CarPlay is a trademark of Apple Inc. Android Auto is a trademark of Google LLC. Not all devices will be compatible & functionality will vary depending on the device. Mobile Data & SMS rates may apply & are the responsibility of the user. Please check your local road rules before using these functions. 'Seats have leather touches or accents but are not wholly leather.

COLOURS AND TRIM (24MY)

Body Colours



Basalt Black mica



Mercury Silver metallic



Mineral White



Neptune Blue mica



Obsidian Grey mica



Magnetic Red mica (X-RIDER, LS-U Range & X-TERRAIN Exclusive)



Granite Grey mica (X-RIDER, LS-U Range & X-TERRAIN Exclusive)



Moonstone White pearl
(LS-U Range & X-TERRAIN Exclusive)



Sunstone Orange mica (X-TERRAIN Exclusive)

Interior Trim



Standard Black Cloth (On SX models)

High Grade Cloth
(On LS-M, X-RIDER, LS-U models)

Leather Accented[†] (On LS-U+)

Leather Accented' with Red Stitching (On X-TERRAIN)

24MY ISUZU D-MAX SPECIFICATIONS

3.0L	1.9L
Isuzu 4JJ3-TCX	RZ4E-TC
3-litre turbo-diesel, in-line 4-cylinder, DOHC, 16-valve with Diesel Particulate Diffuser (DPD)	1.9-litre turbo-diesel, in-line 4-cylinder, DOHC, 16-valve with Diesel Particulate Diffuser (DPD)
450Nm @ 1600→2600 rpm (automatic & manual)	350Nm @ 1800 \rightarrow 2600 rpm (automatic and manual)
140kW @ 3600 rpm	110kW @ 3600 rpm
95.4mm x 104.9mm	80mm x 94.4mm
2999cc	1898cc
16.3 : 1	15.9: 1
Isuzu-patent special aluminium alloy	Isuzu-patent special aluminium alloy
Chain-driven dual overhead camshafts, roller rockers, 4 valves/cylinder	Chain-driven dual overhead camshafts, roller rockers, 4 valves/cylinder
Electronic high pressure common rail direct fuel injection with VSS (Variable Swirl System) and intercooled electric control VGS (Variable Geometry System) turbocharger	Electronic high pressure common rail direct fuel injection with VSS (Variable Swirl System) and intercooled electric control VGS (Variable Geometry System) turbocharger
Cast iron upper with induction-hardened cylinder bores, cast alloy lower	Cast iron upper with induction-hardened cylinder bores, cast alloy lower
Euro 5	Euro 5
90 amp with Intelligent Battery Sensor (IBS)	90 amp with Intelligent Battery Sensor (IBS)
	Isuzu 4JJ3-TCX 3-litre turbo-diesel, in-line 4-cylinder, DOHC, 16-valve with Diesel Particulate Diffuser (DPD) 450Nm @ 1600→2600 rpm (automatic & manual) 140kW @ 3600 rpm 95.4mm x 104.9mm 2999cc 16.3:1 Isuzu-patent special aluminium alloy Chain-driven dual overhead camshafts, roller rockers, 4 valves/cylinder Electronic high pressure common rail direct fuel injection with VSS (Variable Swirl System) and intercooled electric control VGS (Variable Geometry System) turbocharger Cast iron upper with induction-hardened cylinder bores, cast alloy lower Euro 5

Manual 3.0L Engine: Isuzu MVLe6S 6-speed manual with high torque capacity and output reduction, 275mm diameter clutch plate and dual mass flywheel 1.9L Engine: Isuzu MVLe6Y 6-speed manual with high torque capacity and output reduction, 275mm diameter clutch plate and single mass flywheel Automatic Aisin AWR6B45 II 6-speed with sequential shift and brake shift look electronically controlled, tri-mode with fuel-saving lock-up torque converter on gears 3, 4, 5 and 6 ▶ Uphill/Downhill Transmission Control: holds gear in varied-gradient ascents, selects gear on steep descents to hold speed with engine braking 6-speed Manual Automatic Manual Automatic Nanual Nanual Automatic Nanual N	Transmissions	5					
with fuel-saving lock-up torque converter on gears 3, 4, 5 and 6 ▶ Uphill/Downhill Transmission Control: holds gear in varied-gradient ascents, selects gear on steep descents to hold speed with engine braking Ratios: 1 3.0L Turbo 6-speed Manual Automatic 1st 4.942 3.600 1st 4.942 3.600 2nd 2.452 2.090 2nd 2.686 2.090 3rd 1.428 1.488 3rd 1.527 1.488 4th 1.000 1.000 4th 1.000 1.000 5th 0.749 0.687 5th 0.749 0.687 6th 0.634 0.580 6th 0.634 0.580 Reverse 4.597 3.732 Reverse 4.597 3.732 Final drive 4x2 3.727 3.727 4x2 4.100 4.100 Snorkelled diff breathers to increase fording depth and reduce mud blockage 2.482 2.482 4x4 low-range 2.482 2.482 2.482 4x4 system <td< td=""><td>Manual</td><td>275mm diameter 1.9L Engine: Isuzu</td><td>clutch plate and J MVL-6Y 6-spee</td><td>dual mass flywhed manual with high</td><td>el n torque capacity a</td><td>·</td><td>,</td></td<>	Manual	275mm diameter 1.9L Engine: Isuzu	clutch plate and J MVL-6Y 6-spee	dual mass flywhed manual with high	el n torque capacity a	·	,
descents to hold speed with engine braking Ratios: 1 3.0L Turbo 6-speed Manual Automatic 1.9L Turbo 6-speed Manual Automatic 6-speed Manual Automatic 1st 4.942 3.600 1st 4.942 3.600 2nd 2.452 2.090 2nd 2.686 2.090 3rd 1.428 1.488 3rd 1.527 1.488 4th 1.000 1.000 4th 1.000 1.000 5th 0.749 0.687 5th 0.749 0.687 6th 0.634 0.580 6th 0.634 0.580 Reverse 4.597 3.732 Reverse 4.597 3.732 Final drive 4x2 3.727 3.727 4x2 4.100 4.100 Snorkelled diff breathers to increase fording depth and reduce mud blockage Transfer gearing 4x4 low-range 2.482 2.482 2.482 4x4 system "Terrain Command" control with 'shift on the fly' 2-high ← 4-high selection at up to 100km/h, 4-low with rear differential lock <td>Automatic</td> <td></td> <td></td> <td></td> <td></td> <td>ectronically control</td> <td>led, tri-mode</td>	Automatic					ectronically control	led, tri-mode
Manual Automatic Manual Automatic					varied-gradient asc	ents, selects gear	on steep
4x4 3.727 3.727 - 4.100 Snorkelled diff breathers to increase fording depth and reduce mud blockage Transfer gearing 4x4 low-range 2.482 2.482 2.482 2.482 4x4 high-range 1.000 1.000 1.000 4x4 system "Terrain Command" control with 'shift on the fly' 2-high ←→4-high selection at up to 100km/h, 4-low with rear differential lock	Ratios: 1	1st 2nd 3rd 4th 5th 6th	Manual 4.942 2.452 1.428 1.000 0.749 0.634	Automatic 3.600 2.090 1.488 1.000 0.687 0.580	1st 2nd 3rd 4th 5th 6th	Manual 4.942 2.686 1.527 1.000 0.749 0.634	Automatic 3.600 2.090 1.488 1.000 0.687 0.580
Transfer gearing 4x4 low-range 2.482 2.482 2.482 4x4 high-range 1.000 1.000 1.000 4x4 system "Terrain Command" control with 'shift on the fly' 2-high ←→4-high selection at up to 100km/h, 4-low with rear differential lock	Final drive	4x4	3.727	3.727		-	
4x4 high-range 1.000 1.000 1.000 4x4 system "Terrain Command" control with 'shift on the fly' 2-high ←→4-high selection at up to 100km/h, 4-low with rear differential lock		Snorkelled diff bre	eatners to increa	se fording depth ar	na reauce mua bio	ckage	
rear differential lock	Transfer gearing						
Drivetrain system TCS (Traction Control System) on all model variants	4x4 system			'shift on the fly' 2-l	nigh <→ 4-high sele	ection at up to 100	km/h, 4-low with
	Drivetrain system	TCS (Traction Cor	trol System) on	all model variants			

Steering

Electric power steering with speed-sensing steering feel (light at low speed, heavy at high speed); tilt and telescopic adjustable steering wheel

Engine-speed-sensitive variable capacity Electric power system; 3.84 turns lock-to-lock via tiltadjustable steering wheel

Chassis

Separate, full-length heavy-duty chassis with 8 cross members on all models

Front suspension

Independent, high-ride, coil springs, gas shock absorbers, upper and lower wishbones, stabiliser bar

Rear suspension

All Cab Chassis models: Heavy Duty alloy-steel overslung long-span semi-elliptic leaf springs; gas shock absorbers

4x2 and 4x4 models: Alloy-steel overslung long-span semi-elliptic leaf springs; gas shock absorbers

Axles

Independent 4x4: fully floating with outer CV, inner double offset joints and equal length driveshafts. Rating: 1450kg

Rigid semi-floating banjo with hypoid final drive and dual tapered needle roller bearings. Rating: 1910kg

Brakes

Anti-lock Brake System (ABS) with Electronic Brakeforce Distribution (EBD), Electronic Stability Control (ESC), Emergency Brake Assist (EBA), Traction Control System (TCS), Rollover Mitigation, Hill Start Assist (HSA), Hill Descent Control (HDC) and Trailer Sway Control (TSC)

320mm dia. ventilated front discs with 2-piston calipers, 295mm rear drums

Power-assisted via 10" servo unit; central pull up park brake

Wheels and Tyres

SX	17" x 7" drilled Silver-Finish Steel; 255 / 65 R17 All-Terrain
LS-M	17" x 7" alloy; 255 / 65 R17 All-Terrain
X-RIDER	17" x 7" alloy; 255 / 65 R17 All-Terrain
LS-U and LS-U+	18" x 7.5" alloy; 265 / 60 R18 Highway-Terrain
X-TERRAIN	18" x 7.5" matte Dark Grey Alloy; 265 / 60 R18 Highway-Terrain
All Models	Full size steel spare wheel

Service Plus

Warranty	For the ultimate peace of mind, every Isuzu D-MAX comes standard with a comprehensive, bumper-to-bumper 6 years/150,000km warranty^.
Roadside Assistance	Enjoy up to 7 years Roadside Assistance ^{<} when you complete your scheduled services at a Participating Isuzu UTE Dealer.
Flat Price Servicing	As an owner you will get access to our Flat Price Servicing ⁵ Program. The FPS Program covers the first 5 Scheduled Services at \$449 per service in line with the Scheduled Service Intervals.

The Flat Price Servicing Program ("FPS Program") applies to FPS Eligible Vehicles (excludes Rental & Government Customers) at Participating Isuzu UTE Dealers only. For 24MY and later vehicle models, the Flat Price Servicing covers the first 5 Scheduled Services up to 5 years/75.000km (whichever occurs first). FPS Program is subject to change. For full terms & conditions, current pricing & model eligibility visit isuzuute.com.au/flat-price-service-disclaimer. ^6 vears/150,000km (whichever occurs first), for Isuzu UTE Vehicles with a Warranty Start Date on or after 1/1/19. Excludes travs & accessories. The Roadside Assistance Program ("RSA Program") provides Coverage to RSA Eligible Vehicles (Private, ABN and Business Fleet Customers only) with a Warranty Start Date on or after 1/9/20 for a maximum of 7 years (unlimited kilometres). Initial 13 months Coverage provided from the Warranty Start Date. The Coverage will be reset for another 13 months from each date that a Participating Isuzu UTE Dealer conducts a Scheduled Service on the vehicle. For full terms & conditions visit isuzuute com au/roadside-assistance-disclaimer

Safety

AS	Every D-MAX comes with Isuzu's Intelligent Driver Assistance System (IDAS*) built-in to protect and enhance
	the driving experience. IDAS includes
	smart technologies as well as other
	passive and active safety features.

*IDAS features are designed to assist the driver, but should not be relied upon nor used as a substitute for safe driving practices. Feature operation may vary in different driving conditions. For full explanation of limitations, see Owner's & Driver's Manual

The entire D-MAX range has achieved a maximum 5-star ANCAP safety rating in 2022.
14ting 111 2022.

SPECIFICATIONS

SPECIFICATIONS		4x	2 High-F	Ride							4	lx4					
	Single Cab	Space	Crew	Crew	Crew	Single Cab	Space Cab	Cnoos	Crew Cab	Cross	Crew Cab	Crew	Crew	Crew Cab	Crew	Crew	Cre
	Chassis	Cab Chassis	Cab Chassis	Cab Ute	Cab Ute	Chassis	Chassis	Cab Ute	Chassis	Cab Ute	Chassis	Cab Ute	Cab Ute	Chassis	Cab Ute	Cab Ute	Cab
Engine	SX	SX	SX	SX	LS-U	SX	SX	LS-U	SX	SX	LS-M	LS-M	X-RIDER	LS-U	LS-U	LS-U+	X-TER
1898cc DOHC 4cyl. with intercooled turbocharger (350Nm, 110kW)	•		•	•						•							
2999cc DOHC 4cyl. with intercooled turbocharger (450Nm, 140kW)		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
ransmissions																	
6-speed manual transmission																	
6-speed "Rev-Tronic" automatic transmission with sequential sport mode		•	•	•	•		•	•		•	•	•	•	•	•	•	
afety and Security		-			•		•	-	•	-			•		•		
4-channel 4-sensor Anti-lock Brake System (ABS) with Electronic Brakeforce Distribution (EBD)																	
Electronic Stability Control (ESC)																	
Traction Control System (TCS)		•								•				•	•		
Emergency Brake Assist (EBA)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Hill Start Assist (HSA)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Hill Descent Control (HDC)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Autonomous Emergency Braking (AEB)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Turn Assist with AEB	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Post-Collision Braking Forward Collision Warning (FCW)																	
Misacceleration Mitigation (*AT models only)	*					*			*								
Intelligent Adaptive Cruise Control (IACC) with Stop and Go functionality				•													
Fraffic Sign Recognition (TSR)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
ntelligent Speed Limiter	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Manual Speed Limiter	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Lane Departure Warning (LDW)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Lane Departure Prevention (LDP)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Lane Keep Assist (LKA)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Emergency Lane Keeping (ELK) Lane Support System (LSS) Switch (disables LDW, LDP, LKA, ELK)		•	•	•	•		•	•	•	•	•		•	•	•		
Driver Attention Assist																	
Blind Spot Monitoring (BSM)																	
Rear Cross Traffic Alert (RCTA)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Rear Cross Traffic Braking (RCTB)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
BSM/RCTA/RCTB Auto Switch Off (disables BSM/RCTA/RCTB when the genuine tow harness is connected)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Digital Reversing camera w/ Dynamic Guidelines				•	•			•		•		•	•		•	•	
Digital Reversing camera	•	•	•		_	•	•	_	•		•		_	•	_		
Rear Park Assist Sensors Front Park Assist Sensors					•			•				•	•		•	•	
8 Airbags: dual front, curtain, side, driver's knee and far side airbags	•	•			•		•	•	•	•		•	•	•	•	•	
Passenger side SRS airbag on/off switch											•						
Height-adjustable upper mounts for front seat belts	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	
Pre-tensioners with load limiters for front seat belts	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Pre-tensioners with load limiters for outer rear seat belts			•	•	•				•	•	•	•	•	•	•	•	
3-point retractable seat belts for all rear and centre seating positions			•	•	•				•	•	•	•	•	•	•	•	
Intelligent seatbelt reminder (all seats)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
2 childseat tethers and ISO FIX compatible anchor points			•	•	•				•	•	•		•	•	•		
Height-adjustable head restraints for full-size seats Integrated head restraint on front seats		•	•		•		•	•	•	•	•		•	•	•	•	
Child-proof rear door locks			•	•	•	•			•	•	•	•	•	•	•	•	
Single 10 inch servo brake master cylinder	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Side anti-intrusion bars inside all doors	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Engine immobilizer	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Rear window demister		•	•	•	•		•	•	•	•	•	•	•	•	•	•	
High Density Polyethylene (HDPE) fuel tank	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
High mount brake light on cabin	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Dual horn	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	
rotection																	
Under-front steel skid plate Steel plate guards: sump, transfer case, fuel tank leading edge; reinforced resin under fuel tank	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
uspension and Brakes																	
Standard rear leaf suspension				•	•			•		•		•	•		•	•	
Heavy duty rear leaf suspension	•	•	•			•	•		•		•			•			
Front independent, coil spring suspension w/gas shock absorbers, upper and lower wishbones and stabiliser bar	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Heavy-duty brakes: 320mm ventilated front discs w/twin-pot calipers, 295mm rear drums	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	

SD	EC	CA		NR
3P	EUI	CA	V	13

SPECIFICATIONS		4x2	2 High-F	Ride		4x4											
	Single Cab Chassis	Space Cab Chassis	Crew Cab Chassis	Crew Cab Ute	Crew Cab Ute	Single Cab Chassis	Space Cab Chassis	Space Cab Ute		Crew Cab Ute	Crew Cab Chassis	Crew Cab Ute	Crew Cab Ute	Crew Cab Chassis	Crew Cab Ute	Crew Cab Ute	
to a block of the control of the con	SX	SX	SX	SX	LS-U	SX	SX	LS-U	SX	SX	LS-M	LS-M	X-RIDER	LS-U	LS-U	LS-U+	
In-cabin Storage	•						_			_							
Lover glovebox compartment only		•	•	•		•	•		•	•							
Upper and lower glovebox compartments Power outlet in lower instrument panel																	
Centre floor console																	
Dual-purpose driver and front passenger cup holder tray																	
Rear passenger door cup holders		•															
Pockets on backs of front seats				•						•							
Overhead console with twin map lights and flip-down sunglasses case	•	•	•	•		•	•		•	•							
Front door storage compartment with bottle bulge							•	•	•	•		•			•	•	
2 coat hooks	_	•				•	•	•									
Flip up convenience hook behind passenger front seat			•	•					•								
Tool storage behind rear seats			•	•				_									
Tool storage behind front seats		•	•		•	•	•	•	•	•				•	•		•
Rear Tub																	
Double-walled ute tub				•	•			•		•		•	•		•	•	•
4 cargo tie-down hooks inside ute tub				•	•			•		•		•	•		•	•	
Under rail tub liner					•			•							•	•	•
2 cargo tie-down hooks inside ute tub																	•
Tailgate Assist				•	•			•		•		•	•		•	•	•
Exterior Style																	
Short front overhang for optimal manoeuvrability and approach angle		•	•	•	•	•	•	•		•		•		•		•	
Halogen multi-reflector projector lens headlights for extra low beam depth & reduced flare & integrated turn indicator	'S •				_						•	•			•	•	_
Bi-LED headlights with auto-levelling function and integrated turn indicators	3	•	•	•			•			•							
Automatic headlights	•					•	•			•							
Automatic headinghts Automatic high beam																	
Coming home light																	
Headlight Welcome light																	
LED Daytime Running Lights (DRLs)	_	•		•		•	•										
LED fog lights																	
Material Black radiator grille	•					•	•	_			•	•		•		•	_
Black-Grey radiator grille		•	•			•	•		•	•			•				
Silky Silver radiator grille											•	•					
Dark Grey radiator grille								•						•		•	
Colour-coded front bumper	•				•												
Colour-coded integrated rear step bumper		•	•			•	•				•		•	•			
Black integrated rear step bumper				_				_		•		_				•	•
Black rear bumper	•																
Factory fitted tow bar receiver	- ·	•	•			•	•		•		•						
Space cab rear "wing" doors		•												•		•	_
Aluminium side steps		•					•										
Dark Grey side steps					•										•	•	
Black door and tailgate handles	•												_				
Colour-coded door and tailgate handles	_	•		•			•			•							
Chrome door and tailgate handles					•						_	•					
Dark Grey door and tailgate handles														•		•	
Basalt Black door and tailgate handles																	
Lockable tailgate																	
Dark Grey Aero Sports Bar				•	•			•		•		•	•		•		
Black Sports Bar																	
Matte Black roller tonneau													•				
Soft tonneau cover																	
Dark Grey front and rear underbody spoilers																	
Black front underbody spoiler																	
Dark Grey fender flares																	
Dark Grey render nates Dark Grey roof rails																	
Black power door mirrors		_															
Colour-coded power door mirrors with integrated turn indicators		•	•				•			•							
Basalt Black power door mirrors with integrated turn indicators											•						
Chrome fold-in power door mirrors with integrated turn indicators					_								•				
Dark Grey fold-in power door mirrors with integrated turn indicators					•			•							•	•	
Heated door mirrors With Integrated turn indicators Heated door mirrors															_		
Centre front roof-mounted bee-sting aerial				_			_						_				
Centre non roor-mounted bee-sing denal	_			-	-		-	_	-	•		•		•	•		

SPECIFICATIONS		4x	2 High-F	Ride							4	х4					
SPECIFICALIUNS																	
	Single Cab Chassis SX	Space Cab Chassis SX	Crew Cab Chassis SX	Crew Cab Ute SX	Crew Cab Ute LS-U	Single Cab Chassis SX	Space Cab Chassis SX	Space Cab Ute LS-U	Crew Cab Chassis SX	Crew Cab Ute SX	Crew Cab Chassis LS-M	Crew Cab Ute LS-M	Crew Cab Ute X-RIDER	Crew Cab Chassis LS-U	Crew Cab Ute LS-U	Crew Cab Ute	Crew Cab Ute X-TERRAII
Seating	3/	3.4	3/	3/	L3-U	3/	3/	L3-U	3/	3/	L3-IVI	L3-IVI	A-NIDEN	L3-U	L3-U	L3-U+	A-TENNAII
Standard Black cloth seats	•	•	•	•		•	•		•	•							
High Grade cloth seats					•			•			•	•	•	•	•		
Leather Accented seats																•	
Leather Accented seats with Red Stitching		_		_		_	_	_	_		_	_			_	_	•
Front bucket whiplash protection seats	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
6-way adjustable driver seat	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	_	
8-way electric adjustable driver seat														_		•	•
Electric adjustable lumbar support (driver seat only) Heated front seats					•			•						•	•	•	
Split-fold rear seat																•	
Split-fold rear seat with centre arm rest			•	•					•	•							
Rear centre seat headrest																	
									•								
Cabin Amenities																	
Dual zone climate control air-conditioning with integrated heater/demister					•			•						•	•	•	•
Manual air-conditioning with integrated heater/demister	•	•	•	•		•	•		•	•	•	•	•				
Rear seat air-conditioning vents			•	•	•				•	•	•	•	•	•	•	•	•
Pollen and fine particle air filter	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Power windows with one-touch up/down driver's window with safety stop and delay closing	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Comfort turn signal Central locking with keyless entry	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
· , ,	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Smart keyless entry					•			•						•	•	•	
Walk away lock Remote key auto re-lock																- :	
Push button start		•	•	•		•	•		•		•		•			-	
Remote engine start					•			•								•	
Power-adjustable door mirrors with turn indicator lights																	
Power-adjustable door mirrors Power-adjustable door mirrors					•			•			•		•		•	•	•
4 speaker sound system																	
6 speaker sound system		•		•			•	•		•	•	•	•				
"Sky Sound" roof-mounted sound system with 8 speakers (mounted in front dash, front doors, rear doors and roof)					•									•	•	•	•
9 inch touchscreen display with wireless Apple CarPlay® and wireless Android Auto® with MID Integration					•			•									
8 inch touchscreen display with wireless Apple CarPlay® and wireless Android Auto™	•	•	•	•		•	•		•	•	•	•	•				
Built-in satellite navigation with MID turn-by-turn directions					•			•						•	•	•	•
Rear centre console USB charging port			•	•	•				•	•	•	•	•	•	•	•	•
USB type C port in central instrument panel					•			•						•	•	•	•
USB type C port in Touchscreen	•	•	•	•		•	•		•	•	•	•	•				
USB type C port in rear floor console			•	•	•				•	•	•	•	•	•	•	•	•
USB type A port in Stereo Camera Housing	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Tilt and telescopic adjustable steering wheel with electric power steering	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Urethane steering wheel with cruise, audio and voice recognition controls	•	•	•	•		•	•		•	•	•	•	•				
Leather steering wheel with cruise, audio and voice recognition controls					•			•						•	•	•	•
4.2 inch Smart MID with digital speedometer, safety information, fuel economy and range, odometer, trip		•	•	•		•	•		•	•	•	•	•				
information and service reminder	•		•	•		•			•			•	•				
7 inch Smart MID with digital speedometer, safety information, fuel economy and range, odometer, trip information and service reminder					•			•						•	•	•	•
Tyre Pressure Monitoring System (TPMS)																	
Electro-luminescent gauges									•								
"Terrain Command" 4x4 select dial	_	•	•	•	_												
Rear differential lock button																	
Rough Terrain Mode button																	
Automatic windshield wipers	•	•	•	•	•												
Intuitive flat wiper blade			_	•		_	_		_	_		_	_	•			
Day/night interior rear view mirror	•	•	•	•	•	•	•		•	•	•	•	•	•	•		•
Auto-dimming rear view mirror		-					-	•		-			-	•	•		•
Sun visors with vanity mirrors (driver and passenger) and ticket retaining strap (driver)								•						•	•	-	
Sun visors with illuminated vanity mirrors (driver and passenger) and ticket retaining strap (driver)								-							-	•	•
Fixed A-pillar assist-grips for driver and front passenger	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Fixed B-pillar assist-grips for rear passengers			•	•	•				•	•	•	•	•	•	•	•	•
Folding assist-grips for driver and front passenger			•	•	•				•	•	•	•	•	•	•	•	•
Folding assist-grips for rear passengers			•	•	•				•	•	•	•	•	•	•	•	•
																	•
Carpet flooring															_		

Apple CarPlay is a trademark of Apple Inc. Android Auto is a trademark of Google LLC. Not all devices will be compatible & functionality will vary depending on the device. Mobile Data & SMS rates may apply & are the responsibility of the user. Please check your local road rules before using these functions.

FUEL, WEIGHTS				4x4																	
& DIMENSIONS	C Cha	ngle ab assis	Space Cab Chassis SX	C Cha	rew ab assis	Cal	rew o Ute	Crew Cab Ute LS-U	Single Cab Chassis SX	Space Cab Chassis SX	Space Cab Ute	Crew Cab Chassis SX	Cre Cab S	Ute	Crew Cab Chassis LS-M	Crew Cab Ute LS-M	Crew Cab Ute X-RIDER	Crew Cab Chassis LS-U	Crew Cab Ute LS-U	Crew Cab Ute LS-U+	Crew Cab Ute X-TERRAIN
D-MAX ADR 81/02 ^a Fuel Consumption Values	1.9L	3.0L		1.9L	3.0L	1.9L	3.0L						1.9L	3.0L							
Transmission (MT = Manual, AT = Automatic)	MT/AT	MT/AT	AT	AT	AT	AT	AT	AT	MT / AT	AT	AT	MT / AT	AT	AT	AT	AT	AT	AT	AT	AT	AT
FUEL CONSUMPTION (litres/100km)																					
Combined	7.0	8.0	8.0	7.0	8.0	6.7	7.7	8.0	8.0	8.0	8.0	8.0	6.9	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0
Urban	7.9	10.2/9.8	9.8	7.9	9.8	8.3	9.5	9.8	10.2/9.8	9.8	9.8	10.2/9.8	8.1	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8
Extra Urban	6.6	6.7/6.9	6.9	6.6	6.9	6.0	6.7	6.9	6.7/6.9	6.9	6.9	6.7/6.9	6.3	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9
CO ² (g/km)	10.1	000/007	007	404	007	477	000	007	000/007	007	007	000/007	100	007	007	007	007	007	007	007	007
Combined	184	206/207	207	184	207 254	177	200	207 254	206/207	207 254	207	206/207	180	207 254	207 254	207	207 254	207 254	207 254	207 254	207 254
Urban Extra Urban	208 174	262/254 174/180	254 180	208 174	180	218 158	246 174	180	262/254 174/180	180	254 180	262/254 174/180	212 165	180	180	254 180	180	180	180	180	180
	174	174/100	100	174	100	150	174	100	174/100	100	100	174/100	100	100	100	100	100	100	100	100	100
Dimensions (mm unless stated otherwise) Wheelbase	21	125	3125	2.	125	2:	125	2125	2125	2125	2125	3125	31	25	2125	2125	2125	2125	3125	2125	3125
Overall length		125 340	5300		300		280	3125 5285	3125 5340	3125 5300	3125 5285	5300	52		3125 5300	3125 5280	3125 5305	3125 5300	5285	3125 5285	5310
Overall width (excluding door mirrors)		370	1870		370		370	1870	1870	1870	1870	1870	18		1870	1870	1870	1870	1870	1870	1880
Overall height (*depends on body fitted)		90*	1800*		00*		785	1790	1790*	1800*	1790	1800*	17		1800*	1785	1785	1805*	1790	1790	1810
Front overhang		90	890		90		90	890	890	890	890	890	89		890	890	890	890	890	890	905
Rear overhang (*depends on body fitted)		10*	1270*	12			250	1250	1310*	1270*	1250	1270*	12		1270*	1250	1250	1270*	1255	1255	1255
Wheel track width		570	1570		570		570	1570	1570	1570	1570	1570	15		1570	1570	1570	1570	1570	1570	1570
Ground clearance	2	35	235	2	35	2	35	240	235	235	240	235	23	35	235	235	235	240	240	240	240
Turning circle diameter between kerbs (metres)	12	2.5	12.5	1:	2.5	1:	2.5	12.5	12.5	12.5	12.5	12.5	12.5		12.5	12.5	12.5	12.5	12.5	12.5	12.5
Approach angle	29).6°	29.6°	29	9.6°	29.6	6°/30°	30.5°	29.6°	29.6°	30.5°	29.6°	30)°	29.6°	30°	26.9°	30°	30.5°	30.5°	27.3°
Departure angle	24	.6°	25.3°	25	5.3°	23	3.9°	19.0°	24.6°	25.3°	19.0°	25.3°	23	.9°	25.3°	23.9°	23.9°	20.6°	19.0°	19.0°	19.0°
Ramp-over angle	23	8.9°	23.9°	23	3.9°	23	3.3°	23.8°	23.9°	23.9°	23.3°	23.9°	23	.3°	23.9°	23.3°	23.3°	24.3°	23.8°	23.8°	23.8°
Load area (mm)																					
Cab to rear axle	12	240	765	4	50	4	50	450	1240	765	765	450	45	50	450	450	450	450	450	450	450
Length (top)		-	-		-	14	195	1495	-	-	1805	-	14	95	-	1495	1495	-	1495	1495	1495
Length (floor) (*inside genuine accessory tray body)	25	50*	2100*	18	00*	15	570	1570	2550*	2100*	1835	1800*	15	70	1800*	1570	1570	1800*	1570	1570	1570
Maximum width (*inside genuine accessory alloy tray body)	17	77*	1777*	17	77*	15	530	1530	1777*	1777*	1530	1777*	15	30	1777*	1530	1530	1777*	1530	1530	1530
Width between wheel houses		-	-		-	1	122	1122	-	-	1122	-	11:	22	-	1122	1122	-	1122	1122	1122
Depth		-	-		-	4	90	490	-	-	490	-	49	90	-	490	490	-	490	490	490
Interior (mm)																					
Leg room - front	10	75	1075	10)75	10	075	1075	1075	1075	1075	1075	10	75	1075	1075	1075	1075	1075	1075	1075
Leg room - rear		-	-	9	05	9	05	905	-	-	-	905	90)5	905	905	905	905	905	905	905
Shoulder room - front	14	160	1460	14	160	14	160	1460	1460	1460	1460	1460	14	60	1460	1460	1460	1460	1460	1460	1460
Head room - front	10)20	1020	10)20	10	020	1020	1020	1020	1020	1020	10	20	1020	1020	1020	1020	1020	1020	1020
Rear cargo space		-	730		-		-	-	-	730	730	-			-	-	-	-	-	-	-
Mass (kg)																					
Gross Vehicle Mass (GVM)	3000	3000	3000	3000	3000	3000	3000	3000	3100	3100	3100	3100	3100	3100	3100	3100	3100	3100	3100	3100	3100
Kerb weight [^]	1600/1620	1695/1705	1780	1745	1830	1870	1950	2015	1785/1790	1865	2065	1910/1915	1955	2035	1910	2030	2055	1965	2105	2110	2170
Payload (cab chassis models: final mass depends on body fitted)	1400/1380	1305/1295	1220	1255	1170	1130	1050	985	1315/1310	1235	1035	1190/1185	1145	1065	1190	1070	1045	1135	995	990	930
Gross Combination Mass (GCM)	5300/5500	5850	5850	5500	5850	5500	5850	5850	6000	6000	6000	6000	5500	6000	6000	6000	6000	6000	6000	6000	6000
Maximum towing mass (braked trailer)	2800/3000	3500	3500	3000	3500	3000	3500	3500	3500	3500	3500	3500	3000	3500	3500	3500	3500	3500	3500	3500	3500
Maximum towing mass (non-braked trailer)	750	750	750	750	750	750	750	750	750	750	750	750	750	750	750	750	750	750	750	750	750
Maximum tow ball download (when fitted with genuine Isuzu UTE tow kit)	280/300	350	350	300	350	300	350	350	350	350	350	350	300	350	350	350	350	350	350	350	350
Fuel tank capacity (litres)	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76

^AFuel consumption & emissions figures based on ADR 81/02 & are to be used for vehicle comparison purposes only. Actual fuel consumption & emissions will vary depending on many factors including, but not limited to, traffic conditions, individual driving style & vehicle condition. ^{Kerb} weight - unladen mass of vehicle & full tank of fuel, excludes tray body for cab chassis vehicles. Fuel weight ratio is based on Fuel Standard (Automotive Diesel) Determination 2001. ^PPayload equals GVM minus kerb weight.

CAB CHASSIS BODY STYLES AND DIMENSIONS (24MY)



SX Single Cab Chassis 4x2 & 4x4




SX Space Cab Chassis 4x2 & 4x4




SX Crew Cab Chassis 4x2 & 4x4



LS-M Crew Cab Chassis 4x4










































CAB CHASSIS AND UTE BODY STYLES AND DIMENSIONS (24MY)



LS-U Crew Cab Chassis 4x4




SX Crew Cab Ute 4x2 & 4x4




LS-M Crew Cab Ute 4x4




X-RIDER Crew Cab Ute 4x4












































UTE BODY STYLES AND DIMENSIONS (24MY)




LS-U Space Cab Ute 4x4














LS-U Crew Cab Ute 4x2 & 4x4 LS-U+ Crew Cab Ute 4x4














X-TERRAIN Crew Cab Ute 4x4









TRAY STYLES

Economy Alloy



Heavy Duty Alloy

Heavy Duty Steel

Mine Specification Steel









































Space



Go your own way for longer with Isuzu UTE Service Plus, I-Venture Club, Isuzu UTE Genuine Accessories and Isuzu UTE Approved Accessories.

SERVICE PLUS

With every new Isuzu D-MAX you'll get:

Up to five years Flat Price Servicing, ensuring you know your service costs up-front with a flat price of \$449 per service fixed for the first five scheduled services. Plus, a six year or 150,000km warranty, and up to seven years roadside assistance.

Enjoy peace of mind and go your own way with confidence thanks to Isuzu UTE Service Plus.

I-VENTURE CLUB

You won't want to miss the opportunity to properly test your D-MAX's potential - and take your skills to the next level. Whether it is during one of our information-packed towing training sessions or on a day out in some of Australia's most epic off-roading locations, I-Venture Club offers the perfect opportunity to build your skillset and get the most from your D-MAX.

As an Isuzu UTE owner you can sign up to fun-filled trips and training sessions, where you will meet like-minded adventurers, learn from our qualified instructors and get to experience the capabilities of your D-MAX.

Head to www.iventureclub.com.au for a taste of what's to come.

GENUINE ACCESSORIES

Isuzu UTE Genuine Accessories¹ are the key to taking on more challenging terrain in true 'Go your own way' style. Isuzu UTE's extensive range of accessories allows you to enhance and personalise your ride with precision engineered parts of the highest quality, with correct fit guaranteed every time. Each genuine accessory comes with a comprehensive warranty, providing ultimate peace of mind, and the chance to pack more, do more, or just add a little more style to your D-MAX. See the full range of accessories in the D-MAX Accessories brochure or at isuzuute.com.au.

's extensive range of accessories vetted to ensure they meet Isuzu's highest standards. Constructed for local conditions by a variety of Australian manufacturers you know and trust,

conditions by a variety of Australian manufacturers you know and trust, they provide another way to enhance and personalise your D-MAX with the confidence of Isuzu UTE Australia's seal of approval. Whether used in combination with Genuine Accessories or without, Isuzu UTE Approved Accessories can be trusted to maintain the integrity of your D-MAX – while also offering a distinctly individual touch. See the full range of accessories in

the D-MAX Accessories brochure or at

APPROVED

ACCESSORIES

Isuzu UTE Approved Accessories²

are third-party branded accessories

that have been thoroughly tested and



I-VENTURE CLUB

ISUZU UTE
GENUINE ACCESSORIES

ISUZU UTE APPROVED ACCESSORIES

isuzuute.com.au.

The Flat Price Servicing Program ("FPS Program") applies to FPS Eligible Vehicles (excludes Rental & Government Customers) at Participating Isuzu UTE Dealers only. For 24MY and later vehicle models, the Flat Price Servicing covers the first 5 Scheduled Services up to 5 years/75,000km (whichever occurs first). FPS Program is subject to change. For full terms & conditions, current pricing & model eligibility visit isuzuute.com.au/flat-price-service-disclaimer. 6 years/150,000km (whichever occurs first), for Isuzu UTE Vehicles with a Warranty Start Date on or after 1/1/19. Excludes trays & accessories. The Roadside sasistance Program ("RSA Program") provides Coverage to RSA Eligible Vehicles (Private, ABN and Business Fleet Customers only) with a Warranty Start Date on or after 1/9/20 for a maximum of 7 years (unlimited kilometres). Initial 13 months Coverage provided from the Warranty Start Date. The Coverage will be reset for another 13 months from each date that a Participating Isuzu UTE Dealer conducts a Scheduled Service on the vehicle. For full terms & conditions visit isuzuute.com.au/roadside-assistance-disclaimer.

Warranty for Isuzu UTE Genuine Accessories fitted by an authorised Isuzu UTE Dealer at the point of sale of a new Isuzu UTE vehicle are covered for three (3) years or 100,000 kilometres, whichever occurs first; Isuzu UTE Genuine Accessories fitted by an authorised Isuzu UTE Dealer after the delivery of a new Isuzu UTE vehicle are covered for one (1) year or 40,000 kilometres from the date of accessory purchase, whichever occurs first; Isuzu UTE Genuine Accessories not fitted by an authorised Isuzu UTE Dealer are warranted from the date of purchase for one (1) year or 20,000 kilometres, whichever occurs first.

²Isuzu UTE Approved Accessories are not manufactured or warranted by Isuzu UTE Australia Pty Ltd. The warranty is provided by the manufacturer of the accessory. For more information refer to the Isuzu D-MAX Accessories brochure.

