

E-Transit

2023.50MY



Available to order. Additional wait times may apply. High-roof option shown.

Ford

Power you can put to work

The new, full-size, pure-electric **E-Transit** features a 68 kWh usable battery, a driving range of up to 307kms¹, and DC fast-charging capability from 15% to 80% in around 34 minutes². Available from specialised Ford Electric Vehicle dealers, the new E-Transit will help lead the charge in the electrified workforce.



High-roof option shown



Fast charging

E-Transit features both AC charging and DC fast-charging. The on-board 11.3 kW charger charges E-Transit from 0-100%, in approximately 8 hours.³ Using a 115kW high-power DC fast-charger, E-Transit can top-up the battery from 15% to 80% in around 34 minutes.²


Smart connectivity

Every E-Transit comes fitted with an embedded modem known as FordPass Connect.⁴

Once activated, using the FordPass App on your smartphone you can check the battery charge level, distance to empty (km), locate your vehicle and nearby chargers, lock and unlock the doors, and even start the vehicle remotely. A floating 12-inch touchscreen and fully integrated SYNC®⁴ system, along with **Apple CarPlay™** & **Android Auto™**⁶, keep you fully connected with the world and make E-Transit the ultimate business partner.



12-inch touchscreen



FordPass App⁴

Increased power

With an estimated driving range of up to 307kms¹, **E-Transit** is perfect for urban environments and fixed drive routes.

The peak output of 198kW⁷ and 430Nm⁷ of torque actually makes it the most powerful Transit currently available.



High-roof option shown

Uncompromised capability

The E-Transit's intelligently designed battery sits underneath the main body of the electric van to maximise room.

This allows for cargo capacity of up to 12.4 cubic metres⁸ with optional high-roof, identical to that of its full-size diesel counterpart. The E-Transit has a gross vehicle mass of up to 4.25 tonnes⁹, with a payload of 1,611kg (mid-roof) and 1,566kg (high-roof)⁹.



Cargo capacity of up to 12.4 cubic metres⁸ with optional high-roof



Gross vehicle mass of up to 4.25 tonnes⁹





Affordable ownership

The E-Transit is covered by our **5 year/Unlimited Kilometre Ford Express New Vehicle warranty¹³** and the new Electrical Drivetrain and Battery components are covered by warranty for 8 years of 160,000km (whichever occurs first)¹³




5 Year / Unlimited Km Warranty¹³



8 Year / 160,000km EV Drivetrain Warranty¹³

Driver Assistance

E-Transit is fitted with modern technology designed to help keep you and your workforce safer on the road. Driver assist technologies¹⁰ include **Autonomous Emergency Braking with Pedestrian Detection, Adaptive Cruise Control,¹¹ Blind Spot Monitoring System and Intersection Assist.¹²** Navigating tight spaces and crowded parking lots is simple with a reverse camera and front and rear parking sensors.





Make your choice

High-roof option shown

Choose your roof height



Mid-roof



High-roof^

Choose your colour



Frozen White



Moondust Silver*



Magnetic*

^High-roof option available at additional cost. *Prestige paint colours available at additional cost.

Contact us

If you have any questions or concerns, please contact our Customer Relationship Centre on 13 FORD (13 3673) or email foacust1@ford.com

Running a fleet?

Our Ford Fleet team is here to assist you in any way we can. Please email askfleet@ford.com

Discover more at ford.com.au

1. Based on full charge of E-Transit Van 420L. Estimated range using Worldwide Harmonised Light Vehicle Test Procedure (WLTP). Figures shown are for comparability purposes and should only be compared with other vehicles tested to the same technical procedures. Actual range varies with conditions such as external elements like temperature, driving behaviours, route profile, load, vehicle maintenance, and lithium-ion battery age and condition. WLTP Overall Range reflects a combined driving cycle. This test is conducted in controlled conditions with an ambient temperature of 23 degrees Celsius and no climate or electrical load. Maximum driving range for E-Transit Van without the high-roof option.

2. Indicative charging performance using a DC Fast Charger at 115 kW for E-Transit Van 420L. Charge power can decrease with increasing state of charge. Actual charge times and charge speeds can vary based on different factors (e.g. weather, temperature, driving behaviour, route profile, vehicle condition, age and condition of the lithium-ion-battery and used charging infrastructure). E-Transit comes equipped with a Type 2, Mode 3, 32-amp charge cable as standard. This cable requires a wall charger box to charge at home (not supplied) or can be used at a public charger.

3. Indicative AC Charging time quoted is using 3-phase charger at 11kW for E-Transit Van 420L. Charge power can decrease with increasing state of charge. Actual charge times and charge speeds can vary based on different factors (e.g. weather, temperature, driving behaviour, route profile, vehicle condition, age and condition of the lithium-ion battery and used charging infrastructure). E-Transit comes equipped with a Type 2, Mode 3, 32-amp charge cable as standard. This cable requires a wall charger box to charge at home (not supplied) or can be used at a public charger.

4. Use of FordPass is subject to the FordPass Terms and Privacy Policy available on ford.com.au/fordpass and requires a compatible mobile device, internet access and software (including software updates from time to time). FordPass functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App on your mobile device, including associated fees. The FordPass App and FordPass Connect modem can only work when both are connected to the telecommunications network. The FordPass Connect modem will only function on the 3G or 4G telecommunications networks. When these networks are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings.

5. Don't drive distracted. Use voice operated systems where possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates.

6. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions.

7. Calculated via peak performance of the electric motor(s) at peak battery power. Individual results may vary.

8. Maximum load volume method simply measures the volume of a fine-grained material such as sand or rice which can be deposited into the loadspace. Load Area Protection Kit may impact cargo area dimensions and capacities. Dimensions and capacities are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value.

9. Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb weight. Payload is the maximum combined value of occupants, cargo, added options and added structures. GVM must not be exceeded.

10. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information.

11. Adaptive Cruise Control has a minimum operating speed of 30km/hr.

12. Intersection Assist does not detect all vehicles in intersection, pedestrians or cyclists. It does not replace safe driving.

13. Warranty conditions apply. Our goods come with consumer guarantees that cannot be excluded under the Australian Consumer Law. Our warranty does not limit and may not exceed your rights under those guarantees. See <https://www.ford.com.au/owners/warranties/> for warranty terms.

Available to order, additional wait times may apply. Specifications listed in the following pages.

| | 420L E-Transit |
|---|---------------------------|
| | |
| Engine | |
| Electric Motor | S |
| Power - Maximum (DIN) ¹ | 198kW |
| Torque - Maximum (DIN), Valves ¹ | 430Nm |
| Drive Configuration | RWD |
| Battery & Charging | |
| WLTP Overall Range (Mid-roof / High-roof) ² | 230-307 / 222-295 |
| Usable Battery Capacity | 68kWh |
| On-board Charger (AC) | 11.3kW |
| Fast Charging Capacity (DC) | 115kW |
| Charging Cable ³ | Mode 3 (Type 2, 32A) |
| AC Charging Time (3 phase at 11kW) 0-100% ⁴ | 8 hours |
| DC Fast Charging Time (at 115kW) 15-80% ⁴ | 34 minutes |
| Cargo Dimensions ^{5, 6} (mm) | |
| Width - Load Space Between Wheel Arches | 1392 |
| Width - Load Space Maximum | 1784 |
| Height - Load Space Floor to Roof (Mid-roof / High-roof) | 1786 / 2025 |
| Length - Load Space Maximum (At Floor) | 3533 |
| Load Space Maximum (cu.m) Single Side Load Door (with Bulkhead) (Mid-roof / High-roof) ⁷ | 11 / 12.4 |
| Load Space VDA (cu.m) Single Side Load Door (with Bulkhead) (Mid-roof / High-roof) ⁸ | 10.2 / 11.5 |
| Load Space SAE Single Side Load Door (with Bulkhead) (cu.m) (Mid-roof / High-roof) | 9.9 / 11.2 |
| Euro Pallet (1000mm Load) Capacity | 4 |
| Exterior Dimensions ⁵ (mm) | |
| Length - Overall | 5981 |
| Width - Overall with Side Mirrors Extended | 2474 |
| Height - Overall (Mid-roof / High-roof) ⁹ | 2481 - 2552 / 2719 - 2790 |
| Wheelbase | 3750 |
| Front of Vehicle to Front Wheel Centre | 1023 |
| Rear of Vehicle to Rear Wheel Centre | 1208 |
| Width - Side Door Opening | 1300 |
| Height - Side Door Opening | 1600 |
| Width - Rear Door Opening | 1565 |
| Height - Rear Door Opening (Mid-roof / High-roof) | 1648 / 1887 |
| Vehicle Masses ¹⁰ (kg) | |
| Axle Plated Mass - Front / Rear | 1850/2750 |
| Gross Vehicle Mass | 4250 |
| Kerb Weight (Mid-roof / High-roof) | 2639 / 2684 |
| Payload - Maximum (Mid-roof / High-roof) | 1611 / 1566 |
| Brakes | |
| Front and Rear Disc Brakes | S |
| Electric Parking Brake | S |
| Suspension | |
| Front - Independent MacPherson Struts | S |
| Rear - Heavy Duty Independent Coil Spring | S |
| Steering | |
| Power Assisted Steering | S |
| Tilt/Telescopic Steering | S |
| Turning Circle - Kerb to kerb (m) | 14.3 |

| | 420L E-Transit |
|--|-----------------------------|
| | |
| Wheels and Tyres | |
| Wheel Size | 6.5 x 16" |
| Wheel Type | Steel with full wheel cover |
| Tyre Size | 235/65 R16 |
| Rear Wheel Configuration | Single |
| Spare Wheel | Conventional Steel |
| Safety & Security | |
| 6 Airbags - Driver, Front Passenger, Front Side Curtain & Front Side Seat | S |
| Autonomous Emergency Braking (AEB) with Pedestrian Detection ¹¹ | S |
| Electronic Brakeforce Distribution (EBD) ¹¹ | S |
| Emergency Brake Assist (EBA) ¹¹ | S |
| Dynamic Stability Control (DSC) incorporating ABS ¹¹ | S |
| Roll Over Mitigation ¹¹ | S |
| Emergency Brake Light | S |
| Load Adaptive Control ¹¹ | S |
| Traction Control System ¹¹ | S |
| Rear Window Defroster | S |
| Remote Keyless Entry - 2 Fobs | S |
| Shielded Deadlocks | S |
| Perimeter Anti-Theft Alarm | S |
| Twin Stage Locking | S |
| Driver Assistance | |
| Adaptive Cruise Control ^{11, 12} | S |
| Auto Hold | S |
| Blind Spot Monitoring System (BLIS) ¹¹ | S |
| Blind Spot Assist ¹¹ | S |
| 3 Drive Modes (Normal, Eco, Slippery) ¹¹ | S |
| Low Drive Mode ¹¹ | S |
| Intersection Assist ^{11, 13} | S |
| Hill Launch Assist ¹¹ | S |
| Lane Keeping Aid with Lane Departure Warning ¹¹ | S |
| Side Wind Stabilisation ¹¹ | S |

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

Disclaimer:

1. Calculated via peak performance of the electric motor(s) at peak battery power. Individual results may vary. **2.** Based on full charge of E-Transit Van 420L. Estimated range using Worldwide Harmonised Light Vehicle Test Procedure (WLTP). Figures shown are for comparability purposes and should only be compared with other vehicles tested to the same technical procedures. Actual range varies with conditions such as external elements like temperature, driving behaviours, route profile, load, vehicle maintenance, and lithium-ion battery age and condition. WLTP Overall Range reflects a combined driving cycle. This test is conducted in controlled conditions with an ambient temperature of 23 degrees Celsius and no climate or electrical load. **3.** E-Transit comes equipped with a Type 2, Mode 3, 32-amp charge cable as standard. This cable requires a wall charger box to charge at home (not supplied) or can be used at a public charger. **4.** Indicative charging performance for E-Transit Van 420L. Charge power can decrease with increasing state of charge. Actual charge times and charge speeds can vary based on different factors (e.g. weather, temperature, driving behaviour, route profile, vehicle condition, age and condition of the lithium-ion-battery and used charging infrastructure). E-Transit comes equipped with a Type 2, Mode 3, 32-amp charge cable as standard. This cable requires a wall charger box to charge at home (not supplied) or can be used at a public charger. **5.** Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. **6.** Load Area Protection Kit may impact cargo area dimensions and capacities. **7.** Maximum load volume method simply measures the volume of a fine-grained material such as sand or rice which can be deposited into the loadspace. **8.** VDA is the method determined by filling the load space with 'litre' blocks, each measuring 200x100x50mm. The blocks are then counted and the numerical result is converted into cubic meters. **9.** Height dimensions show a range from min. to max. of a fully laden, lowest payload vehicle to unladen highest payload vehicle. Subject to engineering tolerances and do not include additional equipment. Excludes antennas. **10.** Subject to State and Territory regulations. Kerb Weight is the weight of a standard-specification vehicle, including fluids, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. Payload is calculated by deducting the vehicle's Kerb Weight, from its Gross Vehicle Mass (GVM). Payload (based on Kerb Weight) is the maximum combined value of occupants, cargo, added accessories and added structures. Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load and accessories to ensure the maximum Gross Vehicle Mass (GVM) is not exceeded. **11.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather. **12.** Adaptive Cruise Control has a minimum operating speed of 30km/hr. **13.** Intersection Assist does not detect all vehicles in intersection, pedestrians or cyclists. It does not replace safe driving. See Owner's Manual for Limitations.

| | 420L E-Transit |
|--|----------------|
| Driver Assistance continues | |
| Tool Kit | S |
| Traffic Sign Recognition ¹⁴ | S |
| Vehicle Maintenance Monitor | S |
| Reverse Camera with Front & Rear Parking Sensors ¹⁵ | S |
| Side Parking Sensors ¹⁵ | S |
| Speed Limiter (130kph) ¹⁵ | S |
| Rear Cross Traffic Alert ¹⁵ | S |
| Regenerative Braking | S |
| Audio & Communication | |
| FordPass Connect - Embedded Modem ¹⁶ | S |
| 4 Speakers (2 Woofers, 2 Tweeters) | S |
| Apple CarPlay™ and Andriod Auto™ integration ¹⁷ | S |
| Floating 12-inch Capacitive Touch Screen | S |
| Steering Wheel Mounted Audio Controls | S |
| 2x USB Ports (1x USB, 1x USB-C) | S |
| DAB+ /AM/FM Radio | S |
| SYNC®4 Connectivity System with Applink™ ¹⁸ | S |
| Built-In Satellite Navigation with 1 year of Connected Navigation Services included ¹⁹ | S |
| Comfort and Convenience | |
| Air Conditioning - Front Single Zone | S |
| Premium Feel Sensico® Artifical Leather Wrapped Steering Wheel with Cruise Control and SYNC® Control Buttons. Reach and Height Adjustable. | S |
| Drivers Armrest | S |
| Header Courtesy Light | S |
| Power - 12V Power Socket in Load Area | S |
| Power - 2x 12V Power Sockets in Cabin | S |
| 4.2-inch Colour Cluster Screen | S |
| Trip Computer | S |
| Windows - Power Front (Driver Side One Touch Up/Down) | S |
| Push Button Start | S |
| Rotary e-Shifter | S |
| Scheduled Pre-Conditioning | S |
| Seating | |
| Seat Material - Cloth | S |
| Single Driver 10-way Power Adjustment, Arm Rest and Lumbar with Cushion Tilt | S |
| Dual Front Passenger Fixed Seats with Under Seat Stowage Compartment and Tray Table | S |
| Heated Driver and Passenger Seats | S |
| Storage | |
| Bottle Holders - 3 | S |
| Bulkhead - Full Width Steel with Window | S |
| Cup Holders - 3 | S |
| Dashboard Storage | S |
| Door Storage Pockets (Fit A4 Clipboard and 2 Litre Bottle) | S |
| Front Seat Overhead Storage | S |

| | 420L E-Transit |
|---|----------------|
| Storage continues | |
| Glove Box with Lockable Lid | S |
| Rubber Floor - Passenger Area | S |
| Load Area Protection Kit - Moulded Load Floor & Full Height Load Area Trim Panels | S |
| Load Area Compartment Lamp | S |
| Load Area Tie Down Hooks - 10 | S |
| Styling | |
| Mudflaps - Front & Rear | S |
| Black Front Bumper/Rear Bumper/Bodyside Moulding/Handles/Mirror | S |
| Unique E-Transit Trapezoidal 3-Bar Grille with Chrome Surround and Anodised Blue Bars | S |
| Lights | |
| Front Fog Lamps | S |
| Headlamps - Halogen with Daytime Running Lights | S |
| Headlamps - Follow-Me-Home | S |
| Headlamps - Levelling Manual | S |
| Auto Headlamps with Auto High Beam | S |
| High Mounted Stop Light | S |
| Rear Door Edge Reflector Strip | S |
| Visibility | |
| Mirrors - Power Foldable, Heated, Electrically Operated with Side Indicators | S |
| Heated Windshield | S |
| Auto Windshield Wipers | S |
| Stowage & Carrying | |
| Doors - Side Load Sliding (Kerbside - Left Hand Side) | S |
| Doors - Rear Glazed Twin Hinged with Wide Opening | S |
| Factory Options | |
| Prestige Paint | O |
| Special Vehicle Options (SVO) Paint | O |
| Dual Side Load Doors (Left and Right Side) | O |
| High Roof | O |
| Single Front Passenger Seat (in lieu of Dual Front) | O |

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

Disclaimer:

14. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Speed Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. In some circumstances Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **15.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather. **16.** Use of FordPass is subject to the FordPass Terms and Privacy Policy available on ford.com.au/fordpass and requires a compatible mobile device, internet access and software (including software updates from time to time). FordPass functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App on your mobile device, including associated fees. The FordPass App and FordPass Connect modem can only work when both are connected to the telecommunications network. The FordPass Connect modem will only function on the 3G or 4G telecommunications networks. When these networks are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. **17.** Apple CarPlay™ / Android Auto™ requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service,and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. **18.** Don't drive distracted. Use voice operated systems where possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates. **19.** Eligible vehicles receive Connected Navigation Services for 1 year from the Ford Express New Vehicle Warranty start date, after which time the Connected Navigation Services may cease to be available, or may be subject to a subscription fee. To use Connected Navigation Services, users must have created a FordPass App account (terms apply), have fully activated the vehicle's FordPass Connect modem and have SYNC Location set to 'on'.



Important information:

This brochure is designed to provide you with a general introduction to the Ford products (including available optional equipment) referred to and should be read in conjunction with the latest specification sheet. Features, designs, materials, colours and other specifications may vary from those depicted. Because of changes in conditions and circumstances Ford reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice, to discontinue or change the features, designs, materials, colours and other specifications and the prices of its products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchaser or purchasers. The latest specification sheet should be referred to for information on the availability, ordering and use of features and optional equipment. Always consult an authorised Ford Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order.