

## All New Tasman (Dual Cab Chassis) MY26 - Mechanical & Feature List

Engines	2.2L Die	esel
Engine Type	SmartStream In-Line 4 Cyl.	E-VGT¹ CRDI² 16 Valve
Capacity (CC)	2,151	
Max Power (kW @ RPM)	154 @ 3,	800
Max Torque (Nm @ RPM)	440 @ 1,750	- 2,750
Bore x Stroke (mm)	83.0 x 9	
Compression Ratio	16.0 : 1	
Transmission	2.2L Die	esel
8 Speed Automatic (Sports-Matic)	•	
Model Variant	2.2L Die	esel
S (4x4)	•	
SX (4x4) Exterior Dimensions	\$ 4x4	SX
Overall Length (mm) Overall Width (mm)	Dependent on 1,930	1,930
Overall Height (mm)	1,870	1,870
Overlang - Front (mm)	855	855
Overhang - Rear (mm)	Dependent on	
Wheelbase (mm)	3,270	3,270
Minimum Ground Clearance (mm)	206	206
Wading Depth (mm)	800	800
Approach Angle (Degrees)	20.0	20.0
Ramp Breakover Angle (Degrees)	23.7	23.7
Departure Angle (Degrees)	Dependent on	
Interior Dimensions	S 4x4	SX
Leg Room (Front/Rear) (mm)	1,052/915	1,052/915
Head Room (Front/Rear) (mm)	1,044/1,004	1,044/1,004
Shoulder Room (Front/Rear) (mm)	1,522/1,516	1,522/1,516
Hip Room (Front/Rear) (mm)	1,449/1,410	1,449/1,410
Tub Dimensions	S 4x4	SX
Length (mm)	3 444	3,4
Width (mm)		
Height (mm)		
Capacity (VDA, L)	Dependent on	tray fitted
Capacity (NAE, L)		
Wheelbase (mm)	_	
Fuel	2.2L Die	asal
тие	S 4x4	SX
Fuel Consumption (L/100km) - Combined*	7.6	7.6
Fuel Consumption (L/100km) - Combined  Fuel Consumption (L/100km) - Urban*	9.3	9.3
Fuel Consumption (L/100km) - Extra-Urban*	6.6	6.6
Co <sub>2</sub> Emission (g/km) - Combined	200	200
Co <sub>2</sub> Emission (g/km) - Combined  Co <sub>3</sub> Emission (g/km) - Urban	245	245
Co, Emission (g/km) - Extra-Urban	174	174
Diesel Particulate Filter	1/4	174
Hood Insulator	•	
Fuel Type Recommended		ıl
Fuel Tank Capacity (L)	Diesel 80	
Weight	2.2L Die	asal .
•••••••	S 4x4	SX
Gross Combined Mass (kg)	6,200	
Gross Vehicle Mass (kg)	3,250	
Front Gross Axle Weight Rating (kg)	1,450	1,450
Rear Gross Axle Weight Rating (kg)	2,040	2,040
Kerb Weight (kg)	2,040	2,040
Max. Payload (kg)		
Roof Load (kg)	1,185	1,185
Towing Capacity	2.2L Diesel	
Towing Capacity Unbraked (kg)	750	
Towing Capacity Oribraked (kg)  Towing Capacity Braked (kg)	3,500	
Max. Towball Download (kg)	3,500	
Max. Townail Download (kg)  Steering, Brakes and Suspension	\$ 4x4	SX
Power Steering System	C-MDPS³ (Electric F	
Reactive: Mechanical Rear Diff. Lock (m-LD)	C-MDPS' (Electric P	• •
Terrain Mode Select System (3 Modes - Snow, Mud, Sand)	•	•
4x4 Active Transfer Switch	•	•
	•	•
Drive Mode Select System (Eco, Sport, Normal, MyDrive, Tow)		<u> </u>
Minimum Turning Circle (m)	6.17	
Energy Absorbing Steering Column		
Energy Absorbing Steering Column	•	
Tilt & Telescopic Adjustable Steering Column	•	atad Disa
Tilt & Telescopic Adjustable Steering Column Front Brakes	• 325mm Ventil	
Tilt & Telescopic Adjustable Steering Column Front Brakes Rear Brakes	•	
Tilt & Telescopic Adjustable Steering Column Front Brakes Rear Brakes Electronic Parking Brake with Auto Hold	• 325mm Ventil 325mm Ventil	ated Disc
Tilt & Telescopic Adjustable Steering Column Front Brakes Rear Brakes	• 325mm Ventil	ated Disc

Wheels & Tyres		
Wheel Type	Steel (Black)	Alloy
Wheel Size	17"	17"
Tyres	265/65R17	265/65R17
TPMS (Tyre Pressure Monitoring System)	•	•
Spare Wheel Type	Full Size Steel	Full Size Alloy
Safety	2.2L	Diesel
Active Safety <sup>4</sup>	S 4x4	SX
ABS (Anti-Lock Braking System) with EBD <sup>5</sup> & BA <sup>6</sup>	•	•
ESC (Electronic Stability Control) with TCS <sup>7</sup>	•	•
VSM (Vehicle Stability Management)	•	•
ITBC (Integrated Trailer Brake Controller)	•	•
TSA (Trailer Stability Assist)  HAC (Hill-Start Assist Control)	•	•
DBC (Downhill Brake Control)	•	•
ESS (Emergency Stop Signal)	•	•
MCB (Multi Collision Braking)	•	•
Driver & Front Passenger Shared Seatbelt Warning Chime & Light	•	•
2nd Row Seats Seatbelt Warning Chime & Light	•	•
Reverse Parking Sensors with Dash Display	•	•
Rear View Mirror (Day & Night)	•	•
LED DRL (Daytime Running Lights)	•	•
LED Front Headlights (MFR Type)	•	•
HBA (High Beam Assist)	•	•
Dusk-Sensing Automatic Headlights	•	•
BCA (Blind Spot Collision Avoidance Assist)	•	•
RCCA (Rear Cross Traffic Collision Avoidance Assist)	•	•
RCTA (Rear Cross Traffic Alert)	•	•
HDA 2 (Highway Drive Assist 2) with LCA (Lane Change Assist)	-	•
ASCC (Advanced Smart Cruise Control) with Steering Wheel Mounted Controls	•	•
Navigation Based Smart Cruise Control	-	•
LKA (Lane Keeping Assist) with LFA 2 (Lane Following Assist 2)	•	•
AEB (Autonomous Emergency Brake) with FCWS (Forward Collision Warning System) - Car, Pedestrian, Cyclist, Junction Turning, Junction Crossing, Evasive Steering Assist	•	•
& Direct/Oncoming Lane Change Detection		
DAW (Driver Attention Warning) with Lead Vehicle Departure	•	•
ISLA (Intelligent Speed Limit Assist)	•	•
SEW (Safe Exit Warning)	•	•
Door Open Warning on Driver Display	•	•
Speed Sensing Auto Door Lock	•	•
ROA (Rear Occupant Alert)	•	•
Child Restraint Anchorage Points (2 x Top Tether / 2 x Isofix)	•	•
3-Point EIr Seatbelts On All Positions  Passive Safety	•	•
E-Call® with SOS Button (Overhead Console Control)	•	•
Driver & Front Passenger SRS Airbags	•	•
Front Side SRS Airbags	•	•
Centre Side Airbag	•	•
Curtain SRS Airbags (1st & 2nd Rows)	•	•
Seatbelt Pre-Tensioners with Load Limiters (Driver, Front Passenger &		
2nd Row Outboard)	•	•
Side Door Impact Beams (Front & Rear)	•	•
Child-Proof Rear Door Locks	•	•
Impact Sensing Auto Door Unlocking	• S 4x4	• SX
Security Anti-Theft Immobiliser with Burglar Alarm	•	•
Remote Central Locking with Keyless Entry	•	•
Smart Key with Push Button Start	•	•
Smart Key with Remote Engine Start	•	•
Headlight Escort Function	•	•
Seating	S 4x4	SX
5 Seat Capacity	•	•
Cloth Trim Seats	•	•
6-Way Manual Driver's Seat	•	•
4-Way Manual Front Passenger's Seat	•	•
Cushion Tip-Up 2nd Row Seats (60:40)	•	•
Split Fold 2nd Row Seats (60:40)	•	•
Headrests with Height Adjust (All Seats) & Tilt Function (Front Seats)	•	•
Height Adjustable Front Seatbelts	• •	•
Exterior Features  Pedy Coloured Poor Handles	S 4x4	SX
Body Coloured Door Handles  Outside Door Handle Pocket Lights (Front)	•	•
Outside Door Handle Pocket Lights (Front)  Body Coloured Outside Mirrors	•	•
Electric Folding Outside Mirrors with Automatic Folding Function	-	•
Outside Mirrors with Heated Function	•	•
LED Rear Combination Lamp (Tail / Stop / Turning Lamp)	•	•
Shark Fin Antenna	•	•
Aero-Blade Type Front Wipers	•	•

Interior Features	S 4x4	SX
Premium Steering Wheel & Gear Knob	•	•
Integrated Panoramic Display (12.3" Digital Driver Cluster + 5" Climate Control + 12.3" Touch Screen Infotainment)	•	•
Trailer Page	•	•
Ambient Temperature Display (within Cluster)	•	•
Power Windows with Auto Up/Down (Driver) & Safety Function (Driver)	•	-
Power Windows with Auto Up/Down & Safety Function (Front)	-	•
Driver's Foot Rest	•	•
Grab Handles (Front & Rear)	•	•
Metal Look Interior Trim (Console & Door Handles)	•	•
LED Interior Lights (Front & Rear)	•	•
Low Washer Fluid Warning	•	•
1st Row Type-C USB Chargers (2 x Front Tray)	•	•
1 x 12 Volt Power Outlet (Inside Centre Console)	•	•
Driver Sunvisor with Illuminated Vanity Mirror & Sliding Function	•	•
Front Passenger Sunvisor with Illuminated Vanity Mirror & Sliding Function	•	
Storage	\$ 4x4	SX
2 x Cup Holders (Front)	•	
2 x Bottle Holders (Front)	•	
Map Pockets (Front)	•	•
Life-Saving Hammer (Inside Glove Box)	•	•
Illuminated Glovebox	•	•
Centre Console Storage Box	•	•
Front Seat Back Pockets	•	•
2 x Coat Hooks (2nd Row Sides)	•	
2nd Row Seat Under Storage (45L When Empty & 31L with Standard Items)	•	
Audio	\$ 4x4	SX
AM/FM Radio	•	•
DAB Digital Radio	•	•
6 Speaker Audio System (4 Speakers, 2 Tweeters)	•	•
Satellite Navigation Multimedia System with 10 Years Traffic Information and Map Update	-	•
Wired & Wireless Android Auto™ with Voice Recognition	•	•
Wired & Wireless Apple Carplay™12 with Voice Recognition	•	•
Kia Connect <sup>13</sup> Telematics (E-Call, Remote Control, Vehicle Status Monitoring etc.)	•	•
Over-The-Air Updates	•	•
Al Voice Commands with Natural Voice Recognition (Steering Wheel Voice Command Button Control)	•	•
Bluetooth® Multi-Connection Functionality (Phone/Media Stream) <sup>14</sup>	•	•
Steering Wheel Mounted Audio/Bluetooth® Controls	•	•
SDVC (Speed Dependent Volume Control)	•	•
Sounds Of Nature	•	•
Ventilation	S 4x4	SX
	•	•
Dual-Zone Climate Control Air-Conditioning (3-Stage)		
	S 4x4	SX
Dual-Zone Climate Control Air-Conditioning (3-Stage)  Exterior Colours  Clear White (UD)®	\$ 4x4 •	SX •
Exterior Colours		
Exterior Colours Clear White (UD)®	•	•
Exterior Colours  Clear White (UD)®  Steel Grey (KLG)#	•	•
Clear White (UD) <sup>®</sup> Steel Grey (KLG)# Interstellar Grey (AGT)#	•	•
Clear White (UD) <sup>®</sup> Steel Grey (KLG)* Interstellar Grey (AGT)* Aurora Black Pearl (ABP)* Tan Beige (TAM)**  Steel Grey (AGT)*	•	•
Clear White (UD)® Steel Grey (KLG)# Interstellar Grey (AGT)# Aurora Black Pearl (ABP)#	• • • •	•

Standard - Not available

For full terms and conditions, visit www.kia.com.au Kia Australia ABN 97 110 483 353 Locked Bag 2207, North Ryde BC NSW 1670. Specifications apply to 2026 Model Year Tasman. Kia Australia reserves the right to discontinue or change the models, features, specifications, options, designs and prices of products referred to in this sheet without incurring any liability whatsoever to any purchaser or prospective purchaser of any such products. Some of the items herein are optional at additional cost. Consult your Kia dealer for the latest information on models, specifications, features, prices, options and availability. Note: Model Year 2026 Tasman will undergo all necessary inspections when available. Until inspections are complete, all information and illustrations are based on data available at the time of publication and subject to change without notice. "Fuel consumption figures are based on ADR81/02 test results (same as NEDC defined by UNECE R101/01). They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven. "Subject to State regulations and towbar design. "WThe Road Traffic Code 2000 in WA prohibits people from driving a vehicle unless a person is behind the steering wheel and they have full control over the vehicle. The use of this Remote Smart Park Assist (RSPA) feature will not comply with this rule and thus it should not be used while within WA. 'E-VGT - Electronic Variable Geometry Turbocharger 'CRDi - Common-Rail Direct Injection. 3C-MDP5 - Column-Mounted Motor Driven Power Steering. 4Safety technologies are supplemental systems and do not replace the need for the driver to exercise care and attention. 5EBD - Electronic Brake Distribution. 6BA - Brake Assist. TCS - Traction Control System. "E-Call notifies the call centre of an accident if airbag deployment or manual trigger of the SOS button is detected. Kia Connect activation required. "Wireless char