
SWIFT





FORFUN



FOR EVER







Mineral Grey*



Super Black Pearl[±]



Speedy Blue[±]



Burning Red[±]



Champion Yellow[±]



Flame Orange with Black Roof*



BOOSTERJET TURBO ENGINE

The Swift Sport's 1.4 BOOSTERJET direct injection turbo engine enhances performance and saves on fuel. 7-hole injector nozzles enable higher pressure and atomised fuel injection for more powerful engine output and a cleaner exhaust, while the sophisticated wastegate valve control constantly monitors boost pressure to minimise your fuel consumption while cruising.



Torque-to-weight ratio

4.2 KG/Nm


Maximum power 103 kW / 5,500 rpm Maximum torque

230_{Nm}/2,500-3,500_{rpm}

Fuel consumption (man/auto)* 6.1 L/100 km

Wastegate valve Closed for normal driving, it helps apply higher boost pressure to achieve excellent torque response.





Opened for cruising, it prevents overpressure and suppresses fuel consumption.

HEARTECT PLATFORM

Swift Sport uses the cutting-edge HEARTECT platform to increase driving performance, improve collision safety and reinforce underbody stiffness.



17-INCH ALLOY WHEELS

The exclusive thin-spoke alloy wheels are crafted to enhance vehicle performance using a flowforming technique, enabling thinner-yet-stronger rims for a reduction in unsprung weight.







NIMBLE SUSPENSION

Swift Sport's redesigned up front and rear suspension provides linear steering control and a solid, supple and comfortable drive. With sharpened straightway stability, Swift Sport better negotiates turns and curves, tracking performance, response and delivering a greater driving experience.











SPORTS FRONT SEATS

Swift Sport is equipped with bodyhugging semi-bucket sports seats with lumbar support for those fast direction changes, to keep you in the perfect driving position through any corner.



LUGGAGE AREA

The luggage area has a flexible cargo space with a luggage board. With 60/40 split rear seats that fold down for more space, you'll have all the storage you need.



SPORTS STEERING WHEEL

The dimpled leather D-shape steering wheel comes with a satin finish, red cross-stitching and most importantly, an ultra-secure grip.



TRANSMISSION

Choose between sporty or laid-back driving. Bask in the seamless driving experience of the fuel efficient 6-speed auto with paddle shifters, or maximise engine performance with the smooth-shifting 6-speed manual transmission. In both automatic and manual, shifting is sporty with just the right amount of resistance.



Apole CarPlay

7-INCH TOUCHSCREEN DISPLAY

Integrate audio, hands-free phone, navigation systems and your smartphone on the 7-inch touchscreen display. Features can be selected from the four main operating modes—Listen, Call, Drive and Connect.



METER CLUSTER


The sporty and stylish meter cluster lets you view a wide range of information at a glance, including fuel consumption, driving range and warnings from the advanced safety and assistive driving systems.




MULTI-INFO COLOUR LCD

A 4.2-inch colour LCD screen intuitively conveys a useful range of information, such as running performance and engine output.

AUTONOMOUS EMERGENCY BRAKING (AEB)"



2 Deploys brake assist to increase braking force if the risk of collision is high and the driver panic brakes



3 Applies strong automatic braking if the risk of collision increases even more

When moving, the Vitara uses two sensors—a monocular camera and a laser sensor—to determine if there is a risk of collision with a forward vehicle or pedestrian.

LANE DEPARTURE WARNING & WEAVING ALERT"





The Lane Departure Warning function is designed to predict the path of the vehicle and issue warnings to the driver when necessary. The Weaving Alert function is designed to calculate the driving pattern and alerts the driver if the vehicle is wandering (e.g. due to driver drowsiness).

AUTO

HIGH BEAM ASSIST

High Beam Assist is designed to automatically switch the headlights between high and low light. After detecting lights of an oncoming or preceding vehicle, Swift Sport automatically switches to low beam. When the oncoming or preceding vehicle is no longer present, Swift Sport automatically switches back to high beam.



REAR CROSS TRAFFIC ALERT (RCTA)



Swift Sport uses two rear-mounted side radar sensors to assist the driver when reversing the vehicle, at speeds of up to 8 km/h. If a vehicle is detected, RCTA alerts the driver with both a visual notification on the multi-information display, as well as an audible warning sound, assisting the driver to manoeuvre out of parking spaces more safely.



AIRBACS FOR COLLISION SAFETY



Swift Sport is equipped with six SRS airbags, including front and side airbags for the driver and front passenger, and side curtain airbags for occupants of both the front and rear seats.


BLIND SPOT MONITORING



Lane changing at speeds above 15 km/h is made safer by two rear-mounted side radar sensors capable of detecting vehicles located in or approaching the rear blind spots on either side of the vehicle. When a vehicle is approaching or detected in a rear blind spot, a warning LED icon is illuminated in the relevant exterior mirror. If the driver indicates to change lanes, a flashing LED icon is accompanied by a warning sound alert.



ADAPTIVE CRUISE CONTROL (ACC)



When there is a vehicle in front, the Adaptive Cruise Control system uses a millimetre-wave radar designed to gauge the distance, automatically maintaining vehicle-to-vehicle distance in line with the selected setting.




SPECIFICATIONS

			SWIFT	
POWERTRAIN				
Engine			1.4 Boosterjet Turbo	
Number of cylinders			4	
Number of valves Piston displacement (cm ³)			16 1,373	
Piston displacement (cm³) Bore x stroke (mm)			73.0 x 82.0	
Compression ratio			73.0 X 62.0 9.9	
Maximum output (kW/rpm)			103/5,500	
Maximum torque (Nm/rpm)			230/2,500-3,000	
Fuel distribution			Direct injection	
Fuel tank capacity (L)			37	
DIMENSIONS				
Overall length (mm)			3,89	90
Overall width (mm)			1,735	
Overall height (mm)			1,495	
Wheelbase (mm)			2,45	
Tread – front (mm)		Front	1,510 (195	
		Rear	1,510 (195	
Minimum turning radius (m)			5.	
Minimum ground clearance (m	120			
Seating capacity			5	
		Max volume	947	
Luggage capacity (L)		Rear seatback folded	57	
		Rear seatback raised	265	
Kerb weight (kg)			970 M/T	990 A/T
Gross vehicle weight (kg)			1,44	15
TRANSMISSION				_
Туре			6M	
		1st	3.615	4.044
		2nd	2.047	2.370
		3rd	1.518	1.555
Gear ratio		4th	1.156	1.159
		E-1	0.010	0.054
		5th	0.918	0.851
		6th	0.794	0.672
Final goar ratio			0.794 3.481	0.672 3.193
	ON!*	6th	0.794	0.672
FUEL CONSUMPTI		6th	0.794 3.481 3.944	0.672 3.193 3.683
Final gear ratio FUEL CONSUMPTI Fuel consumption (L/100km) M		6th	0.794 3.481 3.944	0.672 3.193 3.683
FUEL CONSUMPTIC Fuel consumption (L/100km) M CO2 emissions (G/km) MT/AT		6th	0.794 3.481 3.944	0.672 3.193 3.683
FUEL CONSUMPTI		6th Reverse	0.794 3.481 3.944 6.	0.672 3.193 3.683
FUEL CONSUMPTI Fuel consumption (L/100km) M CO2 emissions (G/km) MT/AT CHASSIS		6th Reverse Front	0.794 3.481 3.944 6. 14	0.672 3.193 3.683 1 1
FUEL CONSUMPTI Fuel consumption (L/100km) M CO2 emissions (G/km) MT/AT CHASSIS		6th Reverse Front Rear	0.794 3.481 3.944 6. 14 Ventilate	0.672 3.193 3.683 1 1 1
FUEL CONSUMPTI Fuel consumption (L/100km) M CO2 emissions (G/km) MT/AT CHASSIS Brakes		6th Reverse Front Rear Front	0.794 3.481 3.944 6. 14 Ventilate Dis	0.672 3.193 3.683 1 1 1 ed disc sc t with coil spri
FUEL CONSUMPTI Fuel consumption (L/100km) M CO2 emissions (G/km) MT/AT CHASSIS Brakes Suspension		6th Reverse Front Rear	0.794 3.481 3.944 6. 14 Ventilate	0.672 3.193 3.683 1 1 1 ed disc sc t with coil spri
FUEL CONSUMPTI Fuel consumption (L/100km) M CO2 emissions (G/km) MT/AT CHASSIS Brakes Suspension WHEELS		6th Reverse Front Rear Front	0.794 3.481 3.944 6. 14 Ventilate Dis MacPherson strut Torsion beam w	0.672 3.193 3.683 1 1 ed disc ice t with coil spring
FUEL CONSUMPTI Fuel consumption (L/100km) M CO2 emissions (G/km) MT/AT CHASSIS Brakes Suspension WHEELS Tyres (width/profile)		6th Reverse Front Rear Front	0.794 3.481 3.944 6. 14 Ventilate Dis MacPherson strut Torsion beam w	0.672 3.193 3.683 1 1 1 ed disc t with coil spring
FUEL CONSUMPTI Fuel consumption (L/100km) M CO2 emissions (g/km) MT/AT CHASSIS Brakes Suspension WHEELS Tyres (width/profile) Wheel size		6th Reverse Front Rear Front	0.794 3.481 3.944 6. 14 Ventilate Dis MacPherson strut Torsion beam w	0.672 3.193 3.683 1 1 1 ed disc ic with coil springith coil spring
FUEL CONSUMPTI Fuel consumption (L/100km) M CO2 emissions (G/km) MT/AT CHASSIS Brakes Suspension WHEELS Tyres (width/profile) Wheel size Wheel stye Wheel type		6th Reverse Front Rear Front	0.794 3.481 3.944 6. 14 Ventilate Dis MacPherson strut Torsion beam w	0.672 3.193 3.683 1 1 1 ed disc ic twith coil spring ith coil spring
FUEL CONSUMPTI Fuel consumption (L/100km) M CO2 emissions (G/km) MT/AT CHASSIS Brakes Suspension WHEELS Tyres (width/profile) Wheel size Wheel type Spare		6th Reverse Front Rear Front	0.794 3.481 3.944 6. 14 Ventilate Dis MacPherson strut Torsion beam w	0.672 3.193 3.683 1 1 1 ed disc ic twith coil spring ith coil spring
FUEL CONSUMPTI Fuel consumption (L/100km) M CO2 emissions (G/km) MT/AT CHASSIS Brakes Suspension WHEELS Tyres (width/profile) Wheel size Wheel type Spare EXTERIOR		6th Reverse Front Rear Front	0.794 3.481 3.944 6. 14 Ventilate Dis MacPherson strut Torsion beam w 195/ 17 Polishee Tyre reg	0.672 3.193 3.683 1 1 1 ed disc ec with coil spring tith coil spring d alloy
FUEL CONSUMPTI Fuel consumption (L/100km) M CO2 emissions (G/km) MT/AT CHASSIS Brakes Suspension WHEELS Tyres (width/profile) Wheel size Wheel type Spare EXTERIOR Front grille		6th Reverse Front Rear Front	0.794 3.481 3.944 6. 14 Ventilate Dis MacPherson strut Torsion beam w 195/ 17 Polishee Tyre rep	0.672 3.193 3.683 1 1 1 ed disc ic ivith coil spring fith coil spring d alloy air kit
FUEL CONSUMPTI Fuel consumption (L/100km) M CO2 emissions (G/km) MT/AT CHASSIS Brakes Suspension WHEELS Tyres (width/profile) Wheel size Wheel type Spare EXTERIOR Front grille Side under spoiler		6th Reverse Front Rear Front	0.794 3.481 3.944 6. 14 Ventilate Dis MacPherson strut Torsion beam w 195/ 17 Polishee Tyre rep Bla Carbon fibr	0.672 3.193 3.683 1 1 1 sed disc ic it with coil spring 50 " d alloy bair kit
FUEL CONSUMPTI Fuel consumption (L/100km) M CO2 emissions (G/km) MT/AT CHASSIS Brakes Suspension WHEELS Tyres (width/profile) Wheel size Wheel size Wheel type Spare EXTERIOR Front grille Side under spoiler Rear under spoiler		6th Reverse Front Rear Front	0.794 3.481 3.944 6. 14 Ventilate Dis MacPherson strut Torsion beam w 195/ 177 Polishee Tyre rep Bla Carbon fibr Carbon fibr	0.672 3.193 3.683 1 1 1 ed disc se with coil spring the coil spring to the coil spring t
FUEL CONSUMPTI Fuel consumption (L/100km) M CO2 emissions (G/km) MT/AT CHASSIS Brakes Suspension WHEELS Tyres (width/profile) Wheel size Wheel type Spare EXTERIOR Front grille Side under spoiler Rear under spoiler Outside door handles		6th Reverse Front Rear Front	0.794 3.481 3.944 6. 14 Ventilate Dis MacPherson strut Torsion beam w 195/ 17 Polisher Tyre rep Bla Carbon fibr Carbon fibr Body-cc	0.672 3.193 3.683 1 1 1 bed disc sc twith coil spring fith coil spring d alloy air kit ck e material e material loured
FUEL CONSUMPTI Fuel consumption (L/TO0km) M CO2 emissions (G/km) MT/AT CHASSIS Brakes Suspension WHEELS Tyres (width/profile) Wheel size Wheel type Spare EXTERIOR Front grille Side under spoiler Rear under spoiler Rear under spoiler Rear under spoiler Outside door handles Black-coloured A and B pillars		6th Reverse Front Rear Front	0.794 3.481 3.944 6. 14 Ventilate Dis MacPherson strut Torsion beam w 195/ 17 Polishee Tyre rep Bla Carbon fibr Carbon fibr Body-cc Str	0.672 3.193 3.683 1 1 1 ad disc c t with coil spring fith coil spring 50 d alloy bair kit ck e material e material looured d
FUEL CONSUMPTI Fuel consumption (L/100km) M CO2 emissions (G/km) MT/AT CHASSIS Brakes Suspension WHEELS Tyres (width/profile) Wheel size Wheel size Wheel type Spare EXTERIOR Front grille Side under spoiler Rear under spoiler Outside door handles Black-coloured A and B pillars Tailgate opener		6th Reverse Front Rear Front	0.794 3.481 3.944 6. 14 Ventilate Dis MacPherson strut Torsion beam w 195/ 17 Polisher Tyre rep Bla Carbon fibr Carbon fibr Body-cc	0.672 3.193 3.683 1 1 1 ad disc c t with coil spring fith coil spring 50 d alloy bair kit ck e material e material looured d
FUEL CONSUMPTI Fuel consumption (L/100km) M CO2 emissions (G/km) MT/AT CHASSIS Brakes Suspension WHEELS Tyres (width/profile) Wheel size Wheel type Spare EXTERIOR Front grille Side under spoiler Rear under spoiler Outside door handles Black-coloured A and B pillars Tailgate opener VISIBILITY		6th Reverse Front Rear Front	0.794 3.481 3.944 6. 14 Ventilate Dis MacPherson strut Torsion beam w 195/ 17 Polishee Tyre rep Bla Carbon fibr Carbon fibr Carbon fibr Electrom	0.672 3.193 3.683 1 1 1 ed disc cc with coil spring 50 d alloy air kit ck e material e material eloured d agnetic
FUEL CONSUMPTI Fuel consumption (L/100km) M CO2 emissions (G/km) MT/AT CHASSIS Brakes Suspension WHEELS Tyres (width/profile) Wheel size Wheel type Spare EXTERIOR Front grille Side under spoiler Rear under spoiler Outside door handles Black-coloured A and B pillars Tailgate opener VISIBILITY Headlamps		6th Reverse Front Rear Front	0.794 3.481 3.944 6. 14 Ventilate Dis MacPherson strut Torsion beam w 195/ 17 Polisher Tyre rep Bla Carbon fibr Carbon fibr Carbon fibr Carbon fibr Carbon fibr Larbon fibr Larbon fibr Larbon fibr Larbon fibr Larbon fibr	0.672 3.193 3.683 1 1 1 bed disc ic it with coil spring fith coil spring
FUEL CONSUMPTI Fuel consumption (L/100km) M CO2 emissions (G/km) MT/AT CHASSIS Brakes Suspension WHEELS Tyres (width/profile) Wheel size Wheel type Spare EXTERIOR Front grille Side under spoiler Rear under spoiler Outside door handles Black-coloured A and B pillars Tailgate opener VISIBILITY Headlamps Headlamp levelling device		6th Reverse Front Rear Front	0.794 3.481 3.944 6. 14 Ventilate Dis MacPherson strut Torsion beam w 195/ 17 Polishee Tyre rep Bla Carbon fibr Carbon fibr Carbon fibr Electrom LED pro	0.672 3.193 3.683 1 1 1 sed disc ic it with coil spring 50 " d alloy bair kit ck e material looured d agnetic
FUEL CONSUMPTI Fuel consumption (L/100km) M CO2 emissions (G/km) MT/AT CHASSIS Brakes Suspension WHEELS Tyres (width/profile) Wheel size Wheel size Wheel size Wheel size Wheel side Wheel side Governor Spare EXTERIOR Front grille Side under spoiler Rear under spoiler Outside door handles Black-coloured A and B pillars Tailgate opener VISIBILITY Headlamps Headlamp levelling device Automatic lamps		6th Reverse Front Rear Front	0.794 3.481 3.944 6. Ventilate Dis MacPherson struf Torsion beam w 195/ 177 Polishee Tyre rep Bla Carbon fibr Carbon fibr Body-oc Struf Electrom LED proc Auton	0.672 3.193 3.683 1 1 1 ed disc ic iv with coil spring 50 d alloy bair kit ck e material e material d agnetic d agnetic
FUEL CONSUMPTI Fuel consumption (L/100km) M CO2 emissions (G/km) MT/AT CHASSIS Brakes Suspension WHEELS Tyres (width/profile) Wheel size Wheel type Spare EXTERIOR Front grille Side under spoiler Rear under spoiler Qutside door handles Black-coloured A and B pillars Tailigate opener VISIBILITY Headlamps Headlamp levelling device Automatic lamps High Beam Assist		6th Reverse Front Rear Front	0.794 3.481 3.944 6. 14 Ventilate Disi MacPherson strut Torsion beam w 195/ 17 Polishee Tyre rep Bla Carbon fibr Carbon fibr Body-cc St Electrom LED pro Auton St	0.672 3.193 3.683 1 1 1 ed disc ic twith coil spring fith coil spring d alloy bair kit ck e material e material d agnetic d agnetic
FUEL CONSUMPTI Fuel consumption (L/100km) M CO2 emissions (G/km) MT/AT CHASSIS Brakes Suspension WHEELS Tyres (width/profile) Wheel size Wheel type Spare EXTERIOR Front grille Side under spoiler Rear under spoiler Qutside door handles Black-coloured A and B pillars Tailgate opener VISIBILITY Headlamps Headlamp levelling device Automatic lamps High Beam Assist Front fog lamps		6th Reverse Front Rear Front	0.794 3.481 3.944 6. 14 Ventilate Dis MacPherson strut Torsion beam w 195/ 17 Polishee Tyre rep Bla Carbon fibr Carbon fibr Carbon fibr Carbon fibr LED pro Auton Strut Str	0.672 3.193 3.683 1 1 1 ad disc c with coil spring ith coil spring the coil spring to d alloy pair kit c k e material looured d agnetic d agnetic d d d d d d d d d
FUEL CONSUMPTI Fuel consumption (L/100km) M CO2 emissions (G/km) MT/AT CHASSIS Brakes Brakes Suspension WHEELS Tyres (width/profile) Wheel size Wheel type Spare EXTERIOR Front grille Side under spoiler Rear under spoiler Outside door handles Black-coloured A and B pillars Tailgate opener VISIBILITY Headlamps Headlamp levelling device Automatic lamps High Beam Assist Front fog lamps Daytime running lamps (DRLs)		6th Reverse Front Rear Front	0.794 3.481 3.944 6. Ventilate Dis MacPherson strut Torsion beam w 195/ 177 Polisher Tyre rep Bla Carbon fibr Carbon fibr Body-occ Strut Electrom Auton Strut S	0.672 3.193 3.683 1 1 1 sed disc ic ic iv with coil spring 50 dispring th coil spring dispring dispring dispring th dispring dispring dispring dispring th dispring th dispring th dispring dis
FUEL CONSUMPTI Fuel consumption (L/100km) M CO2 emissions (G/km) MT/AT CHASSIS Brakes Brakes Suspension WHEELS Tyres (width/profile) Wheel size Wheel type Spare EXTERIOR Front grille Side under spoiler Rear under spoiler Outside door handles Black-coloured A and B pillars Tailgate opener VISIBILITY Headlamps Headlamp levelling device Automatic lamps High Beam Assist Front fog lamps Daytime running lamps (DRLs)	T/AT	Front Rear Front Rear	0.794 3.481 3.944 6. 14 Ventilate Dis MacPherson strut Torsion beam w 195/ 17 Polishee Tyre rep Bla Carbon fibr Carbon fibr Carbon fibr Carbon fibr LED pro Auton Strut Str	0.672 3.193 3.683 1 1 1 sed disc ic ic iv with coil spring 50 dispring th coil spring dispring dispring dispring th dispring dispring dispring dispring th dispring th dispring th dispring dis
FUEL CONSUMPTI Fuel consumption (L/TO0km) M CO2 emissions (G/km) MT/AT CHASSIS Brakes Suspension WHEELS Tyres (width/profile) Wheel size Wheel type Spare EXTERIOR Front grille Side under spoiler Rear under spoiler Qutside door handles Black-coloured A and B pillars Tailgate opener VISIBILITY Headlamps Headlamp levelling device Automatic lamps High Beam Assist Front fog lamps Daytime running lamps (DRLs) Privacy glass	T/AT	6th Reverse Front Rear Front Rear Front Rear	0.794 3.481 3.944 6. Ventilate Dis MacPherson strut Torsion beam w 195/ 177 Polisher Tyre rep Bla Carbon fibr Carbon fibr Body-occ Strut Electrom Auton Strut S	0.672 3.193 3.683 1 1 1 and disc ic ivith coil spring 550 d alloy bair kit ck e material e material eloured d agnetic spiector hadio d d d d d d d d d d
FUEL CONSUMPTI Fuel consumption (L/TO0km) M CO2 emissions (G/km) MT/AT CHASSIS Brakes Suspension WHEELS Tyres (width/profile) Wheel size Wheel type Spare EXTERIOR Front grille Side under spoiler Rear under spoiler Qutside door handles Black-coloured A and B pillars Tailgate opener VISIBILITY Headlamps Headlamp levelling device Automatic lamps High Beam Assist Front fog lamps Daytime running lamps (DRLs) Privacy glass	T/AT From adjustab	Front Rear Front Rear Front Rear int: 2 speeds (low, high) + le intermittent + washer	0.794 3.481 3.944 6. 14 Ventilate Discussion Strutton S	0.672 3.193 3.683 1 1 1 bed disc sc twith coil spring idth coil spring the coi
FUEL CONSUMPTI Fuel consumption (L/100km) M CO2 emissions (G/km) MT/AT CHASSIS Brakes Suspension WHEELS Tyres (width/profile)	T/AT From adjustab	6th Reverse Front Rear Front Rear Front Rear int: 2 speeds (low, high) +	0.794 3.481 3.944 6. 14 Ventilate Dis MacPherson strut Torsion beam w 195/ 17 Polisher Tyre rep Bla Carbon fibr Carbon fibr Carbon fibr Body-cc Ste Electrom LED pro Auton Ste Ste Ste Ste Ste	0.672 3.193 3.683 1 1 1 sed disc cc twith coil spring fith coil spring fith coil spring for a material lock e material locured d agnetic d d d d d d d d d d d d d d d
FUEL CONSUMPTI Fuel consumption (L/100km) M CO2 emissions (G/km) MT/AT CHASSIS Brakes Suspension WHEELS Tyres (width/profile) Wheel size Wheel type Spare EXTERIOR Front grille Side under spoiler Rear under spoiler Rear under spoiler Outside door handles Black-coloured A and B pillars Tailgate opener VISIBILITY Headlamps Headlamp levelling device Automatic lamps High Beam Assist Front fog lamps Daytime running lamps (DRLs) Privacy glass Wipers	T/AT From adjustab	Front Rear Front Rear Front Rear it: 2 speeds (low, high) + le intermittent + washer ed + intermittent + washer Body-coloured	0.794 3.481 3.944 6. 14 Ventilate Dis MacPherson strut Torsion beam w 195/ 17 Polisher Tyre rep Bla Carbon fibr Carbon fibr Carbon fibr Carbon fibr Selectrom LED pro Auton Str Str Str Str Str Str	0.672 3.193 3.683 1 1 1 sed disc c t with coil spring 50 " d alloy bair kit ck e material loloured d agnetic d d d d d d d d d d d d d d d d d d d
FUEL CONSUMPTI Fuel consumption (L/TO0km) M CO2 emissions (G/km) MT/AT CHASSIS Brakes Suspension WHEELS Tyres (width/profile) Wheel size Wheel type Spare EXTERIOR Front grille Side under spoiler Rear under spoiler Qutside door handles Black-coloured A and B pillars Tailgate opener VISIBILITY Headlamps Headlamp levelling device Automatic lamps High Beam Assist Front fog lamps Daytime running lamps (DRLs) Privacy glass	T/AT From adjustab	6th Reverse Front Rear Front Rear Front Rear int: 2 speeds (low, high) +	0.794 3.481 3.944 6. 14 Ventilate Dis MacPherson strut Torsion beam w 195/ 17 Polisher Tyre rep Bla Carbon fibr Carbon fibr Carbon fibr Body-cc Ste Electrom LED pro Auton Ste Ste Ste Ste Ste	0.672 3.193 3.683 1 1 1 bed disc c twith coil spring ith coil spring d alloy bair kit ck e material e material agnetic d d d d d d d d d d d d d d d d d d d

STERITION AND INSTRUMENT PANEL Std			SWIFT SPORT			
3-spoke steering wheel	STEERING AND INST	RUMENT PANEL				
Leather-covered Std With audio controls Std With cruise control Std With cruise control Std With pared-limiter control Std With pared-limiter control Std With pared-rep phone control Std With audio Std With audio Std With audio Std With audio Speakers x 4, Tweeters x 2 With audio Speakers x 4, Tweeters x 2 With audio Std With a		Std				
With rouse control Std With speed-limiter control Std With hands-free phone control Std Till-adjust Std Telescopic-adjust Std Information display LCD Digital speedometer Std Digital clock Std Outside temperature Std Fuel consumption Std Driving range Std						
With speed-limiter control	With audio controls	Std				
With hands-free phone control Tilt-adjust Tilt-adjust Tilt-adjust Tilt-adjust Std Tilt-adjust Std Tilt-adjust Std Tormation display LCD Digital speedometer Std Digital clock Std Digital clock Std Digital clock Std Digital clock Std Digital speedometer Std Digital clock Std Std Digital clock Std Digital clock Std Digital clock Std Std Digital clock Std Std Digital clock Std Std Digital clock Std Autonomus Emergency Braking** Std Std Std Std Std Std Std S	With cruise control	Std				
Tilt-adjust Telescopic-adjust Information display ILCD Digital speedometer Std Digital clock Ustide temperature Std Priving range Std Driving range Std Driving time Std Driving	With speed-limiter control	Std				
Telescopic-adjust Information display ILCD Upgital speedometer Std Information display ILCD Upgital speedometer Std Digital clock Std Driving range Std Driving time Std Audio Speakers x 4. Tweeters x 2 Air conditioner Automatic MP3/MMA & Bluetooth® Std Audio Speakers x 4. Tweeters x 2 Air conditioner Std Apple CarPlay® & Android Auto™ Std Driving time Std Driving Std Dr	With hands-free phone control	Std				
Information display	Tilt-adjust	Std				
Digital speedometer						
Digital clock Outside temperature Std Pivel consumption Std Driving range Std Driving range Std Driving range Std DRIVING AMENITIES Keyless push-start system Audio Speakers x 4. Tweeters x 2 Air conditione Automatic MP3/MMA + Bluetooth® Apple CarPlay® x Android Auto™ Adaptive cruise control Std Std Spead limiter Std Std Spead limiter Std Std Spead limiter Std Std Spead limiter Std Ush polders Front x 2, rear x1 Bottle holders Front x 2, rear x2 Centire-lower box USB port and AUX input Std Std USB port and AUX input Std Std Std USB port and AUX input Std Std Std Std Std USB port and Std Std USB port and Std Std Std USB port and Std						
Outside temperature Fuel consumption Std Driving range Std Driving range Std Driving time Std DRIVING AMENITIES Keyless push-start system Audio Speakers x 4, Tweeters x 2 Air conditioner MP3/WMA + Bluetooth® Apple CarPlay® & Android Auto™ Spead limiter Std Audptive cruise control Spead limiter Std INTERIOR Cabin lights Front map light Cup holders Front x 2, rear x 2 Centre-lower box USB port and AUX input Std auxiliant system Std Brake assist function Std						
Fuel consumption Priving range Driving range DRIVING AMENITIES Std Audio Audio Speakers x 4, Tweeters x 2 Air conditioner Automatic MP3/MMA + Bluetooth® Apple CarPlay® & Android Auto™ Adaptive cruise control Spead limiter Std Apple CarPlay® & Android Auto™ Adaptive cruise control Spead limiter Std INTERIOR Cabin lights Front map light Cup holders Front x 2, rear x1 Bottle holders Front x 2, rear x1 Bottle holders Front x 2, rear x2 Centre-lower box Std USB port and AUX input Std Std Std Std Std Std Std S						
Driving time Std DRIVING AMENITIES Keyless push-start system Std Audio Speakers x 4, Tweeters x 2 Air conditioner Automatic MP3/MMA + Bluetooth® Std Adaptive cruise control Std Adaptive cruise control Std Speal limiter Std TINTERIOR Cabin lights Front map light Cup holders Front x 2, rear x/2 Bottle holders Front x 2, rear x/2 Centre-lower box Std USB port and AUX input Std USB port and AUX input Std Storage pocks Front Std Inside door handles Storage pocks Front Seath Automatic Rear seats Seath height adjuster (driver's side) Std Seat upholstery material Fabric LUCQACE Luggage area cover Std SAT Seat plant and a std Luggage area cover Std Automatic Auxon Mental Std Std Seat plant and Std Std Seath and restraint x 3 (separate type) Std SAFETY, SECURITY, AND ENVIRONMENTAL COMPATIBILITY ABS with EBD function Std Rear seats Std Rear seats Std Seath and Std Std Seath and Std Seath and Std Std Seath and seath seath seath seath seath seath seath shoulder height adjusters						
Driving time Std						
Sequence Std						
Keyless push-start system Audio Speakers x 4. Tweeters x 2 Auriconditioner Automatic MP3/MMA + Bluetooth® Std Apple CarPlay® & Android Auto™ Std Bottle holders Front x 2, rear x2 Centre-lower box Std Std USB port and AUX input Std USB port and AUX input Std Std Std Inside door handles Chrome Storage pockets Std Std Seat height adjuster (driver's side) Std Seat Seat height adjuster (driver's side) Std Seat Seat height adjuster (driver's side) Std Seat upholstery material Front seats Seat upholstery material Feat rear seats Front doors Std Seat upholstery material Feat rear seats Feat upholstery material Feat rear seats Std Std Uggage area light Luggage area light Luggage area light Luggage area light Luggage area light Std Std Std Std Std Std Std Std Std St		6	Std			
Audio		244				
Automatic MP3/WMA + Bluetooth® Apple CarPlay® & Android Auto™ Adaptive cruise control Std Adaptive cruise control Std Std Speed limiter Std INTERIOR Cabin lights Front map light Cup holders Front x 2, rear x1 Bottle holders Front x 2, rear x2 Centre-lower box Std USB port and AUX input Std std USB port and AUX input Storage pockets Front seats Front seats Seat height adjuster (driver's side) Front seats Seat height adjuster (driver's side) Front seats Seat height adjuster (driver's side) Front seats Seat pocket (passenger's side) Std Head restraint x 3 (separate type) Std Luggage area light Luggage area cover SAFETY, SECURITY, AND ENVIRONMENTAL COMPATIBILITY ABS with EBD function Std Seat belts Front 3-point ELR seat belts with pretensioners, force limiters with shoulder height adjuster in Std SRS curtain airbags Front 3-point ELR seat belts with pretensioners, force limiters, 1 x 3-point ELR seat belts with pretensioners, force limiters, 1 x 3-point ELR seat belts with pretensioners, force limiters with shoulder height adjuster in Std Std Reversing camera Std Reversing camera Std						
MP3/WMA + Bluetooth® Std Apple CarPlay® & Android Auto™ Std Adaptive cruise control Std Speed limiter Std TITERIOR Separation of Std Cabin lights Front x 2, rear x1 Bottle holders Front x 2, rear x2 Bottle holders Std Centre-lower box USB port and AUX input Std Std Std USB port and AUX input Std						
Apple CarPlay® & Android Auto™ Adaptive cruise control Std Adaptive cruise control Std Speed limiter Std INTERIOR Cabin lights Front map light Cup holders Front x 2, rear x 2 Bottle holders Front x 2, rear x 2 Centre-lower box Std USB port and AUX input Std USB port and AUX input Storage pockets Std Inside door handles Chrome Storage pockets Front seats Seat height adjuster (driver's side) Seatback pocket (passenger's side) Seat bocket (passenger's side) Std Boundard Head restraint x 3 (separate type) Std Seat upholstery material LUCGACE Luggage area light Std Luggage area light Std SAFETY, SECURITY, AND ENVIRONMENTAL COMPATIBILITY ABS with EBD function Std Sex Std Autonomous Emergency Braking** Std Weaving Alert* Std Hill hold control (6AT) Brake assist function Std SRS front dual airbags SRS curtain airbags Front: 3-point ELR seat belts with pretensioners, force limiters with shoulder height adjusters Rear 3-point ELR seat belts with pretensioners and force limiters. Std ISOFIX child seat anchorages X 2 Std						
Adaptive cruise control Speed limiter Std Speed limiter Std Speed limiter Std Speed limiter Staf Staf Staf Staf Staf Staf Staf Staf						
Std Interior Std						
Interior State Seath eight adjuster (driver's side) State St						
Cabin lights Front map light Cup holders Front x 2, rear x 1 Bottle holders Front x 2, rear x 1 Bottle holders Front x 2, rear x 1 Centre-lower box Std USB port and AUX input Std USB port and AUX input Std USB port and AUX input Storage pocket Std Inside door handles Chrome Storage pockets Front doors SEATS Front seats Seat height adjuster (driver's side) Seatback pocket (passenger's side) Std Seatback pocket (passenger's side) Std Rear seats AC-40-split single-fold Std Head restraint x 3 (separate type) Std LUCCACE LUCCACE Luggage area light Luggage area cover Std SAFETY, SECURITY, AND ENVIRONMENTAL COMPATIBILITY ABS with EBD function Std SCS SAFETY, SECURITY, AND ENVIRONMENTAL COMPATIBILITY ABS with EBD function Std Autonomous Emergency Braking** Std Lane Departure Warning** Std Hill hold control (6AT) Std Brake assist function Std SRS front dual airbags Std SRS side airbags SRS curtain airbags Front: 3-point ELR seat belts with pretensioners, force limiters with shoulder height adjusters Rear 3-point ELR seat belts with pretensioners and force limiters, Ix 3-point ELR seat belts with pretensioners and force limiters, Ix 3-point ELR seat belts with pretensioners and force limiters, Ix 3-point ELR seat belts with pretensioners and force limiters, Ix 3-point ELR seat belts with pretensioners and force limiters, Ix 3-point ELR seat belts with pretensioners and force limiters, Ix 3-point ELR seat belts with pretensioners and force limiters, Ix 3-point ELR seat belts with pretensioners and force limiters, Ix 3-point ELR seat belts with greaters and seat seat seat seat seat seat seat seat						
Cup holders			Front man light			
Bottle holders						
Centre-lower box Std USB port and AUX input Std 12V accessory pocket Std Inside door handles Chrome Storage pockets Front doors SEATS Front seats Seat height adjuster (driver's side) Std Seat height adjuster (driver's side) Std Seat height adjuster (driver's side) Std Rear seats Std Mear seats Std Beat height adjuster (driver's side) Std Std Std Beat height adjuster (driver's side) Std						
12V accessory pocket						
Inside door handles	USB port and AUX input		Std			
Storage pockets	12V accessory pocket	Std				
SEATS	Inside door handles		Chrome			
Seath height adjuster (driver's side)	Storage pockets	Front doors				
Seatback pocket (passenger's side)	SEATS					
Seatback pocket (passenger's side) Std		Seat height adjuster (driver's side)	Std			
Reaf seats		Seatback pocket (passenger's side)	Std			
Head restraint x 3 (separate type) Std		60:40-split single-fold	Std			
LUCCACE Std Luggage area cover Std SAFETY, SECURITY, AND ENVIRONMENTAL COMPATIBILITY ABS with EBD function Std ESC Std Autonomous Emergency Braking** Std Lane Departure Warning** Std Weaving Alert** Std Hill hold control (6AT) Std Brake assist function Std SRS front dual airbags Std SRS curtain airbags Std SRS curtain airbags Std Front: 3-point ELR seat belts with pretensioners, force limiters with shoulder height adjusters Std Seat belts Rear: 3-point ELR seat belts with pretensioners and force limiters, 1x 3-point ELR seat belts with pretensioners and force limiters, 1x 3-point ELR seat belts with pretensioners and force limiters, 1x 3-point ELR seat belts x 1 (centre) Std ISOFIX child seat anchorages x 2 Std Child seat tether anchorages x 3 Std Rear cross traffic alert Std Blind spot monitor Std		Head restraint x 3 (separate type)				
Luggage area light Std Luggage area cover Std SAFETY, SECURITY, AND ENVIRONMENTAL COMPATIBILITY ABS with EBD function Std ESC Std Autonomous Emergency Braking** Std Lane Departure Warning** Std Weaving Alert** Std Hill hold control (6AT) Std Brake assist function Std SRS front dual airbags Std SRS side airbags Std SRS curtain airbags Std Sear Se curtain airbags Std Seat belts Front: 3-point ELR seat belts with pretensioners, force limiters with shoulder height adjusters Std Seat belts Rear: 3-point ELR seat belts with pretensioners and force limiters, 1x 3-point ELR seat belts x 1 (centre) Std ISOFIX child seat anchorages x 2 Std Child seat tether anchorages x 3 Std Reversing camera Std Rear cross traffic alert Std		Fabric				
Std						
SAFETY, SECURITY, AND ENVIRONMENTAL COMPATIBILITY ABS with EBD function Std ESC Std Autonomous Emergency Braking** Std Lane Departure Warning** Std Weaving Alert** Std Hill hold control (6AT) Std Brake assist function Std SRS front dual airbags Std SRS curtain airbags Std Std Std Seat belts Front: 3-point ELR seat belts with pretensioners, force limiters with shoulder height adjusters Std Rear: 3-point ELR seat belts x1 (centre) Std ISOFIX child seat anchorages x2 Std Child seat tether anchorages x2 Std Reversing camera Std Rear cross traffic alert Std	Luggage area light					
ABS with EBD function						
Std		AND ENVIRONMENTAL C				
Autonomous Emergency Braking** Std	ABS with EBD function	Std				
Lane Departure Warning** Std Weaving Alert** Std Hill hold control (6AT) Std Brake assist function Std SRS front dual airbags Std SRS cide airbags Std SRS curtain airbags Std Front: 3-point ELR seat belts with pretensioners, force limiters with shoulder height adjusters Std Seat belts Rear: 3-point ELR seat belts with pretensioners and force limiters, 1x 3-point ELR seat belts x1 (centre) Std ISOFIX child seat anchorages x 2 Std Child seat tether anchorages x 3 Std Reversing camera Std Std Rear cross traffic alert Std Blind spot monitor Std	ESC	Std				
Weaving Alert**						
Hill hold control (6AT)						
Brake assist function Std SRS front dual airbags Std SRS side airbags Std SRS curtain airbags Std Front: 3-point ELR seat belts with pretensioners, force limiters with shoulder height adjusters Rear: 3-point ELR seat belts with pretensioners and force limiters, 1x 3-point ELR seat belts with pretensioners and force limiters, 1x 3-point ELR seat belts x 1 (centre) Std ISOFIX child seat anchorages x 2 Std Child seat tether anchorages x 3 Std Reversing camera Std Rear cross traffic alert Std Blind spot monitor Std						
SRS front dual airbags Std SRS side airbags Std SRS curtain airbags Std Front: 3-point ELR seat belts with pretensioners, force limiters with shoulder height adjusters Seat belts Rear: 3-point ELR seat belts with pretensioners and force limiters, 1x 3-point ELR seat belts with pretensioners and force limiters, 1x 3-point ELR seat belts x 1 (centre) Std ISOFIX child seat anchorages x 2 Std Child seat tether anchorages x 3 Std Reversing camera Std Rear cross traffic alert Std Blind spot monitor Std						
SRS side airbags Std SRS curtain airbags Std Front: 3-point ELR seat belts with prefensioners, force limiters with shoulder height adjusters Seat belts Rear: 3-point ELR seat belts with prefensioners and force limiters, 1x 3-point ELR seat belts x1 (centre) ISOFIX child seat anchorages x 2 Std Child seat tether anchorages x 3 Std Reversing camera Std Rear cross traffic alert Std Blind spot monitor Std						
SRS curtain airbags Std Front: 3-point ELR seat belts with pretensioners, force limiters with shoulder height adjusters Std Seat belts Rear: 3-point ELR seat belts with pretensioners and force limiters, 1x 3-point ELR seat belts x 1 (centre) Std ISOFIX child seat anchorages x 2 Std Child seat tether anchorages x 3 Std Reversing camera Std Rear cross traffic alert Std Blind spot monitor Std						
Front: 3-point ELR seat belts with pretensioners, force limiters with shoulder height adjusters						
Pretensioners, force limiters with shoulder height adjusters	SRS curtain airbags	Front: 2-point ELD aget helts with	Std			
Rear 3-point ELR seat belts with pretensioners and force limiters, 1x3-point ELR seat belts x1 (centre) ISOFIX child seat anchorages x2 Std Child seat tether anchorages x3 Std Reversing camera Std Rear cross traffic alert Std Blind spot monitor Std	Seat belts	pretensioners, force limiters with shoulder height adjusters	Std			
ISOFIX child seat anchorages x 2 Std Child seat tether anchorages x 3 Std Reversing camera Std Rear cross traffic alert Std Blind spot monitor Std		pretensioners and force limiters,	Std			
Reversing camera Std Rear cross traffic alert Std Blind spot monitor Std	ISOFIX child seat anchorages		Std			
Rear cross traffic alert Std Blind spot monitor Std	Child seat tether anchorages	x3	Std			
Blind spot monitor Std	Reversing camera	Std				
Electronically folding heated door mirrors Std						
	Electronically folding heated door	Std				

DIMENSIONS





†ADR 81/02 results for auto transmission. *ADR 81/02 results for turbo auto transmission. NEDC Fuel Consumption figures may not match real-life driving conditions and should be considered for comparison against other vehicles only. Apple CarPlay® is a registered trademark of Apple Inc. Android Auto is a trademark of Google Inc.

*AEB is designed to support the driver only in emergency situations. The driver remains responsible for the vehicle at all times. The lane departure warning and weaving alert only function when the vehicle is moving at speeds of approximately 60km/h or higher.

1,735

YOUR SUZUKI

At Suzuki we make it easy to own and enjoy your new car every day

WARRANTY



Enjoy peace of mind with 5 year / unlimited kilometre warranty

SERVICE



Suzuki Genuine Service program offers competitive pricing for your vehicle over 5 years or 100,000km. Service intervals every 12 months or 15,000 kilometres. ROADSIDE ASSISTANCE



5 years Roadside Assistance` = 5 years of confidence.

SUZUKI PREMIER MOTOR INSURANCE



Comprehensive cover for your Suzuki vehicle, using Suzuki Genuine Parts and your choice of repairer.

SUZUKISECURE



SuzukiSecure⁺ puts you in control when buying your new Suzuki, so you're set up for the future you want. HEY SUZI



Book your service any time, instantly with Suzuki's 24/7 Al assistant.

