





Performance - Chassis and Suspension

To ensure a comfortable off-road ride, the D-MAX BLADE has been upgraded with a lift courtesy of new suspension components, including 35-mm MTV twin-tube dampers, and a larger wheel and tyre package. These enhancements give the vehicle greater chassis control and off-road capability, without compromising 3.5-tonne towing. These enhancements also provide an improved turn-in response and increased driver confidence with greater vehicle stability across a variety of terrain.



Wheels

The 275/65R17 Goodyear Wrangler Duratrac RT all-terrain tyres, exclusive to this D-MAX model, have been designed to be strong and durable. The superior traction and stability these tyres offer will improve the vehicle ride in on-road, off-road and wet weather situations, while the triple-ply sidewall offers puncture resistance when off-roading.



Recovery Points and Bash Plate

This vehicle is built for going further than ever before and sometimes that means you get yourself into 'sticky' situations. The reinforced single piece recovery point frame with a load rating of 8-tonnes helps you get unstuck when you've found the limit, while the 3mm-thick steel bash plate protects vital components during each adventure.



Exterior

Bolder, wider and taller, the D-MAX BLADE is our toughest looking D-MAX vet with an aggressive aesthetic emanating from the satin black grille, and a wider stance courtesy of contrasting fender flares and the fitment of wider wheels and tyres. An integrated lightbar lights up the road ahead, with a light throw of over 300 meters, while the signature red bash plate with rated recovery points provide a distinctive look. The tubular side steps and lightweight extended-leg sports bar, not only give a sportier look but those side steps offer better clearance and durability on tougher surfaces.

In addition, each D-MAX BLADE is fitted with special black badging and decals on the bonnet, sides and tailgate, as well as a unique build plate and customised production number in the engine bay and next to the transmission selector.



- A Steel Bash Plate & Recovery Points
- **B Unique Front Grille & Bumper Cladding**
- C Unique Fender Flares
- D Customised Leather Accented Interior
- E Unique Bonnet Decal
- F Tuned Red Suspension
- G BLADE Scuff Plates & Matte Black Steel Side Steps
- H Unique BLADE Sports Bar
- I LED Lightbar

















25.5MY ISUZU D-MAX BLADE SPECIFICATIONS

Engine	3.0L	
Series	Isuzu 4JJ3-TCX	
Description	3.0-litre turbo-diesel, in-line 4-cylinder, DOHC, 16-valve with Diesel Particulate Diffuser (DPD), Idle Stop Start (ISS)	
Maximum torque	450Nm @ 1600→2600 rpm	
Maximum power	140kW @ 3600 rpm	
Bore x stroke	95.4mm x 104.9mm	
Displacement	2999cc	
Compression ratio	16.3 : 1	
Cylinder head	Isuzu-patent special aluminium alloy	
Valve gear	Chain-driven dual overhead camshafts, roller rockers, 4 valves/cylinder	
Induction	Electronic high pressure common rail direct fuel injection with VSS (Variable Swirl System) and intercooled electric control VGS (Variable Geometry System) turbocharger	
Cylinder block	Cast iron upper with induction-hardened cylinder bores, cast alloy lower	
Emission level	Euro 5	
Alternator	120 amp with Intelligent Battery Sensor (IBS)	
Transmission		
Automatic	6-speed auto transmission with sequential shift	
	► Uphill/Downhill Transmission Control: holds gear in varied-gradient ascents, selects gear on steep descents to hold speed with engine braking	
Ratios		6-speed
		Automatic
	1st 2nd	3.600
	2na 3rd	2.090 1.488
	4th	1.000
	5th	0.687
	6th	0.580
	Reverse	3.732
Final drive	4x4	3.727
	Snorkelled diff breathers to increase fording depth and reduce mud blockage	
Transfer gearing	4x4 low-range 4x4 high-range	2.482 1.000
4x4 system	"Terrain Command" control with 'shift on the fly' 2-high <>4-high selection at up to 100km/h, 4-low with rear differential lock	
Data and a second and	TCC /Tti Cti1 C	untarral are all recorded variants

Steering

Electric power steering with speed-sensing steering feel (light at low speed, heavy at high speed); tilt and telescopic adjustable steering wheel

Chassis

Separate, full-length heavy-duty chassis with 8 cross members

Front suspension: Independent, high-ride, Coil Springs & Walkinshaw-tuned MTV Twin Tube Dampers, upper and lower wishbones, stabiliser bar

Rear suspension: Alloy-steel overslung long-span semi-elliptic leaf springs; lifting blocks; Walkinshawtuned MTVTwinTube Dampers

Axles

Front: Independent 4x4: fully floating with outer CV, inner double offset joints and equal length driveshafts. Rating: 1450kg

Rear: Rigid semi-floating banjo with hypoid final drive and dual tapered needle roller bearings. Rating: 1910kg

Brakes

Anti-lock Brake System (ABS) with Electronic Brakeforce Distribution (EBD), Electronic Stability Control (ESC), Emergency Brake Assist (EBA), Traction Control System (TCS), Rollover Mitigation (ROM), Hill Start Assist (HSA), Hill Descent Control (HDC) and Trailer Sway Control (TSC)

320mm dia. ventilated front discs with 2-piston calipers, 295mm rear drums

Power-assisted via 10" servo unit; central pull up park brake

Wheels and Tyres

DE 17" Satin Black Alloy Wheels & 275/65R17 Goodyear Wrangler DuraTrac RT

Full size spare wheel

Service Plus

Flat Price As an owner you may be able to access our Flat Price Servicing >

Program. The FPS Program covers the first 5 Scheduled Services in line with the Scheduled Service Intervals.

Warranty For the ultimate peace of mind, the

Isuzu D-MAX comes standard with a comprehensive, bumper-to-bumper 6 years/150,000km warranty^.

Roadside Enjoy up to 7 years Roadside
Assistance Assistance when you complete your scheduled services at a Participating

Isuzu UTE Dealer.

The Flat Price Servicing Program ("FPS Program") applies to FPS Eligible Vehicles (excludes Rental & Government Customers) at Participating Isuzu UTE Dealers only. For 24MJY and later vehicle models, the Flat Price Servicing covers the first 5 Scheduled Services up to 5 years/75,000km (whichever occurs first). FPS Program is subject to change. For full terms & conditions, current pricing & model eligibility visit isuzuute.com.au/flat-price-service-disclaimer.

^6 years/150,000km (whichever occurs first), for Isuzu UTE Vehicles with a Warranty Start Date on or after 1/1/19. Excludes trays & accessories.

"The Roadside Assistance Program ("RSA Program") provides Coverage to RSA Eligible Vehicles (Private, ABN and Business Fleet Customers only) with a Warranty Start Date on or after 1/9/20 for a maximum of 7 years (unlimited kilometres). Initial 13 months Coverage provided from the Warranty Start Date. The Coverage will be reset for another 13 months from each date that a Participating Isuzu UTE Dealer conducts a Scheduled Service on the vehicle. For full terms & conditions vigit isuzulus com aufroadside-assistance-disclaims.

Safety


IDAS


Every D-MAX comes with Isuzu's Intelligent Driver Assistance System (IDAS") built-in to protect and enhance the driving experience. IDAS includes smart technologies as well as other passive and active safety features.

*IDAS features are designed to assist the driver, but should not be relied upon nor used as a substitute for safe driving practices. Feature operation may vary in different driving conditions. For full explanation of limitations, see Owner's & Driver's Manual.









TCS (Traction Control System) on all model variants

Drivetrain system

Safety and Security

4-channel 4-sensor Anti-lock Brake System (ABS) with Electronic Brakeforce Distribution (EBD)

Electronic Stability Control (ESC)
Traction Control System (TCS)

Emergency Brake Assist (EBA)

Hill Start Assist (HSA)

Hill Descent Control (HDC)

Autonomous Emergency Braking (AEB)

Turn Assist with AEB

Post-Collision Braking

Forward Collision Warning (FCW)

Misacceleration Mitigation

Intelligent Adaptive Cruise Control (IACC) with Stop and Go functionality

Traffic Sign Recognition (TSR)

Intelligent Speed Limiter

Manual Speed Limiter

Lane Departure Warning (LDW)

Lane Departure Prevention (LDP)

Lane Keep Assist (LKA)

Emergency Lane Keeping (ELK)

Lane Support System (LSS) Switch (disables LDW, LDP, LKA, ELK)

Driver Attention Assist

Blind Spot Monitoring (BSM)

Rear Cross Traffic Alert (RCTA)

Rear Cross Traffic Braking (RCTB)

BSM/RCTA/RCTB Auto Switch Off (disables BSM/RCTA/RCTB when the genuine tow harness is connected)

Digital Reversing camera w/ Dynamic Guidelines

Rear Park Assist Sensors

8 Airbags: dual front, curtain, side, driver's knee and far side airbags

Passenger side SRS airbag on/off switch

Height-adjustable upper mounts for front seat belts

Pre-tensioners with load limiters for front seat belts

Pre-tensioners with load limiters for outer rear seat belts

3-point retractable seat belts for all rear and centre seating positions

Intelligent seatbelt reminder (all seats)

2 childseat tethers and ISO FIX compatible anchor points

Height-adjustable head restraints for full-size seats

Child-proof rear door locks

Single 10 inch servo brake master cylinder

Side anti-intrusion bars inside all doors

Engine immobilizer

Rear window demister

High Density Polyethylene (HDPE) fuel tank

High mount brake light on cabin

Dual horn

Protection

Underbody Protection with Red 3mm Steel Bash Plate

Steel plate guards: sump, transfer case, fuel tank leading edge; reinforced resin under fuel tank 2x Red steel recovery points - 8,000kg rated

In-cabin Storage

Upper and lower glovebox compartments

Power outlet in lower instrument panel

Centre floor console

Dual-purpose driver and front passenger cup holder tray

Rear passenger door cup holders

Pockets on backs of front seats

Overhead console with twin map lights and flip-down sunglasses case

Front door storage compartment with bottle bulge

2 coat hooks

Flip up convenience hook behind passenger front seat

Tool storage behind rear seats

Rear Tub

Double-walled ute tub

Under rail tub liner

4 cargo tie-down hooks inside ute tub Tailgate Assist **Exterior Style**

Short front overhang for optimal manoeuvrability and approach angle

Bi-LED headlights with auto-levelling function and integrated turn indicators

Automatic headlights

Automatic high beam

Coming home light

Headlight Welcome light

LED Daytime Running Lights (DRLs)

LED fog lights

Exclusive satin black radiator grille with integrated LED lightbar

Colour-coded front bumper with unique lower bumper cladding

Colour-coded integrated rear step bumper Factory fitted tow bar receiver

Matte black tubular steel side steps

Gloss Black door and tailgate handles

Lockable tailgate

Unique matte black sports bar

Gloss Black fold-in power door mirrors with integrated turn indicators

Heated door mirrors

Centre front roof-mounted bee-sting aerial

LED rear combination lamps

Matte black decals on bonnet, tailgate, door panels & front fascia

Satin black fender flares

Unique satin black badges on tailgate

Unique numbered build plate in engine bay

Seating

Leather accented seats with BLADE logo stitching on headrest

Front bucket whiplash protection seats

8-way electric adjustable driver seat

Electric adjustable lumbar support (driver seat only)

Heated front seats

Split-fold rear seat with centre arm rest

Rear centre seat headrest

Cabin Amenities

Dual zone climate control air-conditioning with integrated heater/demister

Rear seat air-conditioning vents

Pollen and fine particle air filter

Power windows with one-touch up/down driver's window with safety stop and delay closing Comfort turn signal

Central locking with keyless entry

Walk away lock

Remote key auto re-lock

Push button start

Power-adjustable door mirrors with turn indicator lights

"Sky Sound" roof-mounted sound system with 8 speakers (mounted in front dash, doors and roof)

9 inch touchscreen display with wireless Apple CarPlay® and Android Auto® with MID Integration
Built-in satellite navigation with MID turn-by-turn directions

2x USB type C ports in central instrument panel and 1x USB type C port in rear floor console USB type A port in Stereo Camera Housing

Tilt and telescopic adjustable steering wheel with electric power steering

Leather steering wheel with cruise, audio and voice recognition controls

7 inch Smart MID with digital speedometer, safety information, fuel economy and range, odometer, trip information and service reminder

Tyre Pressure Monitoring System (TPMS)

Electro-luminescent gauges

"Terrain Command" 4x4 select dial

Rear differential lock button

Rough Terrain Mode button

Automatic windshield wipers with intuitive flat wiper blade

Day/night interior rear view mirror

Auto-dimming rear view mirror

 $\underline{\text{Sun visors with illuminated vanity mirrors (driver and passenger) and ticket retaining strap (driver)}\\$

Fixed A-pillar assist-grips for driver and front passenger

Fixed B-pillar assist-grips for rear passengers
Folding assist-grips for driver, front passenger and rear passengers

Carpet flooring & BLADE logo branded floor mats

BLADE logo branded scuff plates
Unique numbered build plate

D-MAX ADR 81/02^a Fuel Consumption Values

D-MAX ADR 61/02 Fuel Collsulliption values	
FUEL CONSUMPTION (litres/100km)	
Combined	7.1
Dimensions (mm unless stated otherwise)	
Wheelbase	3125
Overall length	5308
Overall width (excluding door mirrors)	1910
Overall height	1810
Front overhang	928
Rear overhang	1255
Wheel track width	1602
Ground clearance	244
Turning circle diameter between kerbs (metres)	12.65
Approach angle	29.2°
Departure angle	19.2°
Ramp-over angle	25.2°
Load area (mm)	
Cab to rear axle	450
Length (top)	1495
Length (floor)	1570
Maximum width	1530
Width between wheel houses	1122
Depth	490
Interior (mm)	
Leg room - front	1075
Leg room - rear	905
Shoulder room - front	1460
Head room - front	1020
Mass (kg)	
Gross Vehicle Mass (GVM)	3100
Kerb weight [^]	2204
Payload-	896
Gross Combination Mass (GCM)	6000
Maximum towing mass (braked trailer)	3500
Maximum towing mass (non-braked trailer)	750
Maximum tow ball download (when fitted with genuine Isuzu UTE tow kit)	350
Fuel tank capacity (litres)	76
Exterior Colour Options	
Sunstone Orange mica	
Moonstone White pearl	
Basalt Black mica	Ŏ
Wolfram Grey metallic	



Specifications and features may change without notice. Please consult your authorised Isuzu UTE Dealer for current availability of models, options, specifications, colours & Isuzu UTE Genuine Accessories. Isuzu UTE Australia makes no representations. warranties or endorsements reparding the accuracy of this brochure.





ISUZU UTE GO YOUR OWN WAY

For further specifications & details, please refer to isuzuute.com.au or consult your authorised Isuzu UTE Dealer for current availability of colours & Isuzu UTE Genuine Accessories. Isuzu UTE Australia Pty Ltd (ABN 80 129 563 739) reserves the right to change specifications & content without notice, subject to any applicable Federal, State or Territory laws or regulations which may apply. Colours depicted herein may differ from actual due to the printing process. No part of this brochure can be reproduced without the written permission from Isuzu UTE. Isuzu UTE Australia makes no representations, warranties or endorsements regarding the accuracy of this brochure. Produced in Australia, October 2025.

