

2025 RAM 1500



RAM EXCLUSIVE 3.OL HURRICANE STRAIGHT-SIX TWIN TURBO ENGINE

Without a doubt, the Hurricane powertrain is the next evolution in the proud RAM tradition of power and performance.

The 3.0L Hurricane straight-six twin turbo engine is the next evolution of Internal Combustion Engine (ICE) technology. The firing order, number of main bearings, and the crank design, all work together to deliver a smoother, more efficient, and more powerful powertrain. It's the most power-dense package RAM has ever offered. There's more power per litre than the supercharged alcohol-injected HEMI®-powered Dodge Demon 170 — along with the incredible torque on demand that inline designs are known for, as well as superior fuel economy.

The foundation of the Hurricane engine is a deep-skirt cast-aluminium block with a structural aluminium alloy oil pan. The strongest RAM engine ever uses cross-bolted steel main bearing caps to contain the robust rotating assembly of a forged-steel crankshaft and forged-steel connecting rods. During manufacturing, the block is deck-plate honed to optimise the cylinder bore shape, which helps improve fuel efficiency.

Each turbocharger in the Hurricane straight-six twinturbo feeds three cylinders. From a performance standpoint, two smaller turbochargers with less inertia spin up faster and deliver boost to the engine at lower rpm than a single, large turbo. The result? The Hurricane twin-turbo flexes its muscle with a broad, flat torque band that sees the engine maintain at least 90% of peak torque from 2,350 rpm all the way to its red line. Without a doubt, the Hurricane powertrain is the next evolution in the proud RAM tradition of power and performance.

Power output of 313kW / 420HP & 403kW / 540HP makes it more powerful than the 5.7L HEMI® V8 The most power-dense package RAM has ever offered


Each turbocharger in the Hurricane straight-six twinturbo feeds three cylinders.

Two smaller turbochargers with less inertia spin up faster and deliver boost to the engine at lower rpm than a single, large turbo, resulting in superior performance.

Incredible torque on demand that inline designs are known for, as well as superior fuel economy

More power per litre than the supercharged alcohol-injected HEMI®-powered Dodge Demon 170

REBEL®





REBEL[®]

SEATING -



— APPEARANCE PACKAGE —

Black Rebel® specific grille Sport performance hood Black-painted door handles and mirror caps Powder coated steel front and rear black bumpers Black badges

Black off-road fender flares

COLOURS -



BRIGHT WHITE

POWERTRAIN

3.0L Hurricane straight six twin turbo

INTERIOR AMENITIES

Rebel® exclusive interior trim with red accents Dual-trim Rebel branded front bucket seats with two-tone mesh inserts and full-length centre console

8-way power-adjustable driver and frontpassenger seats (with 2-way power lumbar adjust) Dual-trim, heated 60/40 split, rear folding bench

12-inch digital driver information display cluster 2nd-row in-floor storage bins

Leather-wrapped, heated steering wheel

Uconnect® 5 NAV with 14.4-inch touchscreen display

10.25-inch front-passenger interactive display

19-speaker Harman Kardon® premium audio system

Dual-zone automatic temperature control Heated front and rear outer seats

Power-sliding rear window

Power-adjustable pedals with memory

Dual pane sunroof

EXTERIOR FEATURES

Rebel® specific grille

18-Inch mid-gloss black painted aluminium wheels

Bed step

Power-folding mirrors

CAPABILITY & FUNCTIONALITY

Spray in bed liner

Front cross member skid plate

Transfer case skid plate

Fuel tank skid plate

1-inch raised ride height

Bilstein® off-road performance tuned shocks

Power up/down tailgate

Configurable drive modes

Selec-speed control

SAFETY & SECURITY

Remote Keyless Enter 'n Go™

Active lane management

ParkView® rear back-up camera

Adaptive cruise control

Forward collision warning with active braking

Blind spot monitoring with rear cross-path and trailer detection

Pedestrian & cyclist detection and emergency braking

ParkSense® park assist system

WHEELS -



18-Inch mid-gloss black painted aluminium

REBEL® EXCLUSIVE INTERIOR



FLAME RED

PASSENGER SCREEN -







HYDRO BLUE



LARAMIE® SPORT



LARAMIE SPORT



 $3.0L\,Hurricane\,straight\,six\,twin\,turbo$

INTERIOR AMENITIES

POWERTRAIN

Leather trimmed front bucket seats with full-length centre console

8-way power-adjustable driver and frontpassenger seats (with 2-way power lumbar adjust)

Heated and ventilated front seats with memory

Leather-trimmed, heated 60/40-split rear reclining bench seat

12-inch digital driver information display cluster

19-speaker Harman Kardon® premium audio system[<]

Uconnect® 5 NAV with 14.4 inch touchscreen display

10.25-inch front-passenger interactive display

Dual-zone automatic temperature control

Dual wireless charging pads

LED ambient interior lighting

Dual pane sunroof

2nd-row in-floor storage bins

Leather-wrapped, heated steering wheel

Power-adjustable pedals with memory

Power-sliding rear window

Rear underseat storage compartment

Auto-dimming rearview mirror

EXTERIOR FEATURES

Laramie® Sport specific grille

20-inch premium-painted/polished aluminium wheels

Body-colour door handles

Side steps, power operated

Power-folding mirrors

CAPABILITY & FUNCTIONALITY

RamBox® cargo management system

Power up/down tailgate

Configurable drive modes

SAFETY & SECURITY

Remote Keyless Enter 'n Go™

Forward collision warning with active braking

Blind spot monitoring with rear cross-path and trailer detection

Active lane management

Pedestrian & cyclist detection and emergency braking

ParkSense® park assist system

LUXURIOUS SEATING



— APPEARANCE PACKAGE —

Body-colour grille surrounds and bumpers
Black-painted premium mirrors
Black leather trimmed interior
Leather trimmed front bucket seats
RamBox® cargo management system
Tri-folding tonneau cover

COLOURS -



BRIGHT WHITE

WHEELS



20-inch Premium-painted/ polished aluminium

SIDE STEPS







DIAMOND BLACK

RAMBOX®



PASSENGER SCREEN -





DELMONICO RED

LIMITED





LIMITED

LUXURIOUS SEATING



WHEELS

— PREMIUM INCLUSIONS —

Black grille

Black-painted door handles and mirror caps

Body-colour front and rear bumpers

Sport performance hood

RamBox® cargo management system

Tri-folding tonneau cover

22-inch premium black-painted aluminium wheels

Dual black exhaust tips

Black badges

Black window mouldings

COLOURS -



BRIGHT WHITE



BILLET SILVER



DIAMOND BLACK

PASSENGER SCREEN





DELMONICO RED

POWERTRAIN

3.0L Hurricane straight six twin turbo high output

INTERIOR AMENITIES

Limited-specific premium leather and wood interior trim treatment

Premium leather trimmed front bucket seats with full-length centre console

8-way power-adjustable driver and front-passenger seats (with 4-way power lumbar adjust)

Power massage feature for front seats

Premium leather trimmed 60/40-split rear reclining bench seat with fold-down console

Heated front and rear outer seats

Ventilated front and rear outer seats

12-inch digital driver information display cluster

Leather-wrapped/real-wood steering wheel

Uconnect® 5 NAV with 14.4 inch touchscreen display

10.25-inch front-passenger interactive display

Dual wireless charging pads

Premium rubber mats with removable carpet inserts

LED interior lighting

Dual pane sunroof

Leather-wrapped interior grab handles

19-speaker Harman Kardon® premium audio system[<]

EXTERIOR FEATURES

Limited-specific grille

Auto deploy side steps

Premium LED projector headlamps with lighting animation feature

LED taillamps

Exterior mirrors with approach lamps

CAPABILITY & FUNCTIONALITY

RamBox® cargo management system

Exterior front and rear lighting animation

Active-Level[™] 4-corner air suspension system

Electronic locking rear differential

Power up/down tailgate

125L fuel tank

SAFETY & SECURITY

Rain-activated windshield wipers

Proximity approach and departure lamps

Intersection collision assist system

360° surround view camera

Evasive steer assist

Forward collision warning with active braking

Drowsy driver detection

Blind spot monitoring with rear cross-path and trailer detection

Pedestrian & cyclist detection

and emergency braking

ParkSense® park assist system



22-inch Premium black painted aluminium

RAMBOX®



	MY25 REBEL® HURRICANE	MY25 LARAMIE® SPORT HURRICANE	MY25 LIMITED HURRICANE HIGH OUTPUT	
POWERTRAIN				
Engine Name	3.0 Litre Hurricane straight six twin turbo (SST)		3.0 Litre Hurricane straight six twin turbo high output (SST HO)	
Type and Description	In-line lic	e six-cylinder (I-6), twin turbocha quid-cooled, direct injection, petr	arged, ol	
Displacement (cc)		2.993 cu. Cm		
Bore x Stroke		84 x 90		
Valve System	DOHC, dual independent valve timing, hydroformed tubular camshafts, 24 valves with sodium-filled exhaust valves, roller finger followers & hydraulic lash adjusters			
Fuel Injection		Direct injection, centrally located injectors, single high-pressure pump providing up to 350 bar to a single fuel rail		
Construction	Deep-skirt cast-aluminium block with cross-bolted steel main bearing caps, low friction plasma spray-bore coated cylinders, structural die-cast aluminium alloy pan, aluminium alloy head with pent-roof combustion chambers, forged and twisted steel crankshaft, forged steel connecting rods & forged aluminium alloy pistons with DLC coated piston pins			
Compression Ratio	10.	4:1	9.5:1	
Power (SAE Net)	313 kW @	5,200 rpm	403 kW @ 5,700 rpm	
Torque (SAE Net)	635 Nm @ 3,500 rpm		707 Nm @ 3,500 rpm	
Max Engine Speed	5,800 rpm (electronically limited)		6,100 rpm (electronically limited)	
ELECTRICAL / MECHANICAL				
Alternator	230 AMP			
Battery	700 AMP maintenance free battery			
BRAKES				
Brakes Front (mm)	378 x 30 vented disc with 57mm two-piston pin-slider calliper & anti-lock braking system (ABS)			
Brakes Rear (mm)	375 x 22 disc with 57mm single-piston pin-slider calliper & ABS			
Brake Power Assistance	E-booster with integrated control unit			
WHEELS & TYRES				
Wheels	18" Painted mid-gloss black aluminium	20" Premium painted/ polished aluminium	22" Black painted aluminium	
Tyre Size	275/65R18C	275/55R20	285/45R22XL	
Spare Tyre Full-size	18" Full size steel spare wheel 20" Full size spare aluminium			
Wheel Load Rating (kg)	929			

	MY25 REBEL® HURRICANE	MY25 LARAMIE® SPORT HURRICANE	MY25 LIMITED HURRICANE HIGH OUTPUT	
TRANSMISSION / TRANSFER C	TRANSMISSION / TRANSFER CASE / AXLES			
Transmission Type		TorqueFlite® 8HP75		
Gear Ratios		8		
lst		4.71		
2nd		3.14		
3rd		2.11		
4th		1.67		
5th		1.29		
6th		1		
7th		0.84		
8th	0.67			
Reverse	3.3			
Drive System		4x4		
Transfer Case Shift Mechanism	Electric on demand			
Transfer Case Operating Modes - Locked Neutral	2WD High; 4WD Auto; 4WD High, Locked; Neutral; 4WD Low, Locked			
Low Range Ratio	2.64			
Front Axle (mm)	215			
Rear Axle (mm)	235		260 electronic locking differential	
E-Locker Axle	•	N/A	•	
SUSPENSION/STEERING				
Chassis	Ladder-typ	e frame, steel cab, double-wall s	teel pickup	
Front Suspension	Upper & lower A-arms, twin-tube shock absorbers & stabiliser bar			
Rear Suspension	Five-link with track bar, stabiliser bar, twin-tube shock absorbers, solid axle			
Active-Level™ Four-Corner Air Suspension System	N/A ·		•	
Front & Rear Heavy Duty Shock Absorbers	Bilstein® off-road performance tuned shocks	•	•	
Steering	Electric power steering			
Overall Steering Ratio	17.8:1 16.3:1			
Steering Turns Lock to Lock	3.4	3	.1	

	MY25 REBEL® HURRICANE	MY25 LARAMIE® SPORT HURRICANE	MY25 LIMITED HURRICANE HIGH OUTPUT
LAYOUT/DIMENSIONS			
Turning Circle Kerb to Kerb (m)		14.4	
Engine	Lon	gitudinal, front engine, transfer c	ease
Length (mm)		5916	
Width (mm) (including mirrors)		2474	
Width (mm) (with mirrors folded)		2057	
Height (mm)	2006	1971	1972
Wheelbase (mm)		3672	
Track, Front (mm)		1741	
Track, Rear (mm)		1729	
Ground Clearance			
Front Axle (mm)	240	217	217.5
Rear Axle (mm)	221.5	220	221.5
Approach Angle (degrees)	20.9	20.2	20.4 (Normal ride height)
Departure Angle (degrees)	22.2	21.7	20.4 (Normal ride height)
Ramp Breakover Angle (degrees)	19.2	18.7	18.6 (Normal ride height)
Fuel-Tank Capacity (L)	9	8	125
Cargo Tub (ft in)		5'7"	
SAE Volume (cu m)		1.5	
Depth (mm)		543	
Cargo Width (mm)	1295	1270 (Ra	amBox®)
RamBox® Cargo Management System - Capacity (L)	N/A	210 (Both sides)	
Tailgate Opening Width (mm)		1525	
Interior Space			
Headroom, Front (mm)		1038	
Legroom, Front (mm)		1040	
Shoulder Room, Front (mm)		1676	
Hip Room, Front (mm)		1610	
WEIGHTS & CAPABILITIES			
Towing, Maximum Unbraked° (kg)	75	50	750
Towing, Maximum Braked+° (kg)	4,500 (70	Omm ball)	4,200 (70mm ball)
Towing, Maximum Tow Ball Down Weight (kg)	45	50	420

	MY25 REBEL® HURRICANE	MY25 LARAMIE® SPORT HURRICANE	MY25 LIMITED HURRICANE HIGH OUTPUT
WEIGHTS & CAPABILITIES (CONTINUED)			
Payload° (kg)	893	863	782
Kerb Weight° (kg)	2612	2642	2722
Gross Vehicle Mass° (kg)	3505	3505	3505
Max Gross Combination Mass° (kg)	7711	7711	7285
Front Axle Load° (Maximum) (kg)		1770	
Rear Axle Load° (Maximum) (kg)		1860	
TOWING			
12 Pin Wiring Harness	•	•	•
Heavy Duty Tow Bar	• (up to 4.5T max braked towing+)		• (up to 4.2T max braked towing+)
Trailer Brake Control	•	•	•
ENGINE EFFICIENCY			
Fuel Consumption, Combined* (L)	10.	74	11.79
Warranty	3 years	s/100,000 km (whichever occurs	s first)^
Roadside Assist	3 years/100,000 km (whichever occurs first)^		
Service Intervals	12 mon	ths/12,000 km (whichever occu	rs first)
SAFETY TECH			
360° Surround View Camera	N/A	N/A	•
ABS Brakes	•	•	•
Active Lane Management	•	•	•
Adaptive Cruise Control	•	•	•
Airbags, Driver, Front Passenger, Front Seat Side & Curtain	•	•	•
Blind Spot Monitoring with Rear Cross-path and Trailer Detection	•	•	•
Child Seat Anchorage Points	3	3	3
Collapsible Steering Column	•	•	
Configurable Drive Modes	•	•	•
Drowsy Driver Detection	N/A	N/A	•
Electronic Brakeforce Distribution	•	•	•
Electronic Park Brake	•	•	•
Evasive Steer Assist	N/A	N/A	•

	MY25 REBEL® HURRICANE	MY25 LARAMIE® SPORT HURRICANE	MY25 LIMITED HURRICANE HIGH OUTPUT
SAFETY TECH (CONTINUED)			
Forward Collision Warning with Active Braking	•	•	•
Front Seat Belt Height Adjustment	•	•	•
Hill Start Assist	•	•	•
Intersection Collision Assist System	N/A	N/A	•
ParkSense® Park Assist System		Front & rear	
ParkView™ Rear Back-Up Camera	•	•	•
Pedestrian & Cyclist Detection	•	•	•
Pedestrian Emergency Braking	•	•	•
Power and Heated Door Mirrors	•	•	•
Rear View Mirror	Electro-c	chromatic	Digital
Stability Control	•	•	•
Traction Control	•	•	•
Traffic Sign recognition	N/A	N/A	•
Trailer Sway Control	•	•	•
Tyre Pressure Monitoring	•	•	•
INTERIOR			
USB	5		5
USB C Ports	5		5
HDMI Port	1		1
Wireless Charging Pad		Dual	
Floor Console	Full-length reconfigurable centre console	Full length with sliding storage, wrapped lid & embossed logo	Premium full length floor console with sliding storage with bombay door & premium wrapped leather lid with hard badge
Cluster	Premium 12" digital driver information display		
Uconnect® Touchscreen	14.4" Touchscreen		
10.25" Front Passenger Interactive Screen	•	•	•
Navigation	•	•	•
Apple CarPlay® and Android Auto™	Wireless		
Speakers / Sound System		19 Speaker Harman Kardon®<	

		_	
	MY25 REBEL [®] Hurricane	MY25 LARAMIE® SPORT HURRICANE	MY25 LIMITED HURRICANE HIGH OUTPUT
INTERIOR (CONTINUED)			
Steering Wheel Switches with Phone, Voice Recognition, Instrument Panel Control, Cruise Control and Transmission Control			
Steering Wheel Mounted Audio Controls	•	•	•
Power Windows, one-touch up / down driver and front- passenger	•	•	•
Seat Adjustment, Driver		Power 8-way with memory	
Seat Adjustment, Passenger		Power 8-way	
Seating Adjustment, Lumbar	Power	2-way	Power 4-way
Seats, Front, Heated & Ventilated	Heated (Only)	•	•
Seats, Rear, Heated / Ventilated	Heated (excluding centre)	Heated (excluding centre)	Heated & ventilated (excluding centre)
Seats, Front, Massage	N/A	N/A	•
Seats, Rear	Dual-trim 60/40 split-folding rear bench seat	Leather trimmed 60/40 stadium-folding bench with manual recline and centre 20% fold-down centre console with cup holder	Premium leather trimmed 60/40 stadium-folding bench with manual recline and centre 20% fold-down centre console with cup holder
Remote Keyless ENTER 'N GO™ – Includes Remote Key & Remote Start	•	•	•
Push Button Start	•	•	•
Climate Control, Automatic Dual Zone	•	•	•
Sunroof - Power, Dual Pane	•	•	•
Rear Power-sliding Cab Window	•	•	•
Sun Visors with Illuminated Vanity Mirrors	•	•	•
2nd Row In-Floor Storage Bins with Removable Liners	•	•	•
Rear Flat Load Floor Storage	•	•	•
EXTERIOR			
Sport Performance Hood	•	N/A	•
Tinted Glass Windows	•	•	•
Rear Door Privacy / Deep-tint Glass	•	•	•

	MY25 REBEL® Hurricane	MY25 LARAMIE® SPORT HURRICANE	MY25 LIMITED HURRICANE HIGH OUTPUT	
EXTERIOR (CONTINUED)				
Front Door Acoustic Laminated Glass	•	•	•	
Tinted Windshield Glass	•	•	•	
Tub Length (ft in)	5'7"	5'7"	5'7"	
Tub Type	Standard	Ram	Box®	
Bedliner	•	•	•	
Tie-downs - Tub Fixed (Four)	•	•	•	
Lockable, Drainable, RamBox® Cargo Management System with Lighting	N/A	•	•	
Central Locking Tailgate	•	•	•	
Tailgate Power		Power up/down		
Tailgate Fully Damped / Assisted	•	•	•	
Side Steps, power-operated (auto deploy)	N/A	•	•	
Exhaust Tailpipes	Dual, black tip	Dual, chrome tip	Dual, black tip	
Heavy Duty Tow bar	•	•	•	
50mm Tow Ball Mount Kit		Accessory		
70mm Tow Ball Mount Kit		Accessory		
Tonneau Cover, Soft / Tri-fold	Accessory	•	•	
Rear Mud Flaps	•	•	•	
Rain Activated Wipers	•	•	•	
Adjustable Pedals, Power	•	•	•	
Headlamps	LED low/high reflector headlamps		Premium LED projector headlamps with lighting animation feature	
Automatic Headlamps (Day/Night Sensor)			•	
Automatic High-Beam Headlamp Control	•	•	•	
Proximity Approach/Departure Lamps	N/A	N/A	•	
Exterior Front & Rear Lighting Animations	N/A	N/A	•	
Daytime Running Lights	N/A	N/A	•	
Fog Lights, Front	LED	LED	LED	

YOUR GUIDE TO PAYLOAD AND TOWING REQUIREMENTS

When it comes to heavy loads and towing, understanding your RAM's capabilities is crucial. At Ram Trucks Australia, we prioritise safety and compliance, ensuring that you are fully informed about the engineering limits of your vehicle and your responsibilities as a road user. Each RAM variant is designed with specific maximum allowable payloads, towing capacities, and combined weight limits, all of which interact with each other and observing these maximums is essential for maintaining the vehicle's integrity and ensuring legal compliance.

Operating your RAM within these Towing Limits is not just a recommendation; it's vital for your safety and the safety of others on the road. Exceeding these capacities (whether individually or in combination) can lead to serious risks, including personal injury, vehicle damage, and financial loss. Our comprehensive guidelines will help you be aware of the complexities of payload management, towing capacities, and weight distribution, and give recommendations on how you can carry and tow securely and responsibly. Scan the QR code to access, read, and observe our Payload and Towing Requirements Guide and be sure to utilise our Towing Calculator tool to estimate the capacity and safety of your tow.



OWNERS MANUALS AND SUPPLEMENTS

Scan the QR code to access, read, and observe Owner Manuals and Supplements resources.



- <19 Speakers including subwoofer and six coaxial two-way speakers strategically mounted in 12 locations throughout the vehicle
- +Maximum braked towing capacity is subject to regulatory requirements and vehicle weight restrictions (which may require occupants and/or luggage to be restricted)
- ° Payload and kerb weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to State and Territory towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Kerb weight includes the vehicle with a full tank of fuel and all standard equipment, excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload.
- *Figure according to ADR 81/02 derived from laboratory testing. Factors including but not limited to driving style, road and traffic conditions, environmental influences, vehicle condition and accessories fitted, will in practice in the real-world lead to figures which generally differ from those advertised. Advertised figures are meant for comparison amongst vehicles only.

[^]Terms, conditions and exclusions at www.ramtrucks.com.au

UNRIVALLED EVERYDAY





RAMTRUCKS.COM.AU

GET A QUOTE

BOOK A TEST DRIVE

FIND A DEALER







All the information in this document is accurate at the time of publication however variations and discrepancies may occur from time to time and American Special Vehicles Pty Ltd (trading as Ram Trucks Australia) insofar as is permitted by law to do so shall not be liable in any way as a result of any reliance by any person on anything contained in this document. RAM, the Ram's Head Logo, RamBox, AllSecure, ActiveAir, Active-Level, Laramie, LaneSense, ParkView, Rebel, TorqueFlite and Uconnect are registered trademarks and Keyless Enter 'n' Go are trademarks of FCA US LLC, used with permission. Eats Utes for Breakfast, and Unrivalled Everyday are registered trademarks of American Special Vehicles Pty Ltd. Bluetooth is a registered trademark of Bluetooth SIG, Inc. Apple CarPlay, Apple Maps, Apple Music, iPhone and Siri are registered trademarks of Apple Inc. Apple CarPlay® connectivity requires compatible iOS device. See apple.com.au for more details. Google, Google Maps, Google Play, Android and Android Auto are trademarks of Google LLC. Android AutoTM connectivity requires compatible Android device. See android.com/intl/en_au/ for more details. Ram Trucks Australia is the only RAM authorised right-hand-drive manufacturer and distributor of Ram Trucks in Australia. Overseas models may be shown. Some features and accessories shown are not standard and are at additional cost. This publication is dated November 2025. Ram Trucks Australia reserves the right to discontinue models at any time or change specifications without notice or without incurring obligation. Please consult with your authorised Ram Truck dealer for any rolling specification changes that may occur from time to time. All texts, pictures and other works published herein are subject to the copyright of FCA US LLC or Ram Trucks Australia, if not otherwise indicated. Any duplication, distribution, storage, communication, broadcast and reproduction or transmission of the contents without written approval from FCA US LLC and Ram Trucks Australia is prohibited. Ram 1500 Specifications_AU_2025_004.