
## bZ4X



## Please Note: information is accurate as at December 2025.

Specification and imagery are indicative and should only be used as a guide. Vehicle and accessory specification, features, colour and trim may differ at the time of vehicle delivery.



<b>1ECHANICAL</b>	SPECIFICATIONS		bZ4X	
ELECTRIC MOTOR	Туре		AC synchronous electric generator	
		Front motor	bZ4X = 165	bZ4X AWD = 165
	Maximum(kW)	Rear motor		bZ4X AWD = 87
	Maximum output – system (	kW)	bZ4X = 165	bZ4X AWD = 252
	Model code front/rear (AWE	))	bZ4X = 1XM / N/A	bZ4X AWD = 1YM / 1YM
	Туре		Permanent Magnet Synchronous Motor	
	Max torque (Nm)	Front	bZ4X = 268.6	bZ4X AWD = 268.6
		Rear		bZ4X AWD = 169.8
		Total	bZ4X = 266.3	bZ4X AWD = 438.4
TTERY AND	Battery type		Lithium-ion battery	
, manta	Battery capacity (Ahr)		191	
	Number of battery cells		104	
	Voltage per cell		3.76	
	Total voltage (V)		391	
	Traction battery capacity (Ahr)		191	
	Total power (kWh)		74.7	
	Mode 2 and Mode 3 charging cables		Included	
	AC charging <sup>2</sup> – 10-100%	7kW Single-Phase Charging	approx. 9 hours 30 mins	
		11kW 3-Phase Charging	approx. 7 hours	
		22kW 3-Phase Charging	approx. 3 hours 30 mins	
	150 kW DC Charging <sup>2</sup> , - 10-80%		approx. 45 mins <sup>4</sup>	
	AC Input – standard		Type 2	
	DC Input – quick charge		CCS2	
	Max AC charging power (kW)		22	
	DC charger maximum output (kW)		150	
STEERING	Gear type		Rack and Pinion	
	Туре		Electric Power Steering	
	Overall gear ratio		14.2	
	Lock to lock		2.81	
USPENSION	Front		MacPherson strut	
	Rear		Double wishbone	
	Stabilizer bar – front and rear		Torsion bar	
RAKES	Type – front and rear		Ventilated disc brake	
	Front diameter (mm)		328	
	Rear diameter (mm)		317	
	Regenerative braking system with paddle control		•	

bZ4X GRADE		bZ4X	bZ4X AWD	
DRIVETRAIN	Transaxle model code (Front/Rear)	Q910 / -	Q910 / QA10	
AND TRANSMISSION	Total speed reduction ratio (Front/Rear)	13.786 / –	13.786 / 13.786	
	Front wheel drive	•		
	All wheel drive		•	
	Туре	BEV automatic	BEV automatic transmission	
WEIGHTS AND CAPACITIES (APPROXIMATE)	Seating capacity – persons	5	5	
	Cargo space (L)	421	410	
	Gross vehicle weight (kg)	2465	2550	
	Maximum curb weight (kg)	1960	2055	
	Running ground clearance <sup>5</sup> (mm)	212	212	
	Towing capacity <sup>6</sup> – braked and unbraked (kg)	750 <sup>6</sup>	1500	
WHEELS	Design and size	18" Alloy wheels with aero covers	20" Alloy wheels with aero inserts	
	Tyre repair kit	•	•	
PERFORMANCE	Maximum speed (km/h)	160	160	
	Acceleration 0 to 100km/h	7.4	5.1	
	Minimum turning radius (m)	Tyre = 5.6 / Body = 6.1		
	BEV driving test range <sup>7,8</sup> (km) – Actual driving range can be significantly less than test driving range, depending on various factors	591km (WLTP)	517km (WLTP) <sup>8</sup>	
	Electric energy consumption <sup>7,8</sup> (Wh/km)	138Wh/km (WLTP)	160Wh/km (WLTP)	
COMFORT		136WII/KIII (WLIP)	iouwijkiii (WLIF)	
AND CONVENIENCE	Dual-zone climate control auto air conditioning  Nanoe™,9 X air conditioning technology	•	•	
		•	•	
	Rear air vents	•		
	Electric park brake	•	•	
	Automatic rain sensing wipers	•	•	
	Key Reminder Alert	•	•	
	Driver power passenger front seat – 8-way	•	with memory	
	Heated front seats – driver and passenger	•	•	
	Ventilated seats – driver and passenger		•	
	Heated steering wheel		•	
	Cupholders – 2x front, 2x rear	•	•	
EXTERIOR	LED Daytime Running Lamps	•	•	
	Heated exterior mirrors with puddle lights	·	with memory and reverse auto adjust	
	Headlamp cleaner	·	•	
	LED headlamps	•	•	
	LED rear and eye level brake lights	•	•	
	LED side mirror indicators	•	•	
	Rear fog lamps	•	•	
	Rear, side, quarter and back privacy glass	•	•	
	Roof rails	•	•	
	Rear spoiler		•	
	Front and rear air spats	•	•	
	Gloss black wheel arches and bonnet insert	•	•	
	Two-tone roof		optional	

bZ4X GRADE		bZ4X	bZ4X AWD
INSTRUMENTS Advanced park assist		WETT.	•
AND CONTROLS	7" colour Multi Information Display (MID)		
	Digital rear view mirror	•	•
	Auto retractable door mirrors		•
	Power back door with kick sensor	•	•
		•	•
	Leather steering wheel with heater, audio, phone, MID, and Toyota Safety Sense controls	•	•
	12V socket	•	•
	Smart entry and smart start	•	•
	2x USB-C Ports (Front) in centre console storage	•	•
	2x USB-C rear centre console	•	•
	2x wireless phone charger <sup>10</sup>	•	•
	Voice assistant	•	•
	Vehicle Stability Control	•	•
	Downhill Assist Control, Multi Terrain Sensing and Crawl Control		accessible through X-Mode
	3 off-road modes (X-Mode)		•
	Tilt and telescopic steering wheel adjustment	•	•
INTERIOR	Vehicle-to-Load (V2L) <sup>11</sup> – AC Inverter 220V/1500W	•	•
	Centre tray	•	•
	Cup holders – 2x front	•	•
	Cup holders – 2x rear	•	•
	Interior seat trim	Fabric and SofTex®9	Premium SofTex®9
	Leather accented steering wheel with heater	•	•
	Rotary dial shift with integrated park brake	•	•
	60:40 folding rear seats	•	•
	Electrochromatic rear view interior mirror	•	•
	Personal front LED reading lamp	•	•
	Luggage compartment light	•	•
	Fixed panoramic moon roof		•
MULTIMEDIA	6x speakers	•	
	9-speaker JBL <sup>9</sup> premium sound system		•
	14" multimedia system with embedded navigation	•	•
	Digital Audio Broadcast	•	•
	Wireless Apple CarPlay®12 and Wireless Android Auto™,12	•	•
SAFETY AND SECURITY	8x SRS Airbags	•	•
	Toyota Safety Sense <sup>13</sup> – including All-speed Active Cruise Control with curve speed reduction, Lane Departure Alert with steering assist, Lane Change Assist, Pre-Collision Safety system with pedestrian and daylight cyclist detection and Intersection Turn Assistance, Emergency Steering Assist, Road Sign Assist (speed signs only), Automatic High Beam and Emergency Driving Stop System	·	·
	Blind Spot Monitor with Safe Exit Assist	•	•
	Rear Cross Traffic Alert		•
	Driver Attention Camera	•	•

bZ4X GRADE		bZ4X	bZ4X AWD
SAFETY AND SECURITY CONTINUED	Reversing camera	•	•
	Panoramic View Monitor	•	•
	Parking Support Brake with parking sensors	•	•
	Anti-lock Braking System with Electronic Brake-force Distribution and Brake Assist	•	•
	Rear seat occupant reminder	•	•
	Seatbelt reminder – all seats	•	•
	2x ISOFIX child restraint anchorage points – rear outboard seats	•	•
	First Aid kit	•	•
TOYOTA CONNECTED SERVICES <sup>14</sup>	Toyota Connected Essentials <sup>14</sup> – including SOS Emergency Call <sup>16</sup> , Automatic Collision Notification, <sup>17</sup> Vehicle Insights, Charge Station Search – accessible via myToyota Connect app <sup>14</sup>	Complimentary until service ends	
	Toyota Connect+ <sup>15</sup> – including Stolen Vehicle Tracking, <sup>18</sup> Remote Connect <sup>15</sup> and Remote Climate Control, <sup>15</sup> Remote Charge management and schedule <sup>15</sup> – accessible via myToyota Connect app <sup>14</sup>	1 year complimentary access – Fees apply thereafter <sup>14</sup>	
	Toyota Multimedia Connect <sup>15</sup> – including Connected Navigation <sup>15</sup> , Multimedia Profiles; <sup>15</sup> Connected Trip (start/finish) <sup>15</sup> and Connected Voice Assistance <sup>15</sup> – accessible via myToyota Connect app <sup>14</sup>	1 year complimentary access – Fees apply thereafter <sup>14</sup>	

- Weights/mass/volumes/dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories, towing or otherwise relying on this value. Charging duration is approximate only and may vary depending on environmental and charging conditions, type of charger and method used. Actual charging times may differ. Frequent use of DC fast charging can impact battery performance and durability. Toyota recommends minimising DC fast charging usage. DC fast charging speed will reduce after the battery is charged to 80%. Refer to Owner's manual and toyota.com.au/electrified/battery-electric-vehicles/charging-your-bev
- Charging time when charging with a DC charger with 150kW (400 A) output.
- Indicative charging time based on 150kW DC charging at an ambient temperature of around 0°C. Dimensions are approximate and are subject to individual vehicle variances, accessory fitment and
- weight carried.
- Fitment of towbar requires deactivation of the kick boot sensor feature. Towing capacity subject to regulatory requirements, tow bar and vehicle design and towing equipment limitations. Ask your Dealer for Toyota Genuine tow bar capacity and availability details.
- Results were achieved under test conditions and do not reflect the driving range in real world driving. Results were achieved under test conditions and do not reflect the driving range in real world driving. Results achieved for battery electric bZ4X Electric SUV is based on consumption rate of 138 Wh/km using the Worldwide Harmonised Light Vehicle Test Procedure (WLTP) accepted by the ADR 81/02 (displayed on the Energy Consumption label affixed to the car). The electric range and the energy consumption values were determined using a fully charged battery in a laboratory test and are not reflective of real world driving. Actual driving range may vary depending on accessories fitted, battery age and condition, climate, driving style, use of heating/cooling, traffic conditions, and vehicle load. For more information, please visit toyota.com.au/electrified/fags Results were achieved under test conditions and do not reflect the driving range in real world driving. Results achieved for battery electric bZ4X AWD Electric SUV is based on consumption rate of 160 Wh/km using the Worldwide Harmonised Light Vehicle Test Procedure (WLTP) accepted by the
- 160 Wh/km using the Worldwide Harmonised Light Vehicle Test Procedure (WLTP) accepted by the ADR 81/02 (displayed on the Energy Consumption label affixed to the car). The electric range and the energy consumption values were determined using a fully charged battery in a laboratory test and are not reflective of real world driving. Actual driving range may vary depending on accessories fitted, battery age and condition, climate, driving style, use of heating/cooling, traffic conditions, and vehicle load. For more information, please visit toyota.com.au/electrified/faqs

- and vehicle load. For more information, please visit **toyota.com.au/electrified/faqs**Product and company names are trademarks of their respective owners.
  Only Qi-supported devices compatible. Refer to device manufacturer. May require additional purchase of accessory to support wireless charging.
  Vehicle to Load (V2L) supports electrical devices with a combined power consumption of up to 1500W at 220 VAC. V2L does not support Vehicle to Home (V2H) or Vehicle to Grid (V2G) charging. V2L is powered using the high voltage battery and extended use will decrease driving range. Never leave the vehicle unattended when using the V2L system. Refer to Owner's Manual for guidance. 11

- 12 CarPlay® is a trademark of Apple, Inc. registered in the U.S. and other countries. Android Auto™ is a trademark of Google LLC.

  13 Driver assist feature. Only operates under certain conditions. Check your Owner's Manual for explanation of limitations. Please drive safely.

  14 See toyota.com.au/connected/plans-packages. Not available outside Australia, if services disabled or terminated or after 2033/Telstra 4G sunset (whichever comes first). Dependent on 3G/4G enabled DCM, GPS signal strength, mobile network coverage and other factors outside Toyota's control which can limit ability or functionality of system. Check your Owner's Manual or toyota.com.au/connected for explanation of limitations. Please drive safely.

  15 Complimentary period ends 1 year from delivery date. Fees apply thereafter. See toyota.com.au/connected/plans-packages. Requires activated DCM (until the earlier of 2033 or Telstra 4G sunset), compatible device, app installation/connection, third party info, mobile data, Australian network reception, GPS signal, enabled push notifications and other factors outside Toyota's control which can limit functionality. Mobile usage at user's cost. Features vary depending on vehicle model and subscription choice, and subject to change. For details see toyota.com.au/connected/connect-app

  16 SOS Emergency Call: Driver assist feature only. Not a substitute for safe driving practices. Not available outside Australia, if service disabled or terminated, or after 2033/Telstra 4G sunset (whichever comes first). Only operates if vehicle's SOS button is pressed and vehicle ignition is on. Dependent on 3G/4G enabled DCM, GPS signal strength, mobile network coverage, call centre capabilities and other factors outside Toyota's control which can limit ability or functionality of system. Check your Owner's Manual or toyota.com.au/connected for explanation of limitations. Please drive safely. Please drive safely.
- Automatic Collision Notice: Driver assist feature only. Not a substitute for safe driving practices. Not available outside Australia, if service disabled or terminated, or after 2033/Telstra 4G sunset (whichever comes first). Only activates if vehicle's DCM detects airbag deployment or impact sensor notification. Dependent on 3G/4G enabled DCM, GPS signal strength, mobile network coverage, operational related components and other factors outside Toyota's control which can limit the ability or functionality of system. Check your Owner's Manual or toyota.com.au/connected for explanation of limitations. Please drive safely. Stolen Vehicle Tracking: Not available outside Australia, if service disabled or terminated, or after
- 2033/Telstra 4G sunset (whichever comes first). Dependent on sufficient battery power, 3G/4G enabled DCM, GPS signal strength, mobile network coverage, operational related components and other factors outside Toyota's control which can limit the ability or functionality of system. Owner/driver required to obtain Police report. Vehicle location information, if available, only provided to Police. Vehicle recovery not guaranteed. For details, visit toyota.com.au/connected/faq-support

## IMPORTANT NOTICE - PLEASE READ:

Toyota Australia uses its best endeavours to ensure material is accurate at the time of publishing. All information must be confirmed with your Toyota Dealer at the time of ordering, as specifications, applicability and availability may change over time. Colours depicted are a guide only and may vary from actual colours due to the printing/display process. Toyota Australia reserves the right to change and/or discontinue, without notice, models, prices, colours, materials, equipment, specifications. To the extent permitted by law, Toyota Australia will not be liable for any damage or loss incurred from relying

on the information and images contained in this material. Distributed nationally (other than in Western Australia) by Toyota Motor Corporation Australia Limited ABN 64 009 686 097. Material distributed in Western Australia by or on behalf of Prestige Motors Pty Ltd (for vehicles) and by Eastpoint Pty Ltd (for parts/accessories). Toyota Australia makes no warranties regarding (and will not be liable for) accuracy of materials distributed in Western Australia. PROOF HQ: T2025-023031. GTP-009576. VERSION: DECEMBER 2025