

4x2 | XL, XLT Ranger 2026MY Specifications

Engine 20.5 Inspire Tube Language (Capture)		XL	XL	XL	XLT
Maximum Power 125kW @ 3,500rpm 25kW @ 3,500rpm 125kW @ 3,500rpm <th></th> <th>Hi-Rider Single Cab</th> <th>Hi-Rider Super Cab</th> <th>Hi-Rider Double Cab</th> <th>Hi-Rider Double Cab</th>		Hi-Rider Single Cab	Hi-Rider Super Cab	Hi-Rider Double Cab	Hi-Rider Double Cab
Maximum Torque 405N me (1750 4000 pm) 405N me (1750 4000 pm) 1500 km (1750 4000 pm) Tamenission S S S — 0- peed automatic transmission S S S — 0- speed automatic transmission B S S S S 0- peed automatic transmission B S S S S Port Vellore B S S S S Part Lime 44% —	Engine	2.0L Single Turbo	2.0L Single Turbo	2.0L Single Turbo	2.0L Bi-Turbo
Missin Middle 1750-2500rpm	Maximum Power	125kW @ 3,500rpm	125kW @ 3,500rpm	125kW @ 3,500rpm	154kW @ 3,750rpm
6-speed automatic transmission S S S — 10-speed automatic transmission — — — S Drivatine BWD S S S S Part-time 6x4 — — — — Full-time 4wD — — — — Selectable Drive Modes! — — — — Normal — — — — - Ecc — — — — - Ecc — — — — S - Stopery — — — — S - Stilppery — — — — — - Stilppery — — — — — - Sund (*Ruts*) — — — — — — — — — — — — — — — — — —	Maximum Torque				
Privetine Privetine RWO S S S S Part-time 4x4 - - - - Fell time wD - - - - Selectable Drive Modes: - - - - - - Normal - - - S - S - Cc0 - - - - S - S - Tow / Haut - - - - S - - S - - - S - - - S - <t< td=""><td>Transmissions</td><td></td><td>•</td><td></td><td></td></t<>	Transmissions		•		
Diveline RWD S S S S Full-time 4WA — — — — Full-time 4WD — — — — — Eult-time AWD —	6-speed automatic transmission	S	S	S	_
RIVD S	10-speed automatic transmission	_	_	_	S
Part-time 4x4 - - - - Full-time 4WD - - - - Setectable Drive Modes*: -	Driveline				
Full-time AWD - - - - Selectable Drive Modes': - - - 5 - Normal - - - - 5 - Eco - - - - 5 - Tow / Haul - - - - 5 - Slippery - - - - - - Mud / Ruts² - - - - - - Sand³ -	RWD	S	S	S	S
Selectable Drive Modes! - Normal - - - S - Eco - - - - S - Tow / Haul - - - - S - Slippery - - - - S - Mud / Ruts² - - - - - - Sund³ - - - - - - Sport - - - - - - Sport - - - - - - Baja² - - - - - - - Rock Crawl* -	Part-time 4x4	_	_	_	_
- Normal	Full-time 4WD	_	_	_	_
Eco — — — S - Tow / Haul — — — — S - Slippery — — — — — - Mud / Ruts² — — — — — - Sand⁴ — — — — — - Sport — — — — — - Baja⁴ — — — — — — - Baja⁴ —	Selectable Drive Modes¹:				
- Tow / Haul	- Normal	_	_	_	S
- Slippery − − − 5 - Mud / Ruts² − − − − - Sand⁴ − − − − - Sport − − − − - Baja⁴ − − − − - Rock Crawl⁴ − − − − - Put • 0 6.9 6.9 7.1 6.9 CO₂ Emissions (g/km)(Auto)⁴ 181 181 181 186 182 Fuel Tank Capacity (L) 80 80 80 80 80 80 Fuel Tank Capacity	- Eco	_	_	_	S
- Mud / Ruts²	- Tow / Haul	_	_	_	S
- Sand³	- Slippery	_	_	_	S
- Sport	- Mud / Ruts ²	_	_	_	_
- Baja⁴ - - - - - Rock Crawl⁵ - - - - Fuel Fuel Consider Fuel Economy (L/100km)(Auto)⁴ 6.9 6.9 7.1 6.9 CO₂ Emissions (g/km)(Auto)⁴ 181 181 181 186 182 Fuel Tank Capacity (L) 80 80 80 80 80 Fuel Type Diesel Diesel Diesel Diesel Diesel Vehicle Masses (kg) Gross Combined Mass² 6200 6200 6200 6250 Gross Vehicle Mass² 3230 3230 3250 3250 Front Gross Axle Weight Rating² 1450 1450 1450 1490 Rear Gross Axle Weight Rating² 1959 1959 1959 1959 Kerb Weight² 1783 1883 2115 2173 Payload (based on Kerb Weight)² 1494 1393 1225 1137 Payload (based on Min Kerb Weight)²	- Sand ³	_	_	_	-
Fuel — — — — — Fuel Combined Fuel Economy (L/100km)(Auto) ⁶ 6.9 6.9 7.1 6.9 CO₂ Emissions (g/km)(Auto) ⁶ 181 181 181 186 182 Fuel Tank Capacity (L) 80 80 80 80 80 Fuel Type Diesel Diesel Diesel Diesel Diesel Vehicle Masses (kg) Gross Combined Mass¹ 6200 6200 6200 6250 Gross Vehicle Mass¹ 3230 3230 3250 3250 Front Gross Axle Weight Rating¹ 1450 1450 1450 1490 Rear Gross Axle Weight Rating¹ 1959 1959 1959 1959 1959 Kerb Weight² 1783 1883 2115 2173 Payload (based on Kerb Weight)² 1447 1347 1135 1077 Minimum Kerb Weight² 1494 1393 1225 2113 <td< td=""><td>- Sport</td><td>_</td><td>_</td><td>_</td><td>_</td></td<>	- Sport	_	_	_	_
Fuel Combined Fuel Economy (L/100km)(Auto) ⁶ 6.9 6.9 7.1 6.9 CO ₂ Emissions (g/km)(Auto) ⁶ 181 181 181 186 182 Fuel Tank Capacity (L) 80 80 80 80 Fuel Type Diesel Diesel Diesel Diesel Vehicle Masses (kg) Vehicle Masses (kg) Vehicle Masses (kg) Vehicle Masses (kg) 500 6200 6200 6200 6250 Gross Vehicle Masses 3230 3230 3250 3250 3250 Front Gross Axle Weight Rating? 1450 1450 1450 1490 Rear Gross Axle Weight Rating? 1959 1959 1959 1959 1959 Kerb Weight? 1783 1883 2115 2173 Payload (based on Kerb Weight)? 1447 1347 1135 1077 Minimum Kerb Weight? 1494 1393 1225 2113 Payload (based on Min Kerb Weight)? 1494 1393 1225 1137 </td <td>- Baja⁴</td> <td>_</td> <td>_</td> <td>_</td> <td>_</td>	- Baja ⁴	_	_	_	_
Combined Fuel Economy (L/100km)(Auto) ⁶ 6.9 6.9 7.1 6.9 CO ₂ Emissions (g/km)(Auto) ⁶ 181 181 181 186 182 Fuel Tank Capacity (L) 80 80 80 80 80 Fuel Type Diesel Diesel Diesel Diesel Diesel Vehicle Masses (kg) Gross Combined Mass ⁷ 6200 6200 6200 6250 Gross Vehicle Mass ⁷ 3230 3230 3250 3250 Front Gross Axle Weight Rating ⁷ 1450 1450 1450 1490 Rear Gross Axle Weight Rating ⁷ 1959 1959 1959 1959 1959 Kerb Weight ⁷ 1783 1883 2115 2173 Payload (based on Kerb Weight) ⁷ 1494 1393 1225 2113 Payload (based on Min Kerb Weight) ⁷ 1494 1393 1225 1137	- Rock Crawl⁵	_	_	_	_
CO, Emissions (g/km)(Auto) ⁶ 181 181 186 182 Fuel Tank Capacity (L) 80 80 80 80 Fuel Type Diesel Diesel Diesel Diesel Vehicle Masses (kg) Gross Combined Mass ⁷ 6200 6200 6200 6250 Gross Vehicle Mass ⁷ 3230 3230 3250 3250 Front Gross Axle Weight Rating ⁷ 1450 1450 1450 1490 Rear Gross Axle Weight Rating ⁷ 1959 1959 1959 1959 Kerb Weight ⁷ 1783 1883 2115 2173 Payload (based on Kerb Weight) ⁷ 1447 1347 1135 1077 Minimum Kerb Weight ⁷ 1736 1837 2025 2113 Payload (based on Min Kerb Weight) ⁷ 1494 1393 1225 1137	Fuel				
Fuel Tank Capacity (L) 80 80 80 80 Fuel Type Diesel Diesel Diesel Diesel Vehicle Masses (kg) Support of the property of th	Combined Fuel Economy (L/100km)(Auto) ⁶	6.9	6.9	7.1	6.9
Fuel Type Diesel Diesel Diesel Diesel Vehicle Masses (kg) Gross Combined Mass? 6200 6200 6200 6250 Gross Vehicle Mass? 3230 3230 3250 3250 Front Gross Axle Weight Rating? 1450 1450 1450 1490 Rear Gross Axle Weight Rating? 1959 1959 1959 1959 Kerb Weight? 1783 1883 2115 2173 Payload (based on Kerb Weight)? 1447 1347 1135 1077 Minimum Kerb Weight? 1736 1837 2025 2113 Payload (based on Min Kerb Weight)? 1494 1393 1225 1137	CO ₂ Emissions (g/km)(Auto) ⁶	181	181	186	182
Vehicle Masses (kg) Gross Combined Mass ⁷ 6200 6200 6200 6250 Gross Vehicle Mass ⁷ 3230 3230 3250 3250 Front Gross Axle Weight Rating ⁷ 1450 1450 1450 1490 Rear Gross Axle Weight Rating ⁷ 1959 1959 1959 1959 Kerb Weight ⁷ 1783 1883 2115 2173 Payload (based on Kerb Weight) ⁷ 1447 1347 1135 1077 Minimum Kerb Weight ⁷ 1736 1837 2025 2113 Payload (based on Min Kerb Weight) ⁷ 1494 1393 1225 1137	Fuel Tank Capacity (L)	80	80	80	80
Gross Combined Mass? 6200 6200 6200 6250 Gross Vehicle Mass? 3230 3230 3250 3250 Front Gross Axle Weight Rating? 1450 1450 1450 1490 Rear Gross Axle Weight Rating? 1959 1959 1959 1959 Kerb Weight? 1783 1883 2115 2173 Payload (based on Kerb Weight)? 1447 1347 1135 1077 Minimum Kerb Weight? 1736 1837 2025 2113 Payload (based on Min Kerb Weight)? 1494 1393 1225 1137	Fuel Type	Diesel	Diesel	Diesel	Diesel
Gross Vehicle Mass ⁷ 3230 3230 3250 3250 Front Gross Axle Weight Rating ⁷ 1450 1450 1450 1490 Rear Gross Axle Weight Rating ⁷ 1959 1959 1959 1959 Kerb Weight ⁷ 1783 1883 2115 2173 Payload (based on Kerb Weight) ⁷ 1447 1347 1135 1077 Minimum Kerb Weight ⁷ 1736 1837 2025 2113 Payload (based on Min Kerb Weight) ⁷ 1494 1393 1225 1137	Vehicle Masses (kg)				
Front Gross Axle Weight Rating7 1450 1450 1450 1450 1490 Rear Gross Axle Weight Rating7 1959 1959 1959 1959 1959 Kerb Weight7 1783 1883 2115 2173 Payload (based on Kerb Weight)7 1447 1347 1135 1077 Minimum Kerb Weight7 1736 1837 2025 2113 Payload (based on Min Kerb Weight)7 1494 1393 1225 1137	Gross Combined Mass ⁷	6200	6200	6200	6250
Rear Gross Axle Weight Rating ⁷ 1959 1959 1959 1959 Kerb Weight ⁷ 1783 1883 2115 2173 Payload (based on Kerb Weight) ⁷ 1447 1347 1135 1077 Minimum Kerb Weight ⁷ 1736 1837 2025 2113 Payload (based on Min Kerb Weight) ⁷ 1494 1393 1225 1137	Gross Vehicle Mass ⁷	3230	3230	3250	3250
Kerb Weight ⁷ 1783 1883 2115 2173 Payload (based on Kerb Weight) ⁷ 1447 1347 1135 1077 Minimum Kerb Weight ⁷ 1736 1837 2025 2113 Payload (based on Min Kerb Weight) ⁷ 1494 1393 1225 1137	Front Gross Axle Weight Rating ⁷	1450	1450	1450	1490
Payload (based on Kerb Weight) ⁷ 1447 1347 1135 1077 Minimum Kerb Weight ⁷ 1736 1837 2025 2113 Payload (based on Min Kerb Weight) ⁷ 1494 1393 1225 1137	Rear Gross Axle Weight Rating ⁷	1959	1959	1959	1959
Minimum Kerb Weight ⁷ 1736 1837 2025 2113 Payload (based on Min Kerb Weight) ⁷ 1494 1393 1225 1137	Kerb Weight ⁷	1783	1883	2115	2173
Payload (based on Min Kerb Weight) ⁷ 1494 1393 1225 1137	Payload (based on Kerb Weight) ⁷	1447	1347	1135	1077
	Minimum Kerb Weight ⁷	1736	1837	2025	2113
Tare Weight ⁷ 1719 1819 2051 2109	Payload (based on Min Kerb Weight) ⁷	1494	1393	1225	1137
	Tare Weight ⁷	1719	1819	2051	2109

4x2 | XL, XLT Ranger 2026MY Specifications

	XL	XL	XL	XLT
	4x2 Hi-Rider Single Cab Cab-Chassis	4x2 Hi-Rider Super Cab Cab-Chassis	4x2 Hi-Rider Double Cab Pick-up	4x2 Hi-Rider Double Cab Pick-up
Engine	2.0L Single Turbo	2.0L Single Turbo	2.0L Single Turbo	2.0L Bi-Turbo
Pick-up Box Dimensions ⁸ (mm)				
Height - at centreline of axle	_	_	529	525
Height - floor height to ground	_	_	816	831
Length - at floor	_	_	1547	1464
Length - top of box	_	_	1471	1468
Width - between wheelhouses	_	_	1224	1217
Width - pick-up box	_	_	1584	1520
Width - rear opening	_	_	1413	1393
Exterior Dimensions ⁸ (mm)				
Length - with rear bumper (where fitted) without tow receiver9	5225	5225	5370	5370
Length - with rear bumper (where fitted) with tow receiver ⁹	5406	5406	5406	5406
Width - exterior mirrors extended	2208	2208	2208	2208
Width - exterior mirrors folded	2015	2015	2015	2015
Width - excluding mirrors	1910	1910	1910	1918
Height - to top of antenna base	1872	1866	1875	1886
Overhang - front	865	865	865	865
Overhang - rear	1070	1070	1215	1215
Track - front and rear	1620	1620	1620	1620
Wheelbase	3270	3270	3270	3270
Ground Clearance (unladen)	224	224	224	234
Wading Depth ¹⁰	800	800	800	800
Approach Angle (unladen, degrees)	29	29	29	30
Departure Angle (unladen, degrees) ¹¹	29	29	25	23
Ramp Breakover Angle (degrees)	21	20	20	21
Turning Circle (meters)	12.9	12.9	12.9	12.9

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

Disclaimer

1. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. 2. Mud/Rut Mode intended for off-road use only. 3. Sand Mode intended for off-road use only. 4. Baja Mode intended for off-road use only. 5. Rock Crawl Mode intended for off-road use only. 6. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, options accessories, condition and use. 7. Subject to State and Territory regulations. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the heaviest possible combination of factory fitted optional equipment included. Minimum Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the heaviest possible combination of factory fitted optional equipment included. All payloads are calculated by deducting either the vehicle's Kerb Weight, Minimum Kerb Weight or Tare Weight from its Gross Vehicle Mass (GVM). Payload (based on Kerb Weight) is the maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). Ranger Raptor payload is calculated by deducting the vehicle's Tare Weight from its Gross Vehicle Mass (GVM). All Chassis Cab payloads, kerb and tare weights exclude weights of tray bodies. Vehicle weights are approximate and subject to individual variances. Vehicles should be weighted before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross A

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost A = Accessory fitted at Ford Dealer at an additional cost

Some features may be impacted by the removal of the standard load box fitted to the vehicle.

	XL	XL	XL	XLT
	4x2 Hi-Rider Single Cab Cab-Chassis	4x2 Hi-Rider Super Cab Cab-Chassis	4x2 Hi-Rider Double Cab Pick-up	4x2 Hi-Rider Double Cab Pick-up
Engine	2.0L Single Turbo	2.0L Single Turbo	2.0L Single Turbo	2.0L Bi-Turbo
Interior Dimensions ¹² (mm)				
2nd Row Headroom	_	935	989	989
2nd Row Legroom	_	759	879	879
2nd Row Shoulder Room	_	1392	1440	1440
Front Headroom	1024	1024	1024	1024
Front Legroom	1057	1057	1057	1057
Front Shoulder Room	1450	1450	1450	1450
Chassis & Suspension				
Front Disc / Rear Drum brakes	S	S	S	_
Front and rear vented discs with electronic Brake Booster	_	_	_	S
Electrical Power Assisted Steering	S	S	S	S
Heavy Duty Suspension	S	S	S	_
Locking Rear Differential	_	_	_	S
Wheels				
16" Steel with All Season Tyres	S	S	S	_
16" Alloy with All Season Tyres	_	_	_	_
17" Alloy with All Season Tyres	_	_	_	S
17" Alloy with All Terrain BF Goodrich KO2 Tyres	_	_	_	_
18" Alloy with All Season Tyres	_	_	_	_
18" Alloy with All Terrain Tyres	_	_	_	_
Spare Wheel - 16" Steel	S	S	S	_
Spare Wheel - 17" Steel	_	_	_	S
Spare Wheel - 17" Alloy	_	_	_	_
Spare Wheel - 18" Alloy	_	_	_	_
LT285/70R17 BF Goodrich KO2 High Performance All Terrain tyres	_	_	_	_
Exterior Lighting				
Headlamps - Halogen	S	S	S	_
Headlamps - LED	_	<u> </u>	_	S
Headlamps - Matrix LED with Auto Leveling & Dynamic Bending	_	_	_	_
Daytime Running Lamps - Halogen	S	S	S	
Daytime Running Lamps - LED	_	<u> </u>	_	S
Front Fog Lamps - Halogen	_	_	_	S
Front Fog Lamps - LED	_	_	_	_
Taillamps - Halogen	S	S	_	_
Taillamps - LED		_	S	S
Tailgate Mounted Stop Light	_		S	S
Zone Lighting ¹³	<u> </u>			_

	XL	XL	XL	XLT
	4x2 Hi-Rider Single Cab Cab-Chassis	4x2 Hi-Rider Super Cab Cab-Chassis	4x2 Hi-Rider Double Cab Pick-up	4x2 Hi-Rider Double Cab Pick-up
Engine	2.0L Single Turbo	2.0L Single Turbo	2.0L Single Turbo	2.0L Bi-Turbo
Exterior				
Exterior Mirrors - Power Adjustable	S	S	S	S
Exterior Mirrors - Power Folding	_	_	S	S
Exterior Mirrors - Puddle Lamps	_	_	_	_
Steel Underbody Protection	_	_	_	_
Side Steps	_	_	_	S
Rear Box Step	_	_	S	S
Roof Rails	_	_	_	_
Sports Bar ¹⁴	_	_	_	S
Sports Hoop/Sailplane ¹⁴	_	_	_	_
Load Box Elements				
Tailgate Ruler	_	_	S	_
Drop In Bedliner (without Tailgate Ruler) ¹⁴	_	_	_	S
Tough Bed™ Spray-In Bedliner (incl. Tailgate Ruler)	_	_	_	_
400W Power Inverter in Bedliner	_	_	_	S
Box Top Protective Capping with Load Box Access Caps ¹⁴	_	_	S	S
Aluminum Tie Down Rails ¹⁴	_	_	_	_
Inner Tie Downs	_	_	S	S
Cargo Management System	_	_	_	_
Load Rest ¹⁴	_	_	S	_
Load Box Illumination	_	_	S	S
Tailgate Cargo Clamps	_	_	S	S
Tailgate Cupholders	_	_	S	S
Power Tailgate Lock	_	_	_	S
Tailgate with Lift Assistance	_		S	S
Power Roller Shutter ¹⁴	_	_	_	_

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

Disclaimer:

12. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All Pick-up box dimensions take into account the Drop-In or Spray-In Bedliner where standard. 13. Zone Lighting will not operate if battery charge is insufficient. The length of time that Zone Lighting will operate depends on the battery charge, the types of lights fitted to the vehicle (LED or Bulb) and other electrical loads connected to the vehicle. The system will automatically turn off after a period of time to preserve the battery's engine starting performance.

14. Load Rest (XL/XLS), Sports Bar (XLT/Sport), Sports Hoop/Sailplane, Aluminum Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected.

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost A = Accessory fitted at Ford Dealer at an additional cost

	XL	XL	XL	XLT
	4x2 Hi-Rider Single Cab Cab-Chassis	4x2 Hi-Rider Super Cab Cab-Chassis	4x2 Hi-Rider Double Cab Pick-up	4x2 Hi-Rider Double Cab Pick-up
Engine	2.0L Single Turbo	2.0L Single Turbo	2.0L Single Turbo	2.0L Bi-Turbo
Interior, Seating and Door Trim				
Leather Wrapped Steering Wheel & Gear Knob	_	_	_	_
Steering Wheel Reach & Height Adjust	S	S	S	S
Electric Parking Brake	_	_	_	S
e-Shifter	_	_	_	_
Seating Capacity	2	4	5	5
Heated Seats - Front Driver & Passenger	_	_	_	_
Seat Material - Cloth	S	S	S	_
Seat Material - Premium Cloth	_	_	_	S
Seat Material - Leather Accented (excluding 2nd row middle seat) ¹⁵	_	_	_	_
Driver Seat - 8-Way Manual	S	S	S	S
Driver Seat - 8-Way Power	_	_	_	_
Front Passenger Seat - 4-Way Manual	S	S	S	S
Front Passenger Seat - 6-Way Manual	_	_	_	_
Front Passenger Seat - 8-Way Power	_	_	_	_
Driver Seat 10-Way Power	_	_	_	_
Child Seat Upper Anchorage Points (x 2)	_	_	S	S
Child Seat ISOFIX Anchorage Points (x 2)	_	_	S	S
Floor Covering - Vinyl	S	S	S	_
Floor Covering - Carpet	_	_	_	S
Floor Mats - Driver	_	_	_	S
Floor Mats - Driver & Front Passenger	_	_	_	_
Comfort and Convenience				
Ambient Lighting	_	_	_	_
Auxiliary Switch Bank	_	_	_	_
Centre Console with Single Lid and 2 Cup Holders	S	S	S	S
Instrument Panel Cup Holders	_	_	_	_
Charging				
- Interior 12V Power Outlet	1	2	2	2
- Wireless Charging ¹⁶	_	_	<u> </u>	_
- Total USB Points	2	2	2	2
- 400W Socket - Rear of console	_	_	_	S
- 400W Power Socket in Bedliner	_	_	_	S
Climate Control - Single-Zone Manual	S	S	S	_
Climate Control - Dual-Zone	_	_	_	S
Rear Air Vent Registers	_	_	_	S
Auto Headlamp On-Off	S	S	S	S
Auto High Beam	_	_	_	_
Front Power Windows	S	S	S	S

4x2 | XL, XLT Ranger 2026MY Specifications

	XL	XL	XL	XLT
	4x2 Hi-Rider Single Cab Cab-Chassis	4x2 Hi-Rider Super Cab Cab-Chassis	4x2 Hi-Rider Double Cab Pick-up	4x2 Hi-Rider Double Cab Pick-up
Engine	2.0L Single Turbo	2.0L Single Turbo	2.0L Single Turbo	2.0L Bi-Turbo
Comfort and Convenience (continued)				
Rear Power Windows	_	_	S	S
Privacy Glass	_	_	_	S
Rain Sensing Windscreen Wipers	_	_	_	S
Rear Window Defrost	S	S	S	S
Electrochromatic Rear View Mirror	_	_	-	S
Underseat Stowage	_	S	S	S
Audio and Communication				
Embedded Modem	S	S	S	S
FordPass Connect ¹⁷	S	S	S	S
Colour Digital Instrument Cluster with Configurable Display - 8-inch	S	S	S	S
Colour Digital Instrument Cluster with Configurable Display - 12.4-inch	_	_	-	_
Colour Multi-Function Touch Screen Display - 10.1-inch	S	S	S	S
Colour Multi-Function Touch Screen Display - 12-inch	_	_	-	_
Speakers	2	4	4	6
B&O Premium Audio System (10 Speakers) ¹⁸	_	_		_
DAB+/AM/FM Radio	_	_	-	S
Bluetooth® with Phone/Audio Streaming¹9	S	S	S	S
Built-In Satellite Navigation with one year of Connected Navigation Services included ²⁰	_	_	_	S
SYNC®4A ²¹	S	S	S	_
SYNC®4A with Voice-Activated Controls ²¹	_	_		S
Steering Wheel Audio/Function Control	S	S	S	S
Wireless Apple CarPlay™ & Android Auto™22	S	S	S	S

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost A = Accessory fitted at Ford Dealer at an additional cost

Disclaimer

15. Leather accented refers to seats with a combination of real and artificial leather. No leather in 2nd row middle seat. 16. Wireless Charging only available with compatible phones. 17. Use of FordPass is subject to the FordPass Terms and Privacy Policy available on ford.com.au/fordpass and requires a compatible mobile device, internet access and software (including software updates from time to time). FordPass functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App on your mobile device, including associated fees. The FordPass App and FordPass Connect modem can only work when both are connected to the telecommunications network. The FordPass Connect modem will only function on the 3G or 4G telecommunications networks. When these networks are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford —— cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. **18.** BANG & OLUFSEN© 2024 and B&O© 2024. BANG & OLUFSEN™ and B&O™ are registered trademarks of Bang & Olufsen Group. Licensed by Harman Becker Automotive System Manufacturing Kft. All rights reserved. 19. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 20. Eligible vehicles receive Connected Navigation Services for 1 year from the Ford Express New Vehicle Warranty start date, after which time the Connected Navigation Services may cease to be available, or may be subject to a subscription fee. To use Connected Navigation Services, users must have created a FordPass App account (terms apply), have fully activated the vehicle's FordPass Connect modem and have SYNC Location set to 'on'. 21. Don't drive distracted. Use voice operated systems where possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates. 22. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android[™] (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay/Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions.

4x2 | XL, XLT Ranger 2026MY Specifications

	XL	XL	XL	XLT
	4x2 Hi-Rider Single Cab Cab-Chassis	4x2 Hi-Rider Super Cab Cab-Chassis	4x2 Hi-Rider Double Cab Pick-up	4x2 Hi-Rider Double Cab Pick-up
Engine	2.0L Single Turbo	2.0L Single Turbo	2.0L Single Turbo	2.0L Bi-Turbo
Safety and Security				
Perimeter Alarm System	_	_	_	S
Airbags x 9 - Front, Side, Knee & Full Length Curtain (Driver & Passenger) & Far Side Driver Front Airbag	S	S	S	S
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S
Child Proof Rear Door Locks	_	_	S	S
Emergency Assistance ²³	S	S	S	S
Power Door Locks	S	S	S	S
Smart Keyless Entry with Push Button Start	_	_	_	S
Driver Assistance				
Adaptive Cruise Control ²⁴	S	S	S	_
Intelligent Adaptive Cruise Control with Stop & Go, Traffic Sign Recognition and Lane Centring ²⁵	_	_	_	S
Intelligent Speed Assist ²⁶	S	S	S	S
Blind Spot Monitoring with Cross Traffic Alert ²⁴	_	_	S	_
Blind Spot Monitoring with Cross Traffic Alert and Trailer Coverage ²⁷	_		Р	S
Dynamic Stability Control (DSC) incorporating ABS, Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Load Adaptive Control, Roll Over Mitigation, Traction Control and Trailer Sway Control ²⁴	S	S	S	S
Evasive Steer Assist ²⁴	S	S	S	S
Lane Keeping Aid with Road Edge Detection and Driver Alert System ²⁸	S	S	S	S
Post Impact Braking ²⁴	S	S	S	S
Pre-Collision Assist with Autonomous Emergency Braking (AEB) ²⁹	S	S	S	S
Reverse Brake Assist ³⁰	_	_	S	S
Parking Sensors - Front ²⁴	_	_	_	S
Parking Sensors - Rear ²⁴	_	_	S	S
Rear View Camera - Analogue ³¹	S	S	_	_
Rear View Camera - Integrated Digital ²⁴	_	_	S	S
360-Degree Camera ²⁴	_	_	_	_
Traffic Sign Recognition ³²	S	S	S	S
Tyre Pressure Monitoring System	_	_	_	S
Towing				
Maximum Braked Towing Capacity (kg) ³³	3,500	3,500	3,500	3,500
Pro Trailer Back-up Assist ^{TM 24}	_	-	_	_
Tow Bar Receiver with Integrated Trailer Brake Controller ³⁴	P	Р	Р	S
Trailer Light Check ³⁵	Р	Р	Р	S
Towing Vehicle Integration with Towing Checklist	S	S	S	S
Tow Haul Mode (part of Selectable Drive Modes ²⁴)	_	_		S

4x2 | XL, XLT Ranger 2026MY Specifications

	XL	XL	XL	XLT
	4x2 Hi-Rider Single Cab Cab-Chassis	4x2 Hi-Rider Super Cab Cab-Chassis	4x2 Hi-Rider Double Cab Pick-up	4x2 Hi-Rider Double Cab Pick-up
Engine	2.0L Single Turbo	2.0L Single Turbo	2.0L Single Turbo	2.0L Bi-Turbo
Off-Road				
Off-Road Screen ²⁴	_	_	_	_
Hill Descent Control ²⁴	_	_	_	_
Locking Rear Differential	_	_	_	S
Front Recovery Hook	1	1	1	1
Rear Recovery Hook	_	_	_	_
Ford Factory Fitted Options				
Stylish Canopy (Dual Lift) ³⁶	_	_	0	0
Stylish Canopy (Lift and Slide) ³⁶	_	_	0	0
Commercial Canopy ³⁶	_	_	0	0
Additional XL Wheel Centre Cap Pack to Suit Wheel Nut Indicator Fitment	0	0	0	_
Towing Pack - Tow Bar Receiver with Integrated Trailer Brake Controller ³⁴ and Trailer Light Check ³⁵	_	_	_	S
Towing Pack - Tow Bar with Integrated Trailer Brake Controller ³⁴ and Trailer Light Check ³⁵	O	О	0	_
Blind Spot Monitoring Trailer Coverage ²⁶	_	_	0	S
Prestige Paint	0	Ο	0	Ο

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

- P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost A = Accessory fitted at Ford Dealer at an additional cost

Disclaimer:

23. Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. 24. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. 25. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Intelligent Adaptive Cruise Control (iACC) uses various data to adjust the set speed of the vehicle to the speed limit detected by the system. The iACC system will not always detect the correct speed limit and may set a vehicle speed that is above or below the actual speed limit. If the system does this, it can be overridden by the driver applying the brake or accelerator or via steering wheel controls. In some circumstances, iACC will use map data to set the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. Adaptive Cruise Control and Lane Centring has a minimum operating speed of 20km/hr. Detection of lower speed limit will result in system entering standby when iACC is active. The Stop and Go functionality of this system operates — as low as Okm/hr in traffic jam situations. Lane Centring feature should be disabled via the Driver Assistance menu in SYNC before towing. Customers should read the Owner's Manual for details of the limitations of the iACC system before activating. Speed Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. On Ranger models with Satellite Navigation, in some circumstances, Speed Sign Recognition — nition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. 26. Driver-assist features are supplemental and do not replace ___ the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Intelligent Speed Assist (ISA) uses various data to limit the set speed of the vehicle to the speed limit detected by the system. The ISA system will not always detect the correct speed limit and may limit a vehicle speed above or below the actual speed limit. ISA can be temporarily overridden by the driver firmly pressing the accelerator. Customers should read the Owner's Manual for details of the limitations of the ISA system before activating. On Ranger models with Satellite Navigation, in some circumstances, ISA will use map data to limit the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. 27. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Trailer Coverage system (requires a genuine factory fit tow bar) supports conventional trailer dimensions: up to 2.4m wide (measured at trailer front) and up to 10m long from the rear of your vehicle. Drivers will need to create a profile of their trailers in SYNC to support this system. 28. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Road Edge Detection designed for use on rural roads at speeds of 65 – 110km/h. The feature does not detect every edge and does require a level of contrast between the road surface and the edge. 29. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the wehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Pre-collision Assist with Automatic Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. It does not replace safe driving. See Owner's Manual for Limitations. 30. Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Please see Owner's Manual for more information. Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h. 31. Analogue Rear Vie Camera is provided and will need to be fitted to the vehicle by a body builder. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. 32. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Speed Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. On Ranger models with Satellite Navigation, in some circumstances Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. 33. Maximum towing capacity-braked using a Genuine Ford tow pack. Standard on XLS, XLT, Sport, Wildtrak, Platinum, and Raptor models. Available as part of a pack at additional cost on XL. The standard Genuine Ford tow pack on XLS, XLT, Sport, and Raptor models do not include a tow hitch, which is available at an additional cost. Subject to State and Territory regulations. To comply with regulations and vehicle GCM and GVM limits, the weight of any load transported by the vehicle may need to be restricted. For further details regarding load weight restrictions, please consult your authorised Ford Dealer and refer to the Owner's Manual. 34. Drivers will need to create a — profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. 35. Trailer Light Check requires a Genuine Ford Tow Bar to be fitted and can be used via SYNC, or via FordPass app as a Connected Service. Where used via the app as a Connected Service may cease to be available, or — may be subject to a subscription fee. Users must have created a FordPass App account (terms apply) and have fully activated the vehicle's FordPass Connect modem to use this feature via the app. 36. Load Rest (XL/XLS), Sports Bar (XLT/ Sport), Sports Hoop/Sailplane, Aluminum Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. Drop In Bedliner may be trimmed to acEngine

Maximum Power

Maximum Torque

Transmissions

Driveline

Part-time 4x4

Full-time 4WD

- Normal

- Tow / Haul

- Mud / Ruts²

- Rock Crawl⁵

CO₂ Emissions (g/km)(Auto)⁶

Fuel Tank Capacity (L)

Vehicle Masses (kg)

Gross Vehicle Mass⁷

Kerb Weight⁷

Tare Weight⁷

Gross Combined Mass⁷

Front Gross Axle Weight Rating⁷

Rear Gross Axle Weight Rating⁷

Payload (based on Kerb Weight)⁷

Payload (based on Min Kerb Weight)⁷

Minimum Kerb Weight⁷

Combined Fuel Economy (L/100km)(Auto)6

- Slippery

- Sand³

- Sport

- Baja⁴

Fuel

Fuel Type

- Eco

Selectable Drive Modes¹

RWD

6-speed automatic transmission

10-speed automatic transmission

XL

4x4

Single Cab

Cab-Chassis

2.0L Bi-Turbo

154kW @ 3,750rpm

500Nm @

S

S

7.2

189

80

Diesel

6350

3230

1490

1959

1893

1337

1856

1374

1829

1,750-2,500rpm

XL

4x4

Super Cab

Cab-Chassis

2.0L Bi-Turbo

154kW @ 3,750rpm

500Nm @

1,750-2,000rpm

S

S

7.2

189

80

Diesel

6350

3230

1490

1959

1994

1236

1957

1273

1930

	4x4 Xl
XLT	
4x4 Super Cab Pick-up	
2.0L Bi-Turbo	Engine
154kW @ 3,750rpm	Pick-up B
500Nm @	Height - a
1,750-2,000rpm	Height - f
	Length - a
_	Length - t
S	Width - b
	Width - p
_	Width - re
S	Exterior [
_	Length - v
	Length - v
S	Width - e
S	- Width - e
	- Width - e
S	Height - t
S	Overhang
_	Overhang
_	Track - fro
_	Wheelbas
_	Ground C
_	Wading D
	Approach
7.2	Departure
189	Ramp Bre
80	Turning C
Diesel	S = Standar
	P = Part of aSome feature
6350	-
	_
3230	Disclaimer: 1. Driver-assis
1450	See Owner's intended for
1959	ures will be a
2171	accessories, of factory fitt
1059	factory fit eq are calculate
2148	occupants, ca
1082	All Chassis Colload, accesso
2107	subject to inc standard. 9.

4x4 | XL, XLT Ranger 2026MY Specifications

	XL	XL	XLT
	4x4 Single Cab Cab-Chassis	4x4 Super Cab Cab-Chassis	4x4 Super Cab Pick-up
Engine	2.0L Bi-Turbo	2.0L Bi-Turbo	2.0L Bi-Turbo
Pick-up Box Dimensions ⁸ (mm)			
Height - at centreline of axle	_	-	526
Height - floor height to ground	_	-	830
Length - at floor	_	_	1839
Length - top of box	_	_	1766
Width - between wheelhouses	_	_	1218
Width - pick-up box	_	_	1578
Width - rear opening	_	_	1407
Exterior Dimensions ⁸ (mm)			
Length - with rear bumper (where fitted) without tow receiver9	5225	5225	5370
Length - with rear bumper (where fitted) with tow receiver ⁹	5406	5406	5406
Width - exterior mirrors extended	2208	2208	2208
Width - exterior mirrors folded	2015	2015	2015
Width - excluding mirrors	1910	1910	1918
Height - to top of antenna base	1872	1866	1877
Overhang - front	865	865	865
Overhang - rear	1070	1070	1215
Track - front and rear	1620	1620	1620
Wheelbase	3270	3270	3270
Ground Clearance (unladen)	224	224	234
Wading Depth ¹⁰	800	800	800
Approach Angle (unladen, degrees)	29	29	30
Departure Angle (unladen, degrees) ¹¹	29	29	23
Ramp Breakover Angle (degrees)	21	20	21
Turning Circle (meters)	12.9	12.9	12.9

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

1. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. 2. Mud/Rut Mode intended for off-road use only. 4. Baja Mode intended for off-road use only. 5. Rock Crawl Mode intended for off-road use only. 6. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, options and accessories, condition and use. 7. Subject to State and Territory regulations. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the heaviest possible combination of factory fitted optional equipment included. Minimum Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the lightest possible orderable combination of factory fit equipment. Tare Weight includes the vehicle with 10L of fuel, without occupants, luggage or cargo and with the lightest possible orderable combination of factory fit equipment. Tare Weight includes the vehicle with 10L of fuel, without occupants, luggage or cargo and with the lightest possible orderable combination of factory fitted optional equipment included. All payloads are calculated by deducting either the vehicle's Kerb Weight, Minimum Kerb Weight or Tare Weight from its Gross Vehicle Mass (GVM). Payload (based on Kerb Weight) is the maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). Ranger Raptor payload is calculated by deducting the vehicle's Tare Weight from its Gross Vehicle Mass (GVM). All Chassis Cab payloads, kerb and

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost A = Accessory fitted at Ford Dealer at an additional cost Some features may be impacted by the removal of the standard load box fitted to the vehicle.

4x4 | XL, XLT Ranger 2026MY Specifications

	XL	XL	XLT
	4x4	4x4	4x4
	Single Cab Cab-Chassis	Super Cab Cab-Chassis	Super Cab Pick-up
Engine	2.0L Bi-Turbo	2.0L Bi-Turbo	2.0L Bi-Turbo
Interior Dimensions ¹² (mm)		-	
2nd Row Headroom	_	935	935
2nd Row Legroom	_	759	759
2nd Row Shoulder Room	_	1392	1392
Front Headroom	1024	1024	1024
Front Legroom	1057	1057	1057
Front Shoulder Room	1450	1450	1450
Chassis & Suspension			
Heavy Duty Suspension	S	S	_
Front Disc / Rear Drum brakes	S	S	_
Front and rear vented discs with electronic Brake Booster	_	_	S
Electrical Power Assisted Steering	S	S	S
Locking Rear Differential	S	S	S
Wheels			
16" Steel with All Season Tyres	S	S	_
16" Alloy with All Season Tyres	_	_	_
17" Alloy with All Season Tyres	_	_	S
17" Alloy with All Terrain BF Goodrich KO2 Tyres	_	_	_
18" Alloy with All Season Tyres	_	_	_
18" Alloy with All Terrain Tyres	_	_	_
Spare Wheel - 16" Steel	S	S	_
Spare Wheel - 17" Steel	_	_	S
Spare Wheel - 17" Alloy	_	_	_
Spare Wheel - 18" Alloy	_	_	_
LT285/70R17 BF Goodrich KO2 High Performance All Terrain tyres	_	_	_
Exterior Lighting			
Headlamps - Halogen	S	S	_
Headlamps - LED		_	S
Headlamps - Matrix LED with Auto Leveling & Dynamic Bending		_	_
Daytime Running Lamps - Halogen	S	S	_
Daytime Running Lamps - LED	_		S
Front Fog Lamps - Halogen	-	_	S
Front Fog Lamps - LED	-	_	_
Taillamps - Halogen	S	S	
Taillamps - LED			S
Tailgate Mounted Stop Light	_	_	S
Zone Lighting ¹³	_	_	P

4x4 | XL, XLT Ranger 2026MY Specifications

	XL	XL	XLT
	4x4 Single Cab Cab-Chassis	4x4 Super Cab Cab-Chassis	4x4 Super Cab Pick-up
Engine	2.0L Bi-Turbo	2.0L Bi-Turbo	2.0L Bi-Turbo
Exterior			
Exterior Mirrors - Power Adjustable	S	S	S
Exterior Mirrors - Power Folding	_	_	S
Exterior Mirrors - Puddle Lamps	_	_	Р
Steel Underbody Protection	S	S	S
Side Steps	_	_	S
Rear Box Step	_	_	S
Roof Rails	-	_	_
Sports Bar ¹⁴	_	_	S
Sports Hoop/Sailplane ¹⁴	_	_	_
Load Box Elements			
Tailgate Ruler	_	_	S
Drop In Bedliner (without Tailgate Ruler) ¹⁴	_	_	_
Tough Bed™ Spray-In Bedliner (incl. Tailgate Ruler)	_	_	S
400W Power Inverter in Bedliner	-	_	S
Box Top Protective Capping with Load Box Access Caps ¹⁴	-	_	S
Aluminum Tie Down Rails ¹⁴	_	_	_
Inner Tie Downs	_	_	S
Cargo Management System	_	_	Р
Load Rest ¹⁴	-	_	_
Load Box Illumination	_	_	S
Tailgate Cargo Clamps	_	_	S
Tailgate Cupholders	_	_	S
Power Tailgate Lock	-		S
Tailgate with Lift Assistance	_	_	S
Power Roller Shutter ¹⁴	_	_	_

Disclaimer:

12. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All Pick-up box dimensions take into account the Drop-In or Spray-In Bedliner where standard. 13. Zone Lighting will not operate if battery charge is insufficient. The length of time that Zone Lighting will operate depends on the battery charge, the types of lights fitted to the vehicle (LED or Bulb) and other electrical loads connected to the vehicle. The system will automatically turn off after a period of time to preserve the battery's engine starting performance.

14. Load Rest (XL/XLS), Sports Bar (XLT/Sport), Sports Hoop/Sailplane, Aluminum Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected.

Leather Wrapped Steering Wheel & Gear Knob

Steering Wheel Reach & Height Adjust

Heated Seats - Front Driver & Passenger

Front Passenger Seat - 4-Way Manual

Front Passenger Seat - 6-Way Manual

Front Passenger Seat - 8-Way Power

Child Seat Upper Anchorage Points (x 2)

Child Seat ISOFIX Anchorage Points (x 2)

Floor Mats - Driver & Front Passenger

Centre Console with Single Lid and 2 Cup Holders

Seat Material - Leather Accented (excluding 2nd row middle seat)¹⁵

Engine

e-Shifter

Interior, Seating and Door Trim

Electric Parking Brake

Seat Material - Cloth

Seat Material - Premium Cloth

Driver Seat - 8-Way Manual

Driver Seat - 8-Way Power

Driver Seat 10-Way Power

Floor Covering - Vinyl

Floor Mats - Driver

Ambient Lighting

Charging

Auxiliary Switch Bank

Floor Covering - Carpet

Comfort and Convenience

Instrument Panel Cup Holders

- Interior 12V Power Outlet

- 400W Socket - Rear of console

- 400W Power Socket in Bedliner

Climate Control - Single-Zone Manual

- Wireless Charging¹⁶

Climate Control - Dual-Zone

Rear Air Vent Registers

Auto Headlamp On-Off

Front Power Windows

Rear Power Windows

Auto High Beam

- Total USB Points

Seating Capacity

XL

4x4

Single Cab

Cab-Chassis

2.0L Bi-Turbo

S

S

S

S

S

S

S

_

S

XL

4x4

Super Cab

Cab-Chassis

2.0L Bi-Turbo

S

S

S

S

S

S

_

2

S

_

S

4x4 | XL, XLT Ranger 2026MY Specifications

	XL	XL	XLT
	4x4 Single Cab Cab-Chassis	4x4 Super Cab Cab-Chassis	4x4 Super Cab Pick-up
Engine	2.0L Bi-Turbo	2.0L Bi-Turbo	2.0L Bi-Turbo
Comfort and Convenience (continued)			
Privacy Glass	_	_	S
Rain Sensing Windscreen Wipers	_	_	S
Rear Window Defrost	S	S	S
Electrochromatic Rear View Mirror	-	_	S
Underseat Stowage	_	S	S
Audio and Communication			
Embedded Modem	S	S	S
FordPass Connect ¹⁷	S	S	S
Colour Digital Instrument Cluster with Configurable Display - 8-inch	S	S	S
Colour Digital Instrument Cluster with Configurable Display - 12.4-inch	-	_	_
Colour Multi-Function Touch Screen Display - 10.1-inch	S	S	S
Colour Multi-Function Touch Screen Display - 12-inch	_	_	_
Speakers	2	4	6
B&O Premium Audio System (10 Speakers) ¹⁸	_	_	_
DAB+/AM/FM Radio	_	_	S
Bluetooth® with Phone / Audio Streaming¹9	S	S	S
Built-In Satellite Navigation with one year of Connected Navigation Services included ²⁰	_	_	S
SYNC®4A ²¹	S	S	_
SYNC®4A with Voice-Activated Controls ²¹	_	_	S
Steering Wheel Audio/Function Control	S	S	S
Wireless Apple CarPlay™ & Android Auto™22	S	S	S

S = Standard **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost A = Accessory fitted at Ford Dealer at an additional cost

15. Leather accented refers to seats with a combination of real and artificial leather. No leather in 2nd row middle seat. 16. Wireless Charging only available with compatible phones. 17. Use of FordPass is subject to the FordPass Terms and Privacy Policy available on ford.com.au/fordpass and requires a compatible mobile device, internet access and software (including software updates from time to time). FordPass functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App on your mobile device, including associated fees. The FordPass App and FordPass Connect modem can only work when both are connected to the telecommunications network. The FordPass Connect modem will only function on the 3G or 4G telecommunications networks. When these networks are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. 18. BANG & OLUFSEN© 2024 and B&O© 2024. BANG & OLUFSEN™ and B&O™ are registered trademarks of Bang & Olufsen Group. Licensed by Harman Becker Automotive System Manufacturing Kft. All rights reserved. 19. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 20. Eligible vehicles receive Connected Navigation Services for 1 year from the Ford Express New Vehicle Warranty start date, after which time the Connected Navigation Services may cease to be available, or may be subject to a subscription fee. To use Connected Navigation Services, users must have created a FordPass App account (terms apply), have fully activated the vehicle's FordPass Connect modem and have SYNC Location set to 'on'. 21. Don't drive distracted. Use voice operated systems where possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates. 22. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions.

4x4 | XL, XLT Ranger 2026MY Specifications

	XL	XL	XLT
	4x4 Single Cab Cab-Chassis	4x4 Super Cab Cab-Chassis	4x4 Super Cab Pick-up
Engine	2.0L Bi-Turbo	2.0L Bi-Turbo	2.0L Bi-Turbo
Safety and Security			
Perimeter Alarm System	_	_	S
Airbags x 9 - Front, Side, Knee & Full Length Curtain (Driver & Passenger) & Far Side Driver Front Airbag	S	S	S
3 Point Lap Sash Seat Belt - All Positions	S	S	S
Child Proof Rear Door Locks	_	_	_
Emergency Assistance ²³	S	S	S
Power Door Locks	S	S	S
Smart Keyless Entry with Push Button Start	_	_	S
Driver Assistance			
Adaptive Cruise Control ²⁴	S	S	_
Intelligent Adaptive Cruise Control with Stop & Go, Traffic Sign Recognition and Lane Centring ²⁵	_	_	S
Intelligent Speed Assist ²⁶	S	S	S
Blind Spot Monitoring with Cross Traffic Alert ²⁴	_	_	_
Blind Spot Monitoring with Cross Traffic Alert and Trailer Coverage ²⁷	_	_	S
Dynamic Stability Control (DSC) incorporating ABS, Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Load Adaptive Control, Roll Over Mitigation, Traction Control & Trailer Sway Control ²⁴	S	S	S
Evasive Steer Assist ²⁴	S	S	S
Lane Keeping Aid with Road Edge Detection and Driver Alert System ²⁸	S	S	S
Post Impact Braking ²⁴	S	S	S
Pre-Collision Assist with Autonomous Emergency Braking (AEB) ²⁹	S	S	S
Reverse Brake Assist ³⁰	_	_	S
Parking Sensors - Front ²⁴	_	_	S
Parking Sensors - Rear ²⁴	_	_	S
Rear View Camera - Analogue ³¹	S	S	_
Rear View Camera - Integrated Digital ²⁴	_	_	S
360-Degree Camera ²⁴	_	_	Р
Traffic Sign Recognition ³²	S	S	S
Tyre Pressure Monitoring System	_	_	S
Towing			
Maximum Braked Towing Capacity (kg) ³³	3,500	3,500	3,500
Pro Trailer Back-up Assist ^{TM 24}	_	_	Р
Tow Bar Receiver with Integrated Trailer Brake Controller ³⁴	Р	Р	S
Trailer Light Check ³⁵	Р	Р	S
Towing Vehicle Integration with Towing Checklist	S	S	S
Tow Haul Mode (part of Selectable Drive Modes ²⁴)	_	_	S

4x4 | XL, XLT Ranger 2026MY Specifications

	XL	XL	XLT
	4x4 Single Cab Cab-Chassis	4x4 Super Cab Cab-Chassis	4x4 Super Cab Pick-up
Engine	2.0L Bi-Turbo	2.0L Bi-Turbo	2.0L Bi-Turbo
Off-Road			
Off-Road Screen ²⁴	-	_	_
Hill Descent Control ²⁴	S	S	S
Locking Rear Differential	S	S	S
Front Recovery Hook	1	1	1
Rear Recovery Hook	-	_	
Ford Factory Fitted Options			
17" Steel Wheels with All Terrain Tyres with 17" Steel Spare Wheel	0	0	
17" All Terrain Tyres	_	_	0
Additional XL Wheel Centre Cap Pack to Suit Wheel Nut Indicator Fitment	0	0	
Towing Pack - Tow Bar Receiver with Integrated Trailer Brake Controller ³⁴ and Trailer Light Check ³⁵	_	_	S
Towing Pack - Tow Bar with Integrated Trailer Brake Controller ³⁴ and Trailer Light Check ³⁵	Ο	O	_
Blind Spot Monitoring Trailer Coverage ²⁶	_	_	S
Touring Pack - Cargo Management System, Auxiliary Switch Bank, 360 Camera, ²² Puddle Lamps & Zone Lighting ³⁶ Pro Trailer Back-up Assist ^{™ 24}	_	_	O
Prestige Paint	0	0	0

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost A = Accessory fitted at Ford Dealer at an additional cost

Disclaimer:

23. Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. 24. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. 25. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Intelligent Adaptive Cruise Control (iACC) uses various data to adjust the set speed of the vehicle to the speed limit detected by the system. The iACC system will not always detect the correct speed limit and may set a vehicle speed that is above or below the actual speed limit. If the system does this, it can be overridden by the driver applying the brake or accelerator or via steering wheel controls. In some circumstances, iACC will use map data to set the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. Adaptive Cruise Control and Lane Centring has a minimum operating speed of 20km/hr. Detection of lower speed limit will result in system entering standby when iACC is active. The Stop and Go functionality of this system operates as low as 0km/hr in traffic jam situations. Lane Centring feature should be disabled via the Driver Assistance menu in SYNC before towing. Customers should read the Owner's Manual for details of the limitations of the iACC system before activating. Speed Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. On Ranger models with Satellite Navigation, in some circumstances, Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to paymentof a subscription fee. 26. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Intelligent Speed Assist (ISA) uses various data to limit the set speed of the vehicle to the speed limit detected by the system. The ISA system will not —— always detect the correct speed limit and may limit a vehicle speed above or below the actual speed limit. ISA can be temporarily overridden by the driver firmly pressing the accelerator. Customers should read the Owner's Manual for details of the limitations of the ISA system before activating. On Ranger models with Satellite Navigation, in some circumstances, ISA will use map data to limit the vehicle speed. Ford recommends keeping map data —— updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. 27. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Trailer Coverage system (requires a genuine factory fit tow bar) supports conventional trailer dimensions: up to 2.4m wide (measured at trailer front) and up to 10m long from the rear of your vehicle. Drivers will need to create a profile of their trailers in SYNC to support this system. 28. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Road Edge Detection designed for use on rural roads at speeds of 65 – 110km/h. The feature does not detect every edge and does require a level of contrast between the road surface and the edge. 29. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Pre-collision Assist with Automatic Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. It does not replace safe driving. See Owner's Manual for Limitations. 30. Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Please see Owner's Manual for more information. Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h. 31. Analogue Rear View Camera is provided and will need to be fitted to the vehicle by a body builder. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. 32. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Speed Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. On Ranger models with Satellite Navigation, in some circumstances Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. 33. Maximum towing capacity-braked using a Genuine Ford tow pack. Standard on XLS, XLT, Sport, Wildtrak, Platinum, and Raptor models. Available as part of a pack at additional cost on XL. The standard Genuine Ford tow pack on XLS, XLT, Sport, and Raptor models do not include a tow hitch, which is available at an additional cost. Subject to State and Territory regulations. To comply with regulations and vehicle GCM and GVM limits, the weight of any load transported by the vehicle may need to be restricted. For further details regarding load weight restrictions, please consult your authorised Ford Dealer and refer to the Owner's Manual. 34. Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. 35. Trailer Light Check requires a Genuine Ford Tow Bar to be fitted and can be used via SYNC, or via FordPass app as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a FordPass App account (terms apply) and have fully activated the vehicle's FordPass Connect modem to use this feature via the app. 36. Zone Lighting will not operate if battery charge is insufficient. The length of time that Zone Lighting will operate depends on the battery charge, the types of lights fitted to the vehicle (LED or Bulb) and other electrical loads connected to the vehicle. The system will automatically turn off after a period of time to preserve the battery's engine starting performance.

4x4 | XL Ranger 2026MY Specifications

	XL	XL	XL	XL
	4x4 Double Cab Cab-Chassis	4x4 Double Cab Cab-Chassis	4x4 Double Cab Pick-up	4x4 Double Cab Pick-up
Engine	2.0L Single Turbo	2.0L Bi-Turbo	2.0L Single Turbo	2.0L Bi-Turbo
Maximum Power	125kW @ 3,500rpm	154kW @ 3,750rpm	125kW @ 3,500rpm	154kW @ 3,750rpm
Maximum Torque	405Nm @ 1,750-2,500rpm	500Nm @ 1,750-2,000rpm	405Nm @ 1,750-2,500rpm	500Nm @ 1,750-2,000rpm
Transmissions				
6-speed automatic transmission	S	_	S	_
10-speed automatic transmission	_	S	_	S
Driveline				
RWD	_	_	_	_
Part-time 4x4	S	S	S	S
Full-time 4WD	_	_	_	_
Selectable Drive Modes ¹				
- Normal	_	_	_	_
- Eco	-	_	_	_
- Tow / Haul	_	_	_	_
- Slippery	_	_	_	_
- Mud / Ruts ²	-	_	_	_
- Sand³	-	_	_	_
- Sport	-	-	_	
- Baja ⁴	_	_	_	_
- Rock Crawl⁵	-	_	_	_
Fuel				
Combined Fuel Economy (L/100km)(Auto) ⁶	7.4	7.2	7.4	7.2
CO ₂ Emissions (g/km)(Auto) ⁶	195	189	195	189
Fuel Tank Capacity (L)	80	80	80	80
Fuel Type	Diesel	Diesel	Diesel	Diesel
Vehicle Masses (kg)				
Gross Combined Mass ⁷	6200	6350	6200	6350
Gross Vehicle Mass ⁷	3250	3250	3250	3250
Front Gross Axle Weight Rating ⁷	1450	1490	1450	1490
Rear Gross Axle Weight Rating ⁷	1959	1959	1959	1959
Kerb Weight ⁷	2039	2062	2232	2256
Payload (based on Kerb Weight) ⁷	1211	1188	1018	994
Minimum Kerb Weight ⁷	2003	2024	2124	2144
Payload (based on Min Kerb Weight) ⁷	1247	1226	1126	1106
Tare Weight ⁷	1975	1998	2168	2192

4x4 | XL Ranger 2026MY Specifications

	XL	XL	XL	XL
	4x4 Double Cab Cab-Chassis	4x4 Double Cab Cab-Chassis	4x4 Double Cab Pick-up	4x4 Double Cab Pick-up
Engine	2.0L Single Turbo	2.0L Bi-Turbo	2.0L Single Turbo	2.0L Bi-Turbo
Pick-up Box Dimensions ⁸ (mm)				
Height - at centreline of axle	_	_	529	529
Height - floor height to ground	_	_	816	816
Length - at floor	_	_	1547	1547
Length - top of box	_	_	1471	1471
Width - between wheelhouses	_		1224	1224
Width - pick-up box	_	_	1584	1584
Width - rear opening	_	_	1413	1413
Exterior Dimensions ⁸ (mm)				
Length - with rear bumper (where fitted) without tow receiver ⁹	5225	5225	5370	5370
Length - with rear bumper (where fitted) with tow receiver ⁹	5406	5406	5406	5406
Width - exterior mirrors extended	2208	2208	2208	2208
Width - exterior mirrors folded	2015	2015	2015	2015
Width - excluding mirrors	1910	1910	1910	1910
Height - to top of antenna base	1875	1875	1875	1875
Overhang - front	865	865	865	865
Overhang - rear	1070	1070	1215	1215
Track - front and rear	1620	1620	1620	1620
Wheelbase	3270	3270	3270	3270
Ground Clearance (unladen)	224	224	224	224
Wading Depth ¹⁰	800	800	800	800
Approach Angle (unladen, degrees)	29	29	29	29
Departure Angle (unladen, degrees) ¹¹	29	29	25	25
Ramp Breakover Angle (degrees)	20	20	20	20
Turning Circle (meters)	12.9	12.9	12.9	12.9

Disclaimer

1. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. 2. Mud/Rut Mode intended for off-road use only. 3. Sand Mode intended for off-road use only. 4. Baja Mode intended for off-road use only. 5. Rock Crawl Mode intended for off-road use only. 6. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, options and accessories, condition and use. 7. Subject to State and Territory regulations. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the heaviest possible combination of factory fitted optional equipment included. Minimum Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the lightest possible orderable combination of factory fit equipment. Tare Weight includes the vehicle with 10L of fuel, without occupants, luggage or cargo and with the heaviest possible corderable combination of factory fitted optional equipment included. All payloads are calculated by deducting either the vehicle's Kerb Weight, Minimum Kerb Weight or Tare Weight from its Gross Vehicle Mass (GVM). Payload (based on Kerb Weight) is the maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). Ranger Raptor payload is calculated by deducting the vehicle's Tare Weight from its Gross Vehicle Mass (GVM). All Chassis Cab payloads, kerb and tare weights exclude weights of tray bodies. Vehicle weights are approximate and subject to individual variances. Vehicles sho

	XL	XL	XL	XL
	4x4 Double Cab Cab-Chassis	4x4 Double Cab Cab-Chassis	4x4 Double Cab Pick-up	4x4 Double Cab Pick-up
Engine	2.0L Single Turbo	2.0L Bi-Turbo	2.0L Single Turbo	2.0L Bi-Turbo
Interior Dimensions ¹² (mm)				
2nd Row Headroom	989	989	989	989
2nd Row Legroom	879	879	879	879
2nd Row Shoulder Room	1440	1440	1440	1440
Front Headroom	1024	1024	1024	1024
Front Legroom	1057	1057	1057	1057
Front Shoulder Room	1450	1450	1450	1450
Chassis & Suspension				
Heavy Duty Suspension	S	S	S	S
Front Disc / Rear Drum brakes	S	S	S	S
Front and rear vented discs with electronic Brake Booster	-	-	_	_
Electrical Power Assisted Steering	S	S	S	S
Locking Rear Differential	S	S	S	S
Wheels				
16" Steel with All Season Tyres	S	S	S	S
16" Alloy with All Season Tyres	-		_	_
17" Alloy with All Season Tyres	_	_	_	_
17" Alloy with All Terrain BF Goodrich KO2 Tyres	-	_	_	_
18" Alloy with All Season Tyres	_	_	_	_
18" Alloy with All Terrain Tyres	_	_	_	_
Spare Wheel - 16" Steel	S	S	S	S
Spare Wheel - 17" Steel	_	_	_	_
Spare Wheel - 17" Alloy	_	_	_	_
Spare Wheel - 18" Alloy	_	_	_	_
LT285/70R17 BF Goodrich KO2 High Performance All Terrain tyres	_	_	_	_
Exterior Lighting				
Headlamps - Halogen	S	S	S	S
Headlamps - LED	_	_	_	_
Headlamps - Matrix LED with Auto Leveling & Dynamic Bending	_	_	_	_
Daytime Running Lamps - Halogen	S	S	S	S
Daytime Running Lamps - LED	-		_	_
Front Fog Lamps - Halogen	_	_	_	_
Front Fog Lamps - LED	-		_	_
Taillamps - Halogen	S	S		
Taillamps - LED	_	_	S	S
Tailgate Mounted Stop Light			S	S
Zone Lighting ¹³	_	_	_	_

	XL	XL	XL	XL
	4x4 Double Cab Cab-Chassis	4x4 Double Cab Cab-Chassis	4x4 Double Cab Pick-up	4x4 Double Cab Pick-up
Engine	2.0L Single Turbo	2.0L Bi-Turbo	2.0L Single Turbo	2.0L Bi-Turbo
Exterior				
Exterior Mirrors - Power Adjustable	S	S	S	S
Exterior Mirrors - Power Folding	-	_	S	S
Exterior Mirrors - Puddle Lamps	-	_	_	_
Steel Underbody Protection	S	S	S	S
Side Steps	_	-	-	_
Rear Box Step	_		S	S
Roof Rails				_
Sports Bar ¹⁴	-	_	_	_
Sports Hoop/Sailplane ¹⁴	_	_	_	_
Load Box Elements				
Tailgate Ruler	-	_	S	S
Drop In Bedliner (without Tailgate Ruler) ¹⁴	_	_	-	_
Tough Bed™ Spray-In Bedliner (incl. Tailgate Ruler)	_	-	-	_
400W Power Inverter in Bedliner	-	_	-	_
Box Top Protective Capping with Load Box Access Caps ¹⁴	_	_	S	S
Aluminum Tie Down Rails ¹⁴	_	_	-	_
Inner Tie Downs	-	-	S	S
Cargo Management System	-	-	-	_
Load Rest ¹⁴	-	_	S	S
Load Box Illumination	_		S	S
Tailgate Cargo Clamps	_		S	S
Tailgate Cupholders	_		S	S
Power Tailgate Lock		_	_	_
Tailgate with Lift Assistance	_		S	S
Power Roller Shutter ¹⁴	_	_	_	_

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost A = Accessory fitted at Ford Dealer at an additional cost

____ Disclaimer:

12. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All Pick-up box dimensions take into account the Drop-In or Spray-In Bedliner where standard. 13. Zone Lighting will not operate if battery charge is insufficient. The length of time that Zone Lighting will operate depends on the battery charge, the types of lights fitted to the vehicle (LED or Bulb) and other electrical loads connected to the vehicle. The system will automatically turn off after a period of time to preserve the battery's engine starting performance.

14. Load Rest (XL/XLS), Sports Bar (XLT/Sport), Sports Hoop/Sailplane, Aluminum Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected.

4x4 | XL Ranger 2026MY Specifications

	XL	XL	XL	XL
	4x4 Double Cab Cab-Chassis	4x4 Double Cab Cab-Chassis	4x4 Double Cab Pick-up	4x4 Double Cab Pick-up
Engine	2.0L Single Turbo	2.0L Bi-Turbo	2.0L Single Turbo	2.0L Bi-Turbo
Interior, Seating and Door Trim				
Leather Wrapped Steering Wheel & Gear Knob	_	_	_	_
Steering Wheel Reach & Height Adjust	S	S	S	S
Electric Parking Brake	_	_	_	_
e-Shifter	_	_	_	_
Seating Capacity	5	5	5	5
Heated Seats - Front Driver & Passenger	_	_	_	_
Seat Material - Cloth	S	S	S	S
Seat Material - Premium Cloth	_	_	_	_
Seat Material - Leather Accented (excluding 2nd row middle seat) ¹⁵	_	_	_	-
Driver Seat - 8-Way Manual	S	S	S	S
Driver Seat - 8-Way Power		_		
Front Passenger Seat - 4-Way Manual	S	S	S	S
Front Passenger Seat - 6-Way Manual				
Front Passenger Seat - 8-Way Power	_	_	_	_
Driver Seat 10-Way Power	_	_	_	_
Child Seat Upper Anchorage Points (x 2)	S	S	S	S
Child Seat ISOFIX Anchorage Points (x 2)	S	S	S	S
Floor Covering - Vinyl	S	S	S	S
Floor Covering - Carpet				
Floor Mats - Driver		_		
Floor Mats - Driver & Front Passenger		_		
Comfort and Convenience				
Ambient Lighting				
Auxiliary Switch Bank				
Centre Console with Single Lid and 2 Cup Holders		S		S
Instrument Panel Cup Holders				<u>_</u>
Charging				
- Interior 12V Power Outlet	2	2	2	2
- Wireless Charging ¹⁶	۷			2
- Total USB Points	2	2	2	2
- 400W Socket - Rear of console				Σ
- 400W Power Socket in Bedliner	<u> </u>	_	_	_
	S			
Climate Control - Single-Zone Manual		S	S	S
Climate Control - Dual-Zone	_	_	_	_
Rear Air Vent Registers				
Auto Headlamp On-Off	S	S	S	S
Auto High Beam				
Front Power Windows	S	S	S	S
Rear Power Windows	<u> </u>	S	S	S

4x4 | XL Ranger 2026MY Specifications

	XL 4x4 Double Cab Cab-Chassis	XL XL	XL	XL 4x4 Double Cab Pick-up
		4x4 Double Cab Cab-Chassis	4x4 Double Cab Pick-up	
Engine	2.0L Single Turbo	2.0L Bi-Turbo	2.0L Single Turbo	2.0L Bi-Turbo
Comfort and Convenience (continued)				
Privacy Glass	_	_	_	_
Rain Sensing Windscreen Wipers	_	_	-	_
Rear Window Defrost	S	S	S	S
Electrochromatic Rear View Mirror	_	_	_	_
Underseat Stowage	S	S	S	S
Audio and Communication				
Embedded Modem	S	S	S	S
FordPass Connect ¹⁷	S	S	S	S
Colour Digital Instrument Cluster with Configurable Display - 8-inch	S	S	S	S
Colour Digital Instrument Cluster with Configurable Display - 12.4-inch	_	_	_	_
Colour Multi-Function Touch Screen Display - 10.1-inch	S	S	S	S
Colour Multi-Function Touch Screen Display - 12-inch	_	_	_	_
Speakers	4	4	4	4
B&O Premium Audio System (10 Speakers) ¹⁸	_	_	-	_
DAB+/AM/FM Radio	_	_	-	_
Bluetooth® with Phone / Audio Streaming¹9	S	S	S	S
Built-In Satellite Navigation with one year of Connected Navigation Services included ²⁰		_		_
SYNC®4A ²¹	S	S	S	S
SYNC®4A with Voice-Activated Controls ²¹	_	_	_	_
Steering Wheel Audio/Function Control	S	S	S	S
Wireless Apple CarPlay™ & Android Auto™22	S	S	S	S

S = Standard
 O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost A = Accessory fitted at Ford Dealer at an additional cost

Disclaimer:

15. Leather accented refers to seats with a combination of real and artificial leather. No leather in 2nd row middle seat. 16. Wireless Charging only available with compatible phones. 17. Use of FordPass is subject to the FordPass Terms and Privacy Policy available on ford.com.au/fordpass and requires a compatible mobile device, internet access and software (including software updates from time to time). FordPass functionality 🔔 and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App on your mobile device, including associated fees. The FordPass App and FordPass Connect modem can only work when both are connected to the telecommunications network. The FordPass Connect modem will only function on the 3G or 4G telecommunications networks. When these networks are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot _ guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start — and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. 18. BANG & OLUFSEN© 2024 and B&O© 2024. BANG & OLUFSEN™ and B&O™ are registered trademarks of Bang & Olufsen Group. Licensed by Harman Becker Automotive System Manufacturing Kft. All rights reserved. 19. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 20. Eligible vehicles receive Connected Navigation Services for 1 year from the Ford Express New Vehicle Warranty start date, after which time the Connected Navigation Services may cease to be — available, or may be subject to a subscription fee. To use Connected Navigation Services, users must have created a FordPass App account (terms apply), have fully activated the vehicle's FordPass Connect modem and have SYNC Location set to 'on'. 21. Don't drive distracted. Use voice operated systems where possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates. 22. Apple CarPlay / Android Auto requires phone with compatible wersion of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while __ driving. Check your local road rules before using these functions.

4x4 | XL Ranger 2026MY Specifications

	XL	XL	XL	XL
	4x4 Double Cab Cab-Chassis	4x4 Double Cab Cab-Chassis	4x4 Double Cab Pick-up	4x4 Double Cab Pick-up
Engine Engine	2.0L Single Turbo	2.0L Bi-Turbo	2.0L Single Turbo	2.0L Bi-Turbo
Safety and Security				
Perimeter Alarm System	_	_	_	_
Airbags x 9 - Front, Side, Knee & Full Length Curtain (Driver & Passenger) & Far Side Driver Front Airbag	S	S	S	S
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S
Child Proof Rear Door Locks	S	S	S	S
Emergency Assistance ²³	S	S	S	S
Power Door Locks	S	S	S	S
Smart Keyless Entry with Push Button Start	_	_	_	_
Driver Assistance				
Adaptive Cruise Control ²⁴	S	S	S	S
Intelligent Adaptive Cruise Control with Stop & Go, Traffic Sign Recognition and Lane Centring ²⁵	_	_	_	_
Intelligent Speed Assist ²⁶	S	S	S	S
Blind Spot Monitoring with Cross Traffic Alert ²⁴	_	_	S	S
Blind Spot Monitoring with Cross Traffic Alert and Trailer Coverage ²⁷	_	_	Р	Р
Dynamic Stability Control (DSC) incorporating ABS, Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Load Adaptive Control, Roll Over Mitigation, Traction Control & Trailer Sway Control ²⁴	S	S	S	S
Evasive Steer Assist ²⁴	S	S	S	S
Lane Keeping Aid with Road Edge Detection and Driver Alert System ²⁸	S	S	S	S
Post Impact Braking ²⁴	S	S	S	S
Pre-Collision Assist with Autonomous Emergency Braking (AEB) ²⁹	S	S	S	S
Reverse Brake Assist ³⁰	_	_	S	S
Parking Sensors - Front ²⁴	_	_	_	_
Parking Sensors - Rear ²⁴	_	_	S	S
Rear View Camera - Analogue ³¹	S	S	_	_
Rear View Camera - Integrated Digital ²⁴	_	_	S	S
360-Degree Camera ²⁴	_	_	_	_
Traffic Sign Recognition ³²	S	S	S	S
Tyre Pressure Monitoring System	_	_	_	_
Towing				
Maximum Braked Towing Capacity (kg) ³³	3,500	3,500	3,500	3,500
Pro Trailer Back-up Assist™ ²⁴	_	_	-	_
Tow Bar Receiver with Integrated Trailer Brake Controller ³⁴	Р	Р	P	P
Trailer Light Check ³⁵	Р	Р	P	Р
Towing Vehicle Integration with Towing Checklist	S	S	S	S
Tow Haul Mode (part of Selectable Drive Modes ²⁴)	_			_

4x4 | XL Ranger 2026MY Specifications

	XL	XL	XL	XL
	4x4 Double Cab Cab-Chassis	4x4 Double Cab Cab-Chassis	4x4 Double Cab Pick-up	4x4 Double Cab Pick-up
Engine	2.0L Single Turbo	2.0L Bi-Turbo	2.0L Single Turbo	2.0L Bi-Turbo
Off-Road				
Off-Road Screen ²⁴	-	_	_	_
Hill Descent Control ²⁴	S	S	S	S
Locking Rear Differential	S	S	S	S
Front Recovery Hook	1	1	1	1
Rear Recovery Hook		_	_	_
Ford Factory Fitted Options				
Commercial Canopy ³⁶	-	_	0	0
Stylish Canopy (Dual Lift) ³⁶		_	0	0
Stylish Canopy (Lift and Slide) ³⁶	-	_	0	0
17" Steel Wheels with All Terrain Tyres with 17" Steel Spare Wheel	0	0	0	0
Additional XL Wheel Centre Cap Pack to Suit Wheel Nut Indicator Fitment	0	0	0	0
Towing Pack - Tow Bar Receiver with Integrated Trailer Brake Controller ³⁴ and Trailer Light Check ³⁵	_	_	_	_
Towing Pack - Tow Bar with Integrated Trailer Brake Controller ³⁴ and Trailer Light Check ³⁵	0	0	0	0
Blind Spot Monitoring Trailer Coverage ²⁷	_		0	0
Prestige Paint	0	0	0	0

S = Standard O = Factory Option that can be orvdered before a vehicle is manufactured at an additional cost

— P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost A = Accessory fitted at Ford Dealer at an additional cost

Disclaimer:

23. Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. 24. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. 25. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Intelligent Adaptive Cruise Control (iACC) uses various data to adjust the set speed of the vehicle to the speed limit detected by the system. The iACC system will not always detect the correct speed limit and may set a vehicle speed that is above or below the actual speed limit. If the system does this, it can be overridden by the driver applying the brake or accelerator or via steering wheel controls. In some circumstances, iACC will use map data to set the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. Adaptive Cruise Control and Lane Centring has a minimum operating speed of 20km/hr. Detection of lower speed limit will result in system entering standby when iACC is active. The Stop and Go functionality of this system operates as low as Okm/hr in traffic jam situations. Lane Centring feature should be disabled via the Driver Assistance menu in SYNC before towing. Customers should read the Owner's Manual for details of the limitations of the iACC system before activating. Speed Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. On Ranger models with Satellite Navigation, in some circumstances, Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle — Warranty start date and available ongoing subject to payment of a subscription fee. 26. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Intelligent Speed Assist (ISA) uses various data to limit the set speed of the vehicle to the speed limit detected by the system. The ISA system will not always detect the correct speed limit and may limit a vehicle speed above or below the actual speed limit. ISA can be temporarily overridden by the driver firmly pressing the accelerator. Customers should read the Owner's Manual for details of the limitations of the ISA system before activating. On Ranger models with Satellite Navigation, in some circumstances, ISA will use map data to limit the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. 27. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Trailer Coverage system (requires a genuine factory fit tow bar) supports conventional trailer dimensions: up to 2.4m wide (measured at trailer front) and up to 10m long from the rear of your vehicle. Drivers will need to create a profile of their trailers in SYNC to support this system. 28. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Road Edge Detection designed for use on rural roads at speeds of 65 – 110km/h. The feature does not detect every edge and does require a level of contrast between the road surface and the edge. 29. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Pre-collision Assist with Automatic Emergency —— Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. It does not replace safe driving. See Owner's Manual for Limitations. 30. Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Please see Owner's Manual for more information. Reverse Brake Assist functions verse and travelling at a speed of 2-12 km/h. 31. Analogue Rear View Camera is provided and will need to be fitted to the vehicle by a body builder. Driver-assist features are supp attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. 32 Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Speed Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. On Ranger models with Satellite Navigation, in some circumstances Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. 33. Maximum towing capacity-braked using a Genuine Ford tow pack. Standard on XLS, XLT, Sport, Wildtrak, Platinum, and Raptor models. Available as part of a pack at additional cost on XL. The standard Genuine Ford tow pack on XLS, XLT, Sport, and Raptor models do not include a tow hitch, which is available at an additional cost. Subject to State and Territory regulations. To comply with regulations and vehicle GCM and GVM limits, the weight of any load transported by the vehicle may need to be restricted. For further details regarding load weight restrictions, please consult your authorised Ford Dealer and refer to the Owner's Manual. 34. Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. 35. Trailer Light Check requires a Genuine Ford Tow Bar to be fitted and can be used via SYNC, or via FordPass app as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a sub-— scription fee. Users must have created a FordPass App account (terms apply) and have fully activated the vehicle's FordPass Connect modem to use this feature via the app. 36. Load Rest (XL/XLS), Sports Bar (XLT/Sport), Sports Hoop/Sailplane, Aluminum Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. Drop In Bedliner may be trimmed to accommodate mounting brackets.

4x4 | XLS, XLT Ranger 2026MY Specifications

	XLS	XLT	XLT	XLT
	4x4 Double Cab Pick-up	4x4 Double Cab Pick-up	4x4 Double Cab Pick-up	4x4 Double Cab Cab-Chassis
Engine	2.0L Bi-Turbo	2.0L Bi-Turbo	3.0L V6 Turbo-Diesel	3.0L V6 Turbo-Diesel
Maximum Power	154kW @ 3,750rpm	154kW @ 3,750rpm	184kW @ 3,250rpm	184kW @ 3,250rpm
Maximum Torque	500Nm @ 1,750-2,000rpm	500Nm @ 1,750-2,000rpm	600Nm @ 1,750-2,250rpm	600Nm @ 1,750-2,250rpm
Transmissions				
6-speed automatic transmission	_	_	_	_
10-speed automatic transmission	S	S	S	S
Driveline				
RWD	_	_	_	_
Part-time 4x4	S	S	_	_
Full-time 4WD	_	_	S	S
Selectable Drive Modes ¹				
- Normal	S	S	S	S
- Eco	S	S	S	S
- Tow / Haul	S	S	S	S
- Slippery	S	S	S	S
- Mud / Ruts ²	_	_	_	_
- Sand ³	_	_	_	_
- Sport	_	_	_	_
- Baja ⁴	_	_	_	_
- Rock Crawl ⁵	_	_	_	_
Fuel				
Combined Fuel Economy (L/100km)(Auto) ⁶	7.2	7.2	8.4	8.4
CO ₂ Emissions (g/km)(Auto) ⁶	189	189	222	222
Fuel Tank Capacity (L)	80	80	80	80
Fuel Type	Diesel	Diesel	Diesel	Diesel
Vehicle Masses (kg)				
Gross Combined Mass ⁷	6350	6350	6400	6400
Gross Vehicle Mass ⁷	3230	3230	3280	3280
Front Gross Axle Weight Rating ⁷	1450	1450	1490	1490
Rear Gross Axle Weight Rating ⁷	1959	1959	1959	1959
Kerb Weight ⁷	2247	2276	2349	2132
Payload (based on Kerb Weight) ⁷	983	954	931	1148
Minimum Kerb Weight ⁷	2172	2209	2233	2097
Payload (based on Min Kerb Weight) ⁷	1058	1021	1047	1183
Tare Weight ⁷	2183	2212	2285	2068

4x4 | XLS, XLT Ranger 2026MY Specifications

	XLS	XLT	XLT	XLT	
	4x4 Double Cab Pick-up	4x4 Double Cab Pick-up	4x4 Double Cab Pick-up	4x4 Double Cab Cab-Chassis	
Engine	2.0L Bi-Turbo	2.0L Bi-Turbo	3.0L V6 Turbo-Diesel	3.0L V6 Turbo-Diesel	
Pick-up Box Dimensions ⁸ (mm)					
Height - at centreline of axle	529	525	525	_	
Height - floor height to ground	816	831	831	_	
Length - at floor	1547	1464	1464	_	
Length - top of box	1471	1468	1468	_	
Width - between wheelhouses	1224	1217	1217	_	
Width - pick-up box	1584	1520	1520	_	
Width - rear opening	1413	1393	1393	_	
Exterior Dimensions ⁸ (mm)					
Length - with rear bumper (where fitted) without tow receiver ⁹	5370	5370	5370	5225	
Length - with rear bumper (where fitted) with tow receiver9	5406	5406	5406	5406	
Width - exterior mirrors extended	2208	2208	2208	2208	
Width - exterior mirrors folded	2015	2015	2015	2015	
Width - excluding mirrors	1918	1918	1918	1910	
Height - to top of antenna base	1875	1886	1886	1886	
Overhang - front	865	865	865	865	
Overhang - rear	1215	1215	1215	1070	
Track - front and rear	1620	1620	1620	1620	
Wheelbase	3270	3270	3270	3270	
Ground Clearance (unladen)	224	234	234	234	
Wading Depth ¹⁰	800	800	800	800	
Approach Angle (unladen, degrees)	29	30	30	30	
Departure Angle (unladen, degrees) ¹¹	25	23	23	23	
Ramp Breakover Angle (degrees)	20	21	21	21	
Turning Circle (meters)	12.9	12.9	12.9	12.9	

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

Some features may be impacted by the removal of the standard load box fitted to the vehicle.

Disclaimer:

1. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. 2. Mud/Rut Mode intended for off-road use only. 3. Sand Mode intended for off-road use only. 4. Baja Mode intended for off-road use only. 5. Rock Crawl Mode intended for off-road use only. 6. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, options and accessories, condition and use. 7. Subject to State and Territory regulations. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the leaviest possible combination of factory fitted optional equipment included. Minimum Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the leaviest possible orderable combination of factory fit equipment. Tare Weight includes the vehicle with 10. Of fuel, without occupants, luggage or cargo and with the heaviest possible combination of factory fitted optional equipment included. All payloads are calculated by deducting either the vehicle's Kerb Weight, Minimum Kerb Weight or Tare Weight from its Gross Vehicle Mass (GVM). Payload (based on Kerb Weight) is the maximum could a cocupants, cargo, added accessories, added structures and tow ball download (when towing). Ranger Raptor payload is calculated by deducting the vehicle's Tare Weight from its Gross Vehicle Mass (GVM).

All Chassis Cab payloads, kerb and tare weights exclude weights of tray bodies. Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed befor

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost A = Accessory fitted at Ford Dealer at an additional cost

	XLS	XLT	XLT	XLT
	4x4 Double Cab Pick-up	4x4 Double Cab Pick-up	4x4 Double Cab Pick-up	4x4 Double Cab Cab-Chassis
Engine	2.0L Bi-Turbo	2.0L Bi-Turbo	3.0L V6 Turbo-Diesel	3.0L V6 Turbo-Diesel
Interior Dimensions ¹² (mm)				
2nd Row Headroom	989	989	989	989
2nd Row Legroom	879	879	879	879
2nd Row Shoulder Room	1440	1440	1440	1440
Front Headroom	1024	1024	1024	1024
Front Legroom	1057	1057	1057	1057
Front Shoulder Room	1450	1450	1450	1450
Chassis & Suspension				
Front Disc / Rear Drum brakes	S	_	_	_
Front and rear vented discs with electronic Brake Booster	_	S	S	S
Electrical Power Assisted Steering	S	S	S	S
Heavy Duty Suspension	_	_	_	_
Locking Rear Differential	S	S	S	S
Wheels				
16" Steel with All Season Tyres	_	_	_	_
16" Alloy with All Season Tyres	S	_	_	_
17" Alloy with All Season Tyres	_	S	S	S
17" Alloy with All Terrain BF Goodrich KO2 Tyres	_	_	_	_
18" Alloy with All Season Tyres	_	_	_	_
18" Alloy with All Terrain Tyres	_	_	_	_
Spare Wheel - 16" Steel	S	_	_	_
Spare Wheel - 17" Steel	_	S	S	S
Spare Wheel - 17" Alloy	_	_	_	_
Spare Wheel - 18" Alloy				
LT285/70R17 BF Goodrich KO2 High Performance All Terrain tyres	_	_		_
Exterior Lighting				
Headlamps - Halogen	S	_		_
Headlamps - LED	_	S	S	S
Headlamps - Matrix LED with Auto Leveling & Dynamic Bending	_	_		_
Daytime Running Lamps - Halogen	S	_	_	_
Daytime Running Lamps - LED	_	S	S	S
Front Fog Lamps - Halogen	S	S		_
Front Fog Lamps - LED	_		S	S
Taillamps - Halogen	_	_	_	S
Taillamps - LED	S	S	S	
Tailgate Mounted Stop Light	S	S	S	_
Zone Lighting ¹³	_	Р	Р	_

	XLS	XLT	XLT	XLT
	4x4 Double Cab Pick-up	4x4 Double Cab Pick-up	4x4 Double Cab Pick-up	4x4 Double Cab Cab-Chassis
Engine	2.0L Bi-Turbo	2.0L Bi-Turbo	3.0L V6 Turbo-Diesel	3.0L V6 Turbo-Diesel
Exterior				
Exterior Mirrors - Power Adjustable	S	S	S	S
Exterior Mirrors - Power Folding	S	S	S	S
Exterior Mirrors - Puddle Lamps	_	Р	Р	_
Steel Underbody Protection	S	S	S	S
Side Steps	S	S	S	S
Rear Box Step	S	S	S	_
Roof Rails	_	_	_	_
Sports Bar ¹⁴	_	S	S	_
Sports Hoop/Sailplane ¹⁴	_	_	_	_
Load Box Elements				
Tailgate Ruler	S	_	_	_
Drop In Bedliner (without Tailgate Ruler) ¹⁴	_	S	S	_
Tough Bed™ Spray-In Bedliner (incl. Tailgate Ruler)	_	_	_	_
400W Power Inverter in Bedliner	S	S	S	_
Box Top Protective Capping with Load Box Access Caps ¹⁴	S	S	S	_
Aluminum Tie Down Rails ¹⁴	_	_	_	_
Inner Tie Downs	S	S	S	
Cargo Management System	_	Р	Р	_
Load Rest ¹⁴	S	_	_	_
Load Box Illumination	S	S	S	
Tailgate Cargo Clamps	S	S	S	_
Tailgate Cupholders	S	S	S	
Power Tailgate Lock	S	S	S	
Tailgate with Lift Assistance	S	S	S	_
Power Roller Shutter ¹⁴	_	_	_	_

- S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost A = Accessory fitted at Ford Dealer at an additional cost

Disclaimer:

12. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All Pick-up box dimensions take into account the Drop-In or Spray-In Bedliner where standard. 13. Zone Lighting will not operate if battery charge is insufficient. The length of time that Zone Lighting will operate depends on the battery charge, the types of lights fitted to the vehicle (LED or Bulb) and other electrical loads connected to the vehicle. The system will automatically turn off after a period of time to preserve the battery's engine starting performance.

14. Load Rest (XL/XLS), Sports Bar (XLT/Sport), Sports Hoop/Sailplane, Aluminum Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected.

	XLS	XLT	XLT	XLT
	4x4 Double Cab Pick-up	4x4 Double Cab Pick-up	4x4 Double Cab Pick-up	4x4 Double Cab Cab-Chassis
Engine	2.0L Bi-Turbo	2.0L Bi-Turbo	3.0L V6 Turbo-Diesel	3.0L V6 Turbo-Diesel
Interior, Seating and Door Trim				
Leather Wrapped Steering Wheel & Gear Knob	_	_	_	_
Steering Wheel Reach & Height Adjust	S	S	S	S
Electric Parking Brake	_	S	S	S
e-Shifter	_	_	S	S
Seating Capacity	5	5	5	5
Heated Seats - Front Driver & Passenger	_	_	_	_
Seat Material - Cloth	S	_	_	_
Seat Material - Premium Cloth	_	S	S	S
Seat Material - Leather Accented (excluding 2nd row middle seat) ¹⁵	_	_	_	_
Driver Seat - 8-Way Manual	S	S	S	S
Driver Seat - 8-Way Power	_	_	_	_
Front Passenger Seat - 4-Way Manual	S	S	S	S
Front Passenger Seat - 6-Way Manual	_	_	_	_
Front Passenger Seat - 8-Way Power	_	_	_	_
Driver Seat 10-Way Power	_	_	_	_
Child Seat Upper Anchorage Points (x 2)	S	S	S	S
Child Seat ISOFIX Anchorage Points (x 2)	S	S	S	S
Floor Covering - Vinyl	_	_	_	_
Floor Covering - Carpet	S	S	S	S
Floor Mats - Driver	S	S	S	S
Floor Mats - Driver & Front Passenger	_	_	_	_
Comfort and Convenience				
Ambient Lighting	_	_	_	_
Auxiliary Switch Bank	_	Р	Р	0
Centre Console with Single Lid and 2 Cup Holders	S	S	S	S
Instrument Panel Cup Holders	_	_	_	_
Charging				
- Interior 12V Power Outlet	2	2	2	2
- Wireless Charging ¹⁶	_	_	_	_
- Total USB Points	2	2	2	2
- 400W Socket - Rear of console	S	S	S	S
- 400W Power Socket in Bedliner	S	S	S	_
Climate Control - Single-Zone Manual	_	_	_	_
Climate Control - Dual-Zone	S	S	S	S
Rear Air Vent Registers	S	S	S	S
Auto Headlamp On-Off	S	S	S	S
Auto High Beam	-	_	_	_
Front Power Windows	S	S	S	S

	XLS	XLT	XLT	XLT	
	4x4 Double Cab Pick-up	4x4 Double Cab Pick-up	4x4 Double Cab Pick-up	4x4 Double Cab Cab-Chassis	
Engine	2.0L Bi-Turbo	2.0L Bi-Turbo	3.0L V6 Turbo-Diesel	3.0L V6 Turbo-Diesel	
Comfort and Convenience (continued)					
Rear Power Windows	S	S	S	S	
Privacy Glass	_	S	S	S	
Rain Sensing Windscreen Wipers	_	S	S	S	
Rear Window Defrost	S	S	S	S	
Electrochromatic Rear View Mirror	_	S	S	S	
Underseat Stowage	S	S	S	S	
Audio and Communication					
Embedded Modem	S	S	S	S	
FordPass Connect ¹⁷	S	S	S	S	
Colour Digital Instrument Cluster with Configurable Display - 8-inch	S	S	S — S —	S	
Colour Digital Instrument Cluster with Configurable Display - 12.4-inch	_	-		_	
Colour Multi-Function Touch Screen Display - 10.1-inch	S	S		S	
Colour Multi-Function Touch Screen Display - 12-inch	_	_		_	
Speakers	6	6	6	6	
B&O Premium Audio System (10 Speakers) ¹⁸	_	_	_	_	
DAB+/AM/FM Radio	S	S	S	S	
Bluetooth® with Phone / Audio Streaming¹9	S	S	S	S	
Built-In Satellite Navigation with one year of Connected Navigation Services included ²⁰	S	S	S	S	
SYNC®4A ²¹	_	_	_	_	
SYNC®4A with Voice-Activated Controls ²¹	S	S	S	S	
Steering Wheel Audio/Function Control	S	S	S	S	
Wireless Apple CarPlay™ & Android Auto™22	S	S	S	S	

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost A = Accessory fitted at Ford Dealer at an additional cost

— Disclaimer:

15. Leather accented refers to seats with a combination of real and artificial leather. No leather in 2nd row middle seat. 16. Wireless Charging only available with compatible phones. 17. Use of FordPass is subject to the FordPass Terms and Privacy Policy available on ford.com.au/fordpass and requires a compatible mobile device, internet access and software (including software updates from time to time). FordPass function-— ality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App on your mobile device, including associated fees. The FordPass App and FordPass Connect modem can only work when both are connected to the telecommunications network. The FordPass Connect modem will only function on the 3G or 4G telecommunications networks. When these networks are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford — cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. 18. BANG & OLUFSEN© 2024 and B&O© 2024. BANG & OLUFSEN™ and B&O™ are registered trademarks of Bang & Olufsen Group. Licensed by Harman Becker Automotive System Manufacturing Kft. All rights reserved. 19. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 20. Eligible vehicles receive Connected Navigation Services for 1 year from the Ford Express New Vehicle Warranty start date, after which time the Connected Navigation Services may cease to be available, or may be subject to a subscription fee. To use Connected Navigation Services, users must have created a FordPass App account (terms apply), have fully activated the vehicle's FordPass Connect modem and have SYNC Location set to 'on'. 21. Don't drive distracted. Use voice operated systems where possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates. 22. Apple CarPlay / Android Auto requires phone with — compatible version of Apple iOS / Android[™] (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone ___ functions while driving. Check your local road rules before using these functions

4x4 | XLS, XLT Ranger 2026MY Specifications

	XLS	XLT	XLT	XLT
	4x4 Double Cab Pick-up	4x4 Double Cab Pick-up	4x4 Double Cab Pick-up	4x4 Double Cab Cab-Chassis
Engine	2.0L Bi-Turbo	2.0L Bi-Turbo	3.0L V6 Turbo-Diesel	3.0L V6 Turbo-Diesel
Safety and Security				
Perimeter Alarm System	S	S	S	S
Airbags x 9 - Front, Side, Knee & Full Length Curtain (Driver & Passenger) & Far Side Driver Front Airbag	S	S	S	S
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S
Child Proof Rear Door Locks	S	S	S	S
Emergency Assistance ²³	S	S	S	S
Power Door Locks	S	S	S	S
Smart Keyless Entry with Push Button Start	S	S	S	S
Driver Assistance				
Adaptive Cruise Control ²⁴	S	_	_	_
Intelligent Adaptive Cruise Control with Stop & Go, Traffic Sign Recognition and Lane Centring ²⁵	_	S	S	S
Intelligent Speed Assist ²⁶	S	S	S	S
Blind Spot Monitoring with Cross Traffic Alert ²⁴	_	_	_	_
Blind Spot Monitoring with Cross Traffic Alert and Trailer Coverage ²⁷	S	S	S	_
Dynamic Stability Control (DSC) incorporating ABS, Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Load Adaptive Control, Roll Over Mitigation, Traction Control & Trailer Sway Control ²⁴	S	S	S	S
Evasive Steer Assist ²⁴	S	S	S	S
Lane Keeping Aid with Road Edge Detection and Driver Alert System ²⁸	S	S	S	S
Post Impact Braking ²⁴	S	S	S	S
Pre-Collision Assist with Autonomous Emergency Braking (AEB) ²⁹	S	S	S	S
Reverse Brake Assist ³⁰	S	S	S	_
Parking Sensors - Front ²⁴	S	S	S	_
Parking Sensors - Rear ²⁴	S	S	S	_
Rear View Camera - Analogue ³¹	_	_	_	S
Rear View Camera - Integrated Digital ²⁴	S	S	S	_
360-Degree Camera ²⁴	_	Р	Р	_
Traffic Sign Recognition ³²	S	S	S	S
Tyre Pressure Monitoring System	_	S	S	S
Towing				
Maximum Braked Towing Capacity (kg) ³³	3,500	3,500	3,500	3,500
Pro Trailer Back-up Assist ^{TM 24}	_	P	P	_
Tow Bar Receiver with Integrated Trailer Brake Controller ³⁴	S	S	S	S
Trailer Light Check ³⁵	S	S	S	S
Towing Vehicle Integration with Towing Checklist	C	S	S	S
Towning verticle integration with Towning Checklist	3	J	3	3

4x4 | XLS, XLT Ranger 2026MY Specifications

	XLS	XLT	XLT	XLT	
	4x4 Double Cab Pick-up	4x4 Double Cab Pick-up	4x4 Double Cab Pick-up	4x4 Double Cab Cab-Chassis	
Engine	2.0L Bi-Turbo	Double Cab Double Cab	3.0L V6 Turbo-Diesel		
Off-Road					
Off-Road Screen	-	_	-	_	
Hill Descent Control ²⁴	S	S	S	S	
Locking Rear Differential	S	S	S	S	
Front Recovery Hook	1	1	1	1	
Rear Recovery Hook	-	_	_	_	
Ford Factory Fitted Options					
Auxiliary Switch Bank	_	Р	Р	О	
17" All Terrain Tyres	-	0	0	О	
Commercial Canopy ³⁶	0	0	0	_	
Stylish Canopy (Lift and Slide) ³⁶	0	0	0	_	
Stylish Canopy (Dual Lift) ³⁶	0	0	0		
Touring Pack - Cargo Management System, Auxiliary Switch Bank, 360 Camera, ²⁴ Puddle Lamps & Zone Lighting ³⁷ Pro Trailer Back-up Assist ^{TM 24}	_	О	О	_	
Prestige Paint	0	0	0	0	

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost A = Accessory fitted at Ford Dealer at an additional cost

Disclaimer:

23. Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. 24. Driver-assist features are supplemental and do — not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. 25. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Intelligent Adaptive Cruise Control (iACC) uses various data to adjust the set speed of the vehicle to the speed limit detected by the system. The iACC system will not always detect the correct speed limit and may set a vehicle speed that is above or below the actual speed limit. If the system does this, it can be overridden by the driver applying the brake or accelerator or via steering wheel controls. In some circumstances, iACC will use map data to set the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. Adaptive Cruise Control and Lane Centring has a minimum operating speed of 20km/hr. Detection of lower speed limit will result in system entering standby when iACC is active. The Stop and Go functionality of this system operates as low as Okm/hr in traffic jam situations. Lane Centring feature should be disabled via the Driver Assistance menu in SYNC before towing. Customers should read the Owner's Manual for details of the limitations of the iACC system before activating. Speed Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. On Ranger models with Satellite Navigation, in some circumstances, Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. 26. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Intelligent Speed Assist (ISA) uses various data to limit the set speed of the vehicle to the speed limit detected by the system. The ISA system will not always detect the correct speed limit and may limit a vehicle speed above or below the actual speed limit. ISA can be temporarily overridden by the driver firmly pressing the accelerator. Customers should read the Owner's Manual for details of the limitations of the ISA system before activating. On Ranger models with Satellite Navigation, in some circumstances, ISA will use map data to limit the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. 27. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Trailer Coverage system (requires a genuine factory fit tow bar) supports conventional trailer dimensions: up to 2.4m wide (measured at trailer front) and up to 10m long from the rear of your vehicle. Drivers will need to create a profile of their trailers in SYNC to support this system. 28. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Road Edge Detection designed for use on rural roads at speeds of 65 – 110km/h. The feature does not detect every edge and does require a level of contrast between the road surface and the edge. 29. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Pre-collision Assist with Automatic Emergency — Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. It does not replace safe driving. See Owner's Manual for Limitations. 30. Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Please see Owner's Manual for more information. Reverse Brake Assist func-— tions when in reverse and travelling at a speed of 2-12 km/h. 31. Analogue Rear View Camera is provided and will need to be fitted to the vehicle by a body builder. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. 32. Driver-assist features are supple-— mental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Speed Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. On Ranger models with Satellite Navigation, in some circumstances Speed Sign Recognition — will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. 33. Maximum towing capacity-braked using a Genuine Ford tow pack. Standard on XLS, XLT, Sport, Wildtrak, Platinum, and Raptor models. Available as part of a pack at additional cost on XL. The standard Genuine Ford tow pack on XLS, XLT, Sport, and Raptor models do not include a tow hitch, which is available at an additional cost. Subject to State and Territory regulations. To comply with regulations and vehicle GCM and GVM limits, the weight of any load transported by the vehicle may need to ____ be restricted. For further details regarding load weight restrictions, please consult your authorised Ford Dealer and refer to the Owner's Manual. 34. Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. 35. Trailer Light Check requires a Genuine Ford Tow Bar to be fitted and can be used via SYNC, or via FordPass app as a Connected Service. Where used ___ via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a FordPass App account (terms apply) and have fully activated the vehicle's FordPass Connect modem to use this feature via the app. 36. Load Rest (XL/XLS), Sports Bar (XLT/Sport), Sports Hoop/Sailplane, Aluminum Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. Drop In Bedliner may be trimmed to accommodate mounting brackets. 37. Zone Lighting will not operate if battery charge is insufficient. The length of time that Zone Lighting will operate depends on the battery charge, the types of lights fitted to the vehicle (LED or Bulb) and other electrical loads connected to the vehicle. The system will automatically turn off after a period of time to preserve the battery's engine starting performance.

4x4 | Sport, Wildtrak, Platinum, Raptor Ranger 2026MY Specifications

	Sport	Sport	Wildtrak	Wildtrak	Platinum	Raptor
	4x4 Double Cab Pick-up					
Engine	2.0L Bi-Turbo	3.0L V6 Turbo-Diesel	2.0L Bi-Turbo	3.0L V6 Turbo-Diesel	3.0L V6 Turbo-Diesel	3.0L V6 Twin-Turbo EcoBoost
Maximum Power	154kW @ 3,750rpm	184kW @ 3,250rpm	154kW @ 3,750rpm	184kW@ 3,250rpm	184kW @ 3,250rpm	292kW @ 5,650rpm ¹
Maximum Torque	500Nm @ 1,750-2,000rpm	600Nm @ 1,750-2,250rpm	500Nm @ 1,750-2,000rpm	600Nm @ 1,750-2,250rpm	600Nm @ 1,750-2,250rpm	583Nm @ 3,500rpm ¹
Transmissions						
6-speed automatic transmission	_	_	_	_	_	_
10-speed automatic transmission	S	S	S	S	S	S
Driveline						
RWD	_	_	_	_	_	_
Part-time 4x4	S	_	S	_	_	_
Full-time 4WD	_	S	_	S	S	S
Selectable Drive Modes ²						
- Normal	S	S	S	S	S	S
- Eco	S	S	S	S	S	_
- Tow / Haul	S	S	S	S	S	_
- Slippery	S	S	S	S	S	S
- Mud / Ruts ³	S	S	S	S	S	S
- Sand ⁴	S	S	S	S	S	S
- Sport	_	_	_	_	_	S
- Baja ⁵	_	_	_	_	_	S
- Rock Crawl ⁶	_	_	_	_	_	S
Fuel						
Combined Fuel Economy (L/100km)(Auto) ⁷	7.2	8.4	7.2	8.4	8.4	11.5
CO ₂ Emissions (g/km)(Auto) ⁷	189	222	189	222	222	262
Fuel Tank Capacity (L)	80	80	80	80	80	80
Fuel Type	Diesel	Diesel	Diesel	Diesel	Diesel	Petrol
Vehicle Masses (kg)						
Gross Combined Mass ⁸	6350	6400	6350	6400	6400	5370
Gross Vehicle Mass ⁸	3230	3280	3280	3350	3300	3130
Front Gross Axle Weight Rating ⁸	1450	1490	1490	1490	1490	1520
Rear Gross Axle Weight Rating ⁸	1959	1959	1959 ⁹	1959 ⁹	1900	1700
Kerb Weight ⁸	2296	2353	2343	2400	2389	2479
Payload (based on Kerb Weight) ⁸	934	927	937	950	911	
Minimum Kerb Weight ⁸	2220	2276	2283	2339	2387	2413
Payload (based on Min Kerb Weight) ⁸	1010	1004	997	1011	913	717
Tare Weight ⁸	2232	2289	2279	2336	2325	2425
Payload (based on Tare Weight) ⁸	<u> </u>	_		_		705

4x4 | Sport, Wildtrak, Platinum, Raptor Ranger 2026MY Specifications

	Sport	Sport	Wildtrak	Wildtrak	Platinum	Raptor
	4x4 Double Cab Pick-up					
Engine	2.0L Bi-Turbo	3.0L V6 Turbo-Diesel	2.0L Bi-Turbo	3.0L V6 Turbo-Diesel	3.0L V6 Turbo-Diesel	3.0L V6 Twin-Turbo EcoBoost
Pick-up Box Dimensions ¹⁰ (mm)						
Height - at centreline of axle	525	525	525	525	525	526
Height - floor height to ground	831	831	831	831	831	870
Length - at floor	1464	1464	1464	1464	1464	1541
Length - top of box	1468	1468	1468	1468	1468	1468
Width - between wheelhouses	1217	1217	1217	1217	1217	1218
Width - pick-up box	1520	1520	1520	1520	1520	1578
Width - rear opening	1393	1393	1393	1393	1393	1407
Exterior Dimensions ¹⁰ (mm)						
Length - with rear bumper (where fitted) without tow receiver ¹¹	5370	5370	5370	5370	5370	5380
Length - with rear bumper (where fitted) with tow receiver ¹¹	5406	5406	5406	5406	5406	5425
Width - exterior mirrors extended	2208	2208	2208	2208	2208	2208
Width - exterior mirrors folded	2015	2015	2015	2015	2015	2028
Width - excluding mirrors	1918	1918	1918	1918	1918	2028
Height - to top of antenna base	1886	1886	1886	1886	_	1926
Height - to top of flexible rack system	_	_	_	_	1920	_
Overhang - front	865	865	865	865	865	865
Overhang - rear	1215	1215	1215	1215	1215	1225
Track - front and rear	1620	1620	1620	1620	1620	1710
Wheelbase	3270	3270	3270	3270	3270	3270
Ground Clearance (unladen)	234	234	234	234	234	272
Wading Depth ¹²	800	800	800	800	800	850
Approach Angle (unladen, degrees)	30	30	30	30	30	32
Departure Angle (unladen, degrees) ¹³	23	23	23	23	23	25
Ramp Breakover Angle (degrees)	21	21	21	21	21	24
Turning Circle (meters)	12.9	12.9	12.9	12.9	12.9	13.2

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

Disclaimer:

1. 98RON fuel is required to achieve the kW and Nm numbers stated. 2. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. 3. Mud/Rut Mode intended for off-road use only. 4. Sand Mode intended for off-road use only. 5. Baja Mode intended for off-road use only. 6. Rock Crawl Mode intended for off-road use only. 7. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, options and accessories, condition and use. 8. Subject to State and Territory regulations. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the heaviest possible combination of factory fitted optional equipment included. Minimum Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the heaviest possible combination of factory fitted optional equipment. Tare Weight includes the vehicle with 10L of fuel, without occupants, luggage or cargo and with the heaviest possible combination of factory fitted optional equipment. Tare Weight includes the vehicle with 10L of fuel, without occupants, luggage or cargo and with the heaviest possible ombination of factory fitted optional equipment included. All payloads are calculated by deducting either the vehicle with 10L of fuel, without occupants, luggage or cargo and with the heaviest possible combination of factory fitted optional equipment included. All payloads are calculated by deducting either the vehicle weight form its Gross Vehicle Mass (GVM). Payload (based on Kerb Weight) is the ma

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost A = Accessory fitted at Ford Dealer at an additional cost

4x4 | Sport, Wildtrak, Platinum, Raptor Ranger 2026MY Specifications

	Sport	Sport	Wildtrak	Wildtrak	Platinum	Raptor
	4x4 Double Cab Pick-up					
Engine	2.0L Bi-Turbo	3.0L V6 Turbo-Diesel	2.0L Bi-Turbo	3.0L V6 Turbo-Diesel	3.0L V6 Turbo-Diesel	3.0L V6 Twin-Turbo EcoBoost
Interior Dimensions ¹⁴ (mm)						
2nd Row Headroom	989	989	989	989	989	989
2nd Row Legroom	879	879	879	879	879	879
2nd Row Shoulder Room	1440	1440	1440	1440	1440	1440
Front Headroom	1024	1024	1024	1024	1024	1024
Front Legroom	1057	1057	1057	1057	1057	1057
Front Shoulder Room	1450	1450	1450	1450	1450	1450
Chassis & Suspension						
Front Disc / Rear Drum brakes	_	_	_	_	_	_
Heavy Duty Suspension	_	_	_	_	_	_
Front and rear vented discs with electronic Brake Booster	S	S	S	S	S	S
Electrical Power Assisted Steering	S	S	S	S	S	S
Locking Rear Differential	S	S	S	S	S	S
Wheels						
16" Steel with All Season Tyres	_	_	_	_	_	_
16" Alloy with All Season Tyres	_	_	_	_	_	_
17" Alloy with All Season Tyres	_	_	_	_	_	_
LT285/70R17 BF Goodrich KO2 High Performance All Terrain tyres	_	_	_	_	_	S
18" Alloy with All Season Tyres	S	S	_	_	_	_
18" Alloy with All Terrain Tyres	_	_	S	S	_	_
20" Alloy with All Season Tyres	_	-	_	_	S	_
Spare Wheel - 16" Steel	_	_	_	_	_	_
Spare Wheel - 17" Steel	_	_	_	_	_	
Spare Wheel - 17" Alloy	_	_	_	_	_	S
Spare Wheel - 18" Alloy	S	S	S	S	_	_
Spare Wheel - 20" Alloy	_	<u> </u>	_	_	S	_
Exterior Lighting						
Headlamps - Halogen	_	_	_	_	_	_
Headlamps - LED	S	S	S	S	_	_
Headlamps - Matrix LED with Auto Leveling & Dynamic Bending	_	_	Р	Р	S	S
Daytime Running Lamps - Halogen	_	_	_	_	_	_
Daytime Running Lamps - LED	S	S	S	S	S	S
Front Fog Lamps - Halogen	_	_	_	_	_	_
Front Fog Lamps - LED	S	S	S	S	S	S
Taillamps - Halogen	_	_	_	_	_	_
Taillamps - LED	S	S	S	S	S	S
Tailgate Mounted Stop Light	S	S	S	S	S	S
Zone Lighting ¹⁵	P	P	S	S	S	S

4x4 | Sport, Wildtrak, Platinum, Raptor Ranger 2026MY Specifications

	Sport	Sport	Wildtrak	Wildtrak	Platinum	Raptor
	4x4 Double Cab Pick-up					
Engine	2.0L Bi-Turbo	3.0L V6 Turbo-Diesel	2.0L Bi-Turbo	3.0L V6 Turbo-Diesel	3.0L V6 Turbo-Diesel	3.0L V6 Twin-Turbo EcoBoost
Exterior						
Exterior Mirrors - Power Adjustable	S	S	S	S	S	S
Exterior Mirrors - Power Folding	S	S	S	S	S	S
Exterior Mirrors - Puddle Lamps	Р	Р	S	S	S	S
Black-Painted Roof	_	_	_	_	S	_
Steel Underbody Protection	S	S	S	S	S	S
Side Steps	S	S	S	S	S	S
Rear Box Step	S	S	S	S	S	_
Roof Rails	_	_	S	S	_	_
Roof Rails with folding roof racks	_	_	_	_	S	_
Sports Bar ¹⁶	S	S	_	_	_	_
Sports Hoop/Sailplane ¹⁶	_	_	S	S	_	_
Load Box Elements						
Flexible Rack System ¹⁷	0	0	0	0	S	_
Tailgate Ruler	_	_	_	_	_	S
Drop In Bedliner (without Tailgate Ruler) ¹⁶	S	S	S	S	S	_
Tough Bed™ Spray-In Bedliner (incl. Tailgate Ruler)	-	_	_	_	_	S
400W Power Inverter in Bedliner	S	S	S	S	S	S
Box Top Protective Capping with Load Box Access Caps ¹⁶	S	S	_	_	_	S ¹⁸
Aluminum Tie Down Rails¹6	_	_	S	S	_	_
Inner Tie Downs	S	S	S	S	S	S
Cargo Management System	Р	Р	Р	Р	S	_
Load Rest ¹⁶	_	<u>–</u>	<u> </u>	<u> </u>	_	_
Load Box Illumination	S	S	S	S	S	S
Tailgate Cargo Clamps	S	S	S	S	S	S
Tailgate Cupholders	S	S	S	S	S	S
Power Tailgate Lock	S	S	S	S	S	S
Tailgate with Lift Assistance	S	S	S	S	_	S
Damped Tailgate with Lift Assistance	_	_	_	_	S	
Power Roller Shutter ^{16,19}	_	_	S	S	S	Ο

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

Disclaimer:

14. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All Pick-up box dimensions take into account the Drop-In or Spray-In Bedliner where standard. 15. Zone Lighting will not operate if battery charge is insufficient. The length of time that Zone Lighting will operate depends on the battery charge, the types of lights fitted to the vehicle (LED or Bulb) and other electrical loads connected to the vehicle. The system will automatically turn off after a period of time to preserve the battery's engine starting performance.

16. Load Rest (XL/XLS), Sports Bar (XLT/Sport), Sports Hoop/Sailplane, Aluminum Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. 17. Flexible Rack System has a maximum load limit 80kg (dynamic) and 250kg (static). Manual set-up required. Removal of antenna mast recommended when cargo positioned over antenna. Removal may affect availability of radio, satellite and connected services. 18. Load Box Access Caps not included when Power Roller Shutter option selected on Raptor. 19. Drop-in bedliner in lieu of spray-in bedliner and Load Box Access Caps not included when Power Roller Shutter option selected on Raptor.

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost A = Accessory fitted at Ford Dealer at an additional cost

4x4 | Sport, Wildtrak, Platinum, Raptor Ranger 2026MY Specifications

	Sport	Sport	Wildtrak	Wildtrak	Platinum	Raptor
	4x4 Double Cab Pick-up					
Engine	2.0L Bi-Turbo	3.0L V6 Turbo-Diesel	2.0L Bi-Turbo	3.0L V6 Turbo-Diesel	3.0L V6 Turbo-Diesel	3.0L V6 Twin-Turbo EcoBoost
Interior, Seating and Door Trim						
Leather Wrapped Steering Wheel & Gear Knob	_	_	_	_	S	S
Heated Steering Wheel	_	_	_	_	S	_
Steering Wheel Reach & Height Adjust	S	S	S	S	S	S
Electric Parking Brake	S	S	S	S	S	S
e-Shifter	S	S	S	S	S	S
Seating Capacity	5	5	5	5	5	5
Heated Seats - Front Driver & Passenger	_	_	S	S	_	S
Heated & Ventilated Seats - Front Driver & Passenger	_	_	_	_	S	_
Seat Material - Cloth	_	_	_	_	_	_
Seat Material - Premium Cloth	_	_	_	_	_	_
Seat Material - Leather Accented (excluding 2nd row middle seat) ²⁰	S	S	S	S	_	S
Seat Material - Leather Accented (excluding 2nd row middle seat) Quilted ²⁰	_	_	_	_	S	_
Driver Seat - 8-Way Manual	_	_	_	_	_	_
Driver Seat - 8-Way Power	S	S	S	S	_	S
Driver Seat - 10-Way Power with Memory Setting	_	_	_	_	S	_
Front Passenger Seat - 4-Way Manual	_	_	_	_	_	_
Front Passenger Seat - 6-Way Manual	S	S	_	_	_	_
Front Passenger Seat - 8-Way Power	_	_	S	S	_	S
Front Passenger Seat - 10-Way Power	_	_	_	_	S	_
Child Seat Upper Anchorage Points (x 2)	S	S	S	S	S	S
Child Seat ISOFIX Anchorage Points (x 2)	S	S	S	S	S	S
Floor Covering - Vinyl	_	_	_	_	_	_
Floor Covering - Carpet	S	S	S	S	S	S
Floor Mats - Driver	_	_	_	_	_	_
Floor Mats - Driver & Front Passenger	S	S	S	S	S	S
Floor Mats - Rear	_	_	_	_	S	_
Comfort and Convenience						
Ambient Lighting	_	_	_	_	S	_
Auxiliary Switch Bank	Р	Р	Р	Р	S	S
Centre Console with Single Lid and 2 Cup Holders	S	S	S	S	S	S
Instrument Panel Cup Holders	_	_	S	S	S	S

4x4 | Sport, Wildtrak, Platinum, Raptor Ranger 2026MY Specifications

	Sport	Sport	Wildtrak	Wildtrak	Platinum	Raptor
	4x4 Double Cab Pick-up					
Engine	2.0L Bi-Turbo	3.0L V6 Turbo-Diesel	2.0L Bi-Turbo	3.0L V6 Turbo-Diesel	3.0L V6 Turbo-Diesel	3.0L V6 Twin-Turbo EcoBoost
Comfort and Convenience (continued)						
Charging						
- Interior 12V Power Outlet	2	2	1	1	1	1
- Wireless Charging ²¹	S	S	S	S	S	S
- Total USB Points	3	3	5	5	5	5
- 400W Socket - Rear of console	S	S	S	S	S	S
- 400W Power Socket in Bedliner	S	S	S	S	S	S
Climate Control - Single-Zone Manual	_	_	-	_	_	_
Climate Control - Dual-Zone	S	S	S	S	S	S
Rear Air Vent Registers	S	S	S	S	S	S
Auto Headlamp On-Off	S	S	S	S	S	S
Auto High Beam	_	_	Р	Р	S	S
Front Power Windows	S	S	S	S	S	S
Rear Power Windows	S	S	S	S	S	S
Privacy Glass	S	S	S	S	S	S
Rain Sensing Windscreen Wipers	S	S	S	S	S	S
Rear Window Defrost	S	S	S	S	S	S
Electrochromatic Rear View Mirror	S	S	S	S	S	S
Underseat Stowage	S	S	S	S	S	S

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

___ Disclaimer:

20. Leather accented refers to seats with a combination of real and artificial leather. No leather in 2nd row middle seat. **21.** Wireless Charging only available with compatible phones.

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost A = Accessory fitted at Ford Dealer at an additional cost

4x4 | Sport, Wildtrak, Platinum, Raptor Ranger 2026MY Specifications

	Sport	Sport	Wildtrak	Wildtrak	Platinum	Raptor
	4x4 Double Cab Pick-up					
Engine	2.0L Bi-Turbo	3.0L V6 Turbo-Diesel	2.0L Bi-Turbo	3.0L V6 Turbo-Diesel	3.0L V6 Turbo-Diesel	3.0L V6 Twin-Turbo EcoBoost
Audio and Communication						
Embedded Modem	S	S	S	S	S	S
FordPass Connect ²²	S	S	S	S	S	S
Colour Digital Instrument Cluster with Configurable Display - 8-inch	S	S	S	S	_	_
Colour Digital Instrument Cluster with Configurable Display - 12.4-inch	_	_	_	_	S	S
Colour Multi-Function Touch Screen Display - 10.1-inch	S	S	_	_	_	_
Colour Multi-Function Touch Screen Display - 12-inch	_	_	S	S	S	S
Speakers	6	6	6	6	10	10
B&O Premium Audio System (10 Speakers) ²³	_	<u> </u>	Р	Р	S	S
DAB+/AM/FM Radio	S	S	S	S	S	S
Bluetooth® with Phone/Audio Streaming ²⁴	S	S	S	S	S	S
Built-In Satellite Navigation with 1 year of Connected Navigation Services included ²⁵	S	S	S	S	S	S
SYNC®4A ²⁶	_	_	_	_	_	_
SYNC®4A with Voice-Activated Controls ²⁶	S	S	S	S	S	S
Steering Wheel Audio/Function Control	S	S	S	S	S	S
Wireless Apple CarPlay™ & Android Auto™ ²⁷	S	S	S	S	S	S
Safety and Security						
Perimeter Alarm System	S	S	S	S	S	S
Airbags x 9 - Front, Side, Knee & Full Length Curtain (Driver & Passenger) & Far Side Driver Front Airbag	S	S	S	S	S	S
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S	S	S
Child Proof Rear Door Locks	S	S	S	S	S	S
Emergency Assistance ²⁸	S	S	S	S	S	S
Power Door Locks	S	S	S	S	S	S
Smart Keyless Entry with Push Button Start	S	S	S	S	S	S
Driver Assistance						
Adaptive Cruise Control ²⁹	_	_	_	_	_	_
Intelligent Adaptive Cruise Control with Stop & Go, Traffic Sign Recognition and Lane Centring ³⁰	S	S	S	S	S	S
Intelligent Speed Assist ³¹	S	S	S	S	S	S
Blind Spot Monitoring with Cross Traffic Alert ²⁹	_	_	_	_	_	_
Blind Spot Monitoring with Cross Traffic Alert and Trailer Coverage ³²	S	S	S	S	S	S

4x4 | Sport, Wildtrak, Platinum, Raptor Ranger 2026MY Specifications

	Sport	Sport	Wildtrak	Wildtrak	Platinum	Raptor
	4x4 Double Cab Pick-up					
Engine	2.0L Bi-Turbo	3.0L V6 Turbo-Diesel	2.0L Bi-Turbo	3.0L V6 Turbo-Diesel	3.0L V6 Turbo-Diesel	3.0L V6 Twin-Turbo EcoBoost
Driver Assistance (continued)						
Dynamic Stability Control (DSC) incorporating ABS, Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Load Adaptive Control, Roll Over Mitigation, Traction Control & Trailer Sway Control ²⁹	S	S	S	S	S	S
Evasive Steer Assist ²⁹	S	S	S	S	S	S
Lane Keeping Aid with Road Edge Detection and Driver Alert System ³³	S	S	S	S	S	S

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

Disclaimer:

22. Use of FordPass is subject to the FordPass Terms and Privacy Policy available on ford.com.au/fordpass and requires a compatible mobile device, internet access and software (including software updates from time to time). FordPass functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App on your mobile device, including associated fees. The FordPass App and FordPass Connect modem can only work when both are connected to the telecommunications network. The FordPass Connect modem will only function on the 3G or 4G telecommunications networks. When these networks are no longer available, the modem will stop functioning and the connected services and all data transmission via — the modem will cease. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. 23. BANG & OLUFSEN© 2024 and B&O© 2024. BANG & OLUFSEN™ and B&O™ are registered trademarks of Bang & Olufsen Group. Licensed by Harman Becker Automotive System Manufacturing Kft. All rights reserved. 24. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 25. Eligible vehicles receive Connected Navigation Services for 1 year from the Ford Express New Vehicle Warranty start date, after which time the Connected Navigation Services may cease to be available, or may be subject to a subscription fee. To use Connected Navigation Services, users must have created a FordPass App account (terms apply), have fully activated the — vehicle's FordPass Connect modem and have SYNC Location set to 'on'. 26. Don't drive distracted. Use voice operated systems where possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates. 27. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local — laws prohibit some phone functions while driving. Check your local road rules before using these functions. 28. Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. 29. Driver- assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not op-= erate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. 30. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Intelligent Adaptive Cruise Control (iACC) uses various data to adjust the set speed of the vehicle to the speed limit detected by the system. The iACC system will not always detect the correct speed limit and may set a vehicle speed that is above or below the actual speed limit. If the system does this, it can be _ overridden by the driver applying the brake or accelerator or via steering wheel controls. In some circumstances, iACC will use map data to set the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date — and available ongoing subject to payment of a subscription fee. Adaptive Cruise Control and Lane Centring has a minimum operating speed of 20km/hr. Detection of lower speed limit will result in system entering standby when iACC is active. The Stop and Go functionality of this system operates as low as 0km/hr in traffic jam situations. Lane Centring feature should be disabled via the Driver Assistance menu in SYNC before towing. Customers should read the Owner's Manual for details of the limitations of the iACC system before activating. Speed Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. On Ranger models with Satellite Navigation, in some circumstances, Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year — from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. 31. Driver-assist features are supplemental and do not replace the driver's attention, judgmen and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Intelligent Speed Assist (ISA) uses various data to limit the set speed of the vehicle to the speed limit detected by the system. The ISA system will not always detect the correct speed limit and may limit a vehicle speed above or below the actual speed limit. ISA can be temporarily overridden by the driver firmly pressing the accelerator. Customers should read the Owner's Manual for details of the limitations of the ISA system before activating. On Ranger models with Satellite Navigation, in some circumstances, ISA will use map data to limit the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation — Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. 32. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Trailer Coverage system (requires a genuine factory fit tow bar) supports conventional trailer dimensions: up to 2.4m wide (measured at trailer front) and up to 10m long from the rear of your vehicle. Drivers will need to create a profile of their trailers in SYNC to support this system. 33. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Road Edge Detection designed for use on rural roads at speeds of 65 – 110km/h. The feature does not detect every edge and does require a level of contrast between the road surface and the edge.

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost A = Accessory fitted at Ford Dealer at an additional cost

4x4 | Sport, Wildtrak, Platinum, Raptor Ranger 2026MY Specifications

	Sport	Sport	Wildtrak	Wildtrak	Platinum	Raptor
	4x4 Double Cab Pick-up					
Engine	2.0L Bi-Turbo	3.0L V6 Turbo-Diesel	2.0L Bi-Turbo	3.0L V6 Turbo-Diesel	3.0L V6 Turbo-Diesel	3.0L V6 Twin-Turbo EcoBoost
Driver Assistance (continued)						
Post Impact Braking 34	S	S	S	S	S	S
Pre-Collision Assist with Autonomous Emergency Braking (AEB) ³⁵	S	S	S	S	S	S
Reverse Brake Assist ³⁶	S	S	S	S	S	S
Parking Sensors - Front ³⁴	S	S	S	S	S	S
Parking Sensors - Rear ³⁴	S	S	S	S	S	S
Rear View Camera - Analogue ³⁷	_	_	_	_	_	_
Rear View Camera - Integrated Digital ³⁴	S	S	S	S	S	S
360-Degree Camera ³⁴	Р	Р	S	S	S	S
Traffic Sign Recognition ³⁸	S	S	S	S	S	S
Tyre Pressure Monitoring System	S	<u>S</u>	S	S	S	S
Towing						
Maximum Braked Towing Capacity (kg) ³⁹	3,500	3,500	3,500	3,500	3,500	2,500
Pro Trailer Back-up Assist ^{TM 34}	Р	Р	S	S	S	S
Tow Bar Receiver with Integrated Trailer Brake Controller ⁴⁰	S	S	_	_	_	S
Tow Bar Hitch with Integrated Trailer Brake Controller ⁴⁰	_	_	S	S	S	_
Trailer Light Check ⁴¹	S	S	S	S	S	S
Towing Vehicle Integration with Towing Checklist	S	S	S	S	S	S
Tow Haul Mode (part of Selectable Drive Modes ³⁴)	S	S	S	S	S	_
Off-Road						
Off-Road Screen ³⁴	S	S	S	S	S	S
Hill Descent Control ³⁴	S	S	S	S	S	S
Locking Rear Differential	S	S	S	S	S	S
Front Recovery Hook	2	2	2	2	2	2
Rear Recovery Hook	_	_	_	_		2
Ford Factory Fitted Options						
Commercial Canopy ⁴²	0	0	0	0	_	_
Flexible Rack System ⁴³	0	0	0	0	S	_
Stylish Canopy (Lift and Slide) ⁴²	0	0	0	0	_	_
Stylish Canopy (Dual Lift) ⁴²	0	0	0	0		
18" Alloy Wheels with All Terrain Tyres with 18" Alloy Spare Wheel	0	0			_	_
20" Alloy Wheels with All Season Tyres with 20" Alloy Spare Wheel	_	_	0	0	_	_

4x4 | Sport, Wildtrak, Platinum, Raptor Ranger 2026MY Specifications

	Sport	Sport	Wildtrak	Wildtrak	Platinum	Raptor
	4x4 Double Cab Pick-up					
Engine	2.0L Bi-Turbo	3.0L V6 Turbo-Diesel	2.0L Bi-Turbo	3.0L V6 Turbo-Diesel	3.0L V6 Turbo-Diesel	3.0L V6 Twin-Turbo EcoBoost
Ford Factory Fitted Options (continued)						
Touring Pack - Cargo Management System, Auxiliary Switch Bank, 360 Camera, Puddle Lamps & Zone Lighting Pro Trailer Back-up Assist A	O	0	_	_	_	_
Wildtrak Premium Pack - Auxiliary Switch Bank, Matrix LED Headlamps & Taillamps, Cargo Management System and B&O Premium Audio System ⁴⁶	_	_	0	0	_	_
Prestige Paint	0	0	0	0	0	0
Power Roller Shutter ⁴⁷	_	_	S	S	S	0
Delete Black-Painted Roof (no cost option)	_	_	_	_	0	_

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

_ Disclaimer:

34. Driver- assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. 35. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Pre-collision Assist with Automatic Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. It does not replace safe driving. See Owner's Manual for Limitations. 36. Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Please see Owner's Manual for more information. Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h. 37. Analogue Rear View Camera is provided and will need to be fitted to the vehicle by a body builder. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control — the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. 38. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Speed Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. On Ranger models with Satellite Navigation, in some circumstances Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. 39. Maximum towing capacity-braked using a Genuine Ford tow pack. Standard on XLS, XLT, Sport, Wildtrak, Platinum, and Raptor models. Available as part of a pack at additional cost on XL. The standard Genuine Ford tow pack on XLS, XLT, Sport, and Raptor models do not include a tow hitch, which is available at an additional cost. Subject to State and Territory regulations. To comply with regulations and vehicle GCM and GVM limits, the weight of any load transported by the vehicle may need to be restricted. For further details. 40. Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. 41. Trailer Light Check requires a Genuine Ford Tow Bar to be fitted and can be used via SYNC, or via FordPass app as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year — of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a FordPass App account (terms apply) and have fully activated the vehicle's FordPass Connect modem to use this feature via the app. 42. Load Rest (XL/XLS), Sports Bar (XLT/Sport), Sports Hoop/Sailplane, Aluminum Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. Drop In Bedliner may be trimmed to accommodate mounting brackets. 43. Flexible Rack System has a maximum load limit 80kg (dynamic) and 250kg (static). Manual set-up required. Removal of antenna mast recommended when cargo positioned over antenna. Removal may affect availability of radio, satellite and connected services. 44. Optional 20" Alloy Wheels with All Season Tyres have a Rear Gross Axle Weight Rating of 1,900kg, a reduction of 59kg. Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Axle Weight Ratings are not exceeded. 45. Zone Lighting will not operate if battery charge is insufficient. The length of time that Zone Lighting will operate depends on the battery charge, the types of lights fitted to the vehicle (LED or Bulb) and other electrical loads connected to the vehicle. The system will automatically turn off after a period of time to preserve the battery's engine starting performance. 46. BANG & OLUFSEN© 2024 and B&O© 2024. BANG & OLUFSEN™ and B&O™ are registered trademarks of Bang & Olufsen Group. Licensed by Harman Becker Automotive System Manufacturing Kft. All rights reserved. 47. Drop-in bedliner in lieu of spray-in bedliner and Load Box Access Caps not included when Power Roller Shutter option selected on Raptor.

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost A = Accessory fitted at Ford Dealer at an additional cost

Discover more at ford.com.au

Contact us

If you have any questions or concerns, please contact our Customer Relationship Centre on 13 FORD (13 36 73) or email foacust1@ford.com

Running a fleet?

Our Ford Fleet team is here to assist you in any way we can. Please email askfleet@ford.com



Important information: