

	Ambiente	Trend	Sport	Tremor	Platinum
	4WD	4WD	4WD	4WD	4WD
Engine	2.0L Bi-Turbo Diesel¹	2.0L Bi-Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹
Number of cylinders	4	4	6	6	6
Maximum Power	154kW @ 3750rpm	154kW @ 3750rpm	184kW @ 3250rpm	184kW @ 3250rpm	184kW @ 3250rpm
Maximum Torque	500Nm @ 1750-2000rpm	500Nm @ 1750-2000rpm	600Nm @ 1750 - 2250rpm	600Nm @ 1750 - 2250rpm	600Nm @ 1750 - 2250rpm
Transmissions					
10-speed automatic transmission	S	S	S	S	S
Driveline					
Full-time 4WD	S	S	S	S	S
Selectable Drive Modes					
- Normal	S	S	S	S	S
- Eco	S	S	S	S	S
- Tow / Haul	S	S	S	S	S
- Slippery	S	S	S	S	S
- Mud / Ruts ²	_	S	S	S	S
- Sand ²	_	S	S	S	S
- Rock Crawl ²	_	_	_	S	_
Fuel					
Combined Fuel Economy (L/100km)(Auto) ³	7.2	7.2	8.5	9.5	8.5
CO ₂ Emissions (g/km)(Auto) ³	190	190	224	250	224
Fuel Tank Capacity (L)	80	80	80	80	80
Fuel Type	Diesel	Diesel	Diesel	Diesel	Diesel
Vehicle Masses (kg)					
Kerb Weight - Total (kg) ⁴	2369	2383	2455	2550	2499
Payload (based on Max Kerb Weight) (kg)⁵	731	717	703	690	651
Gross Vehicle Mass (kg)	3100	3100	3150	3240	3150
Gross Combined Mass (kg)	6250	6250	6250	6350	6250
Maximum Front Axle Load	1470	1470	1470	1530	1470
Maximum Rear Axle Load	1770	1770	1770	1770	1770
Exterior Dimensions ⁶ (mm)					
Vehicle Length - without tow reciever	4914	4914	4914	4914	4914
Vehicle Length - with tow reciever	4978	4978	4978	4978	4978
Vehicle width (with mirrors extended)	2207	2207	2207	2207	2207
Vehicle width (with mirrors folded)	2015	2015	2015	2015	2015
Vehicle width (without mirrors)	1923	1923	1923	1954	1923
Height (to top of antenna base)	1876	1876	1876	1904	1876
Overhang - Front	871	871	871	871	871
Overhang - Rear	1143	1143	1143	1143	1143

Ford Everest 2026MY Specifications | Ambiente, Trend, Sport, Tremor and Platinum Specifications

	Ambiente	Trend	Sport	Tremor	Platinum
	4WD	4WD	4WD	4WD	4WD
Engine	2.0L Bi-Turbo Diesel¹	2.0L Bi-Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel
Exterior Dimensions ⁶ (mm) (continued)					
Track - Front / Rear	1620	1620	1620	1650	1620
Wheelbase	2900	2900	2900	2900	2900
Ground clearance (unladen, mm)	229	229	226	255	226
Wading Depth (mm) ⁷	800	800	800	800	800
Approach Angle (unladen, degrees)	30.4	30.4	30.2	32	30.2
Departure Angle (unladen, degrees)	25.3	25.3	25.0	26.8	25.0
Ramp Breakover Angle (degrees)	22.2	22.2	21.9	23.9	21.9
Turning Circle - Kerb to Kerb (m)	11.8	11.8	11.8	11.65	11.8
Interior Dimensions ⁶ (mm)					
Front Headroom	1024	1024	1024	1024	972
Front Legroom	1057	1057	1057	1057	1057
Front Shoulder Room	1450	1450	1450	1450	1450
2nd Row Headroom	992	992	992	992	953
2nd Row Legroom	912	912	912	912	912
2nd Row Shoulder Room	1443	1443	1443	1443	1443
3rd Row Headroom ⁸	925	925	925	925	923
3rd Row Legroom ⁸	806	806	806	806	806
3rd Row Shoulder Room ⁸	1328	1328	1328	1328	1328
Cargo Dimensions (L)					
Behind first row to the roof including footwell storage (2-seat mode) (VDA) ⁹	1823	1823	1823	1823	1818
Behind second row to the roof including footwell storage (5-seat mode) (VDA) ⁹	898	898	898	898	898
Cargo Volume behind third row to the roof including footwell storage (7-seat mode) (VDA) ⁹	259	259	259	259	259

S = Standard

Disclaimer:

1. AdBlue® diesel exhaust fluid is required. AdBlue® is a registered trademark of VDA Verband der Automobilindustrie e.V. 2. Intended for off-road use only. 3. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, options and accessories, condition and use. 4. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. Vehicle dimensions/weights are approximate and subject to individual variances. Vehicles should be weighed before adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM) and Gross Combined Mass (GCM) are not exceeded. 5. All payloads are calculated by deducting the vehicle's Maximum Kerb Weight from its Gross Vehicle Mass (GVM). Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with factory fitted optional equipment included. Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross Axle Masses are not exceeded. Maximum gross axle loads to be confirmed closer to launch. 6. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. 7. 800mm Water Wading achieved when maintaining a steady speed of 7 km/h. 8. 3rd row seats optional at additional cost on Ambiente. 9. Measured laden to roof, using VDA methodology.

Ford Everest 2026MY Specifications | Ambiente, Trend, Sport, Tremor and Platinum Specifications

	Ambiente	Trend	Sport	Tremor	Platinum
	4WD	4WD	4WD	4WD	4WD
Engine	2.0L Bi-Turbo Diesel¹	2.0L Bi-Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹
Chassis & Suspension					
Off-road Suspension with Bilstein™ Position - Sensitive Dampers	_	_	_	S	_
Front and rear vented discs with Electronic Brake Booster	S	S	S	S	S
Electrical Power Assisted Steering	S	S	S	S	S
Locking Rear Differential	S	S	S	S	S
Wheels					
17" Alloy All-Season Tyres	S	_	_	_	_
18" Alloy All-Season Tyres	_	S	_	_	_
20" Alloy All-Season Tyres	_	_	S	_	_
17" Alloy with General Grabber A/T Tyres	_	_	_	S	_
21" Alloy All-Season Tyres	_	_	_	_	S
Spare Wheel - 17" Steel with General Grabber A/T Tyres	_	_	_	S	_
Spare Wheel - 17" Steel	S	_	_	_	_
Spare Wheel - 18" Alloy	_	S	_	_	_
Spare Wheel - 20" Alloy	_	_	S	_	_
Spare Wheel - 21" Alloy	_	_	_	_	S
Exterior Lighting					
Auxilary Grille LED Lamps	_	_	_	S	_
Headlamps - LED	S	S	S	S	_
Headlamps - Matrix LED with Auto Leveling & Dynamic Bending	_	_	_	_	S
Daytime Running Lamps - LED	S	S	S	S	S
Front Fog Lamps - LED	S	S	S	S	S
Taillamps - LED	S	S	S	S	S
Zone Lighting ¹⁰	_	S	S	S	S
Exterior					
Front Recovery Hooks with Covers	_	_	_	S	_
Acoustic Laminated Windscreen	S	S	S	S	S
Black Roof	_	_	_	_	S
Body Coloured Roof	S	S	S		NCO
Exterior Mirrors - Power Adjustable	S	S	S	S	S
Exterior Mirrors - Power Folding	S	S	S	S	S
Exterior Mirrors - Puddle Lamps	_	S	S	S	S
Front Recovery Hooks	2	2	2	2	2
Liftgate - Manual	S	_	_	_	_
Liftgate - Power push button operated	_	S	S	S	S
Mud Flaps (Front and Rear)	S	S	S	S	S
Panoramic roof and power blind	_	_	_	_	S
Roof Rails - Black	S	_	-	_	_
Roof Rails - Black Stand-off	_	S	S	S	_
Roof Rails - Chrome Stand-off	_	_	_	-	S

Ford Everest 2026MY Specifications | Ambiente, Trend, Sport, Tremor and Platinum Specifications

	Ambiente	Ambiente Trend Sport		Tremor	Platinum
	4WD	4WD	4WD	4WD	4WD
Engine	2.0L Bi-Turbo Diesel¹	2.0L Bi-Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel
Exterior (continued)					
Steel Underbody Protection	S	S	S	S	S
Side Steps - Black	S	S	S	_	_
Side Steps - Finished Steel Inserts	_	_	_	_	S
Front Steel Bash Plate	_	_	_	S	_
Heavy Duty Side Steps	_	_	_	S	_
Black Wheel Arch Moldings	_	_	_	S	_
Interior, Seating and Door Trim					
2nd Row 60/40 split	S	S	S	S	S
3rd Row 50/50 split	0	S	S	S	_
3rd Row 50/50 split power fold	_	_	_	_	S
5 seats	S	_	_	_	_
7 seats	0	S	S	S	S
Vinyl Wrapped Steering Wheel	_	S	S	S	_
Steering Wheel - Height & Reach Adjust	S	S	S	S	S
Leather wrapped steering wheel - Heated	_	_	_	_	S
Electronic Parking Brake	S	S	S	S	S
e-Shifter	S	S	S	S	S
Seat Material - Cloth	S	_	_	_	_
Seat Material - Leather accented (excluding 2nd row middle seat and 3rd row seats)11	_	S	S	_	_
Seat Material - Leather accented (excluding 2nd row middle seat and 3rd row seats) and 'TREMOR' embossed front seat ¹¹	_	_	_	S	_
Seat Material - Leather Accented Quilted (Includes 3rd Row) ¹¹	_	_	_	_	S
Driver Seat - Heated & Ventilated	_	Р	S	Р	S
Driver Seat - 8-Way Manual	S	_	_	_	_
Driver Seat - 8-Way Power	_	S	_	S	_
Driver Seat - 10-Way Power with memory setting		Р	S	Р	S
Front Passenger Seat - Heated & Ventilated		Р	S	Р	S
Front Passenger Seat - 4-Way Manual	S	S	_	S	_
Front Passenger Seat - 8-Way Power	_	Р	S	Р	_
Front Passenger Seat - 10-Way Power	_	_	_	_	S

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

Disclaimer:

10. Zone Lighting will not operate if battery charge is insufficient. The length of time that Zone Lighting will operate depends on the battery charge, the types of lights fitted to the vehicle (LED or Bulb) and other electrical loads connected to the vehicle. The system will automatically turn off after a period of time to preserve the battery's engine starting performance. 11. Leather accented refers to seats with a combination of real and artificial leather. No leather in 2nd row middle seat or 3rd row seats.

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost

NCO = Factory Option that can be ordered before a vehicle is manufactured at no additional cost

	Ambiente	Trend 4WD	Sport 4WD	Tremor 4WD	Platinum 4WD
	4WD				
Engine	2.0L Bi-Turbo Diesel¹	2.0L Bi-Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹
Interior, Seating and Door Trim (continued)					
Heated outboard rear seats	_	_	_	_	S
Child Seat Upper Anchorage Points	3	5	5	5	5
Child Seat ISOFIX Anchorage Points	2	2	2	2	2
Front & Rear All-Weather Floor Mats [Everest]	_	_	_	S	_
Floor Mats - Driver	S	_	_	_	_
Floor Mats - Driver & Front Passenger	_	S	S	_	_
Floor Mats - Driver & Front Passenger Premium	_	_	_	_	S
Comfort and Convenience					
Ambient Lighting	_	_	_	_	S
Centre Console with Single Lid & 2 Cup Holders	S	S	S	S	S
Instrument Panel Cup Holders	S	S	S	S	S
Charging					
- Auxiliary 12V Power Outlet - Centre Console Bin	S	S	S	_	S
- Auxiliary 12V Power Outlet - Rear of Centre Console	S	_	_	_	_
- Auxiliary 12V Power Outlet - 3rd row	_	S	S	S	S
- Auxiliary 12V Power Outlet - Rear Cargo	S	S	S	S	S
- 400W Power Inverter	_	S	S	S	S
- USB Ports 1st row	2	3	3	3	3
- USB Ports 2nd row	-	2	2	2	2
- Wireless Charging ¹²	S	S	S	S	S
Climate Control - Dual-Zone	S	S	S	S	S
3rd Row Air Vent Registers	Р	S	S	S	S
Auto Headlamp on-off	S	S	S	S	S
Front Power Windows	S	S	S	S	S
Rear Power Windows	S	S	S	S	S
Rain Sensing Windscreen Wipers	S	S	S	S	S
Sunglasses holder overhead console	S	S	S	S ¹³	S
Sunvisor - Drive and Passenger with illuminated mirror	S	S	S	S	S
Electrochromatic Rear View Mirror	S	S	S	S	S
Audio And Communication					
Embedded Modem	S	S	S	S	S
FordPass Connect ¹⁴	S	S	S	S	S
Colour Digital Instrument Cluster with Configurable Display - 8-inch	S	S	S	S	_
Colour Digital Instrument Cluster with Configurable Display - 12.4-inch	_	_	_	_	S
Colour Multi-Function Touch Screen Display - 10.1-inch	S	_	_	_	_

Ford Everest 2026MY Specifications | Ambiente, Trend, Sport, Tremor and Platinum Specifications

	Ambiente	Trend	Sport	Tremor	Platinum
	4WD	4WD	4WD	4WD	4WD
Engine	2.0L Bi-Turbo Diesel¹	2.0L Bi-Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹
Audio And Communication (continued)					
Colour Multi-Function Touch Screen Display - 12-inch	_	S	S	S	S
Speakers	8	8	8	8	12
B&O Premium Audio System (With 12 Speakers) ¹⁵	_	_	_	_	S
Digital Audio (DAB+)	S	S	S	S	S
Bluetooth® with Phone / Audio Streaming¹6	S	S	S	S	S
Built-In Satellite Navigation with one year of Connected Navigation Services included ¹⁷	S	S	S	S	S
SYNC®4A with Voice-Activated Controls¹8	S	S	S	S	S
Steering Wheel Audio/Function Control	S	S	S	S	S
Wireless Apple CarPlay™ & Android Auto™ 19	S	S	S	S	S
Safety and Security					
Perimeter Alarm System	S	S	S	S	S
Airbags x 9 - Front, Side, Knee & Full Length Curtain (Driver & Passenger) & Far Side Driver Front Airbag	S	S	S	S	S
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S	S
Child Proof Rear Door Locks	S	S	S	S	S
Emergency Assistance ²⁰	S	S	S	S	S
Power Door Locks	S	S	S	S	S
Smart Keyless Entry with Push Button Start	S	S	S	S	S

S = Standard **P** = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost

Disclaimer:

12. Wireless Charging only available with compatible phones. 13. If the Rough Terrain Pack option is selected, the auxiliary switch panel replaces the sunglasses holder overhead console. 14. Use of FordPass is subject to the FordPass Terms and Privacy Policy available on ford.com.au/FordPass and requires a compatible mobile device, internet access and software (including software updates from time to time). FordPass functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App on your mobile device, including associated fees. The FordPass App and FordPass Connect modem can only work when both are connected to the telecommunications network. The FordPass Connect modem will only function on the telecommunications networks it could use at time of manufacture. When all compatible networks for the modem in your vehicle are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well-ventilated areas where you are aware of your vehicle's surroundings. 15. BANG & OLUFSEN© 2022 and B&O© 2022. BANG & OLUFSEN™ and B&O™ are registered trademarks of Bang & Olufsen Group. Licensed by Harman Becker Automotive Systems Manufacturing Kft. All rights reserved. 16. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 17. Connected Built-In Navigation services require SYNC 4A, FordPass Connect modem, and the FordPass App (FordPass terms apply). Eligible vehicles receive a 1-year connected navigation service that begins on the new vehicle warranty start date. Connected services depend on compatible network —— availability, including access to the 3G/4G telecommunications networks. 18. Don't drive while distracted. Use voice-operated systems when possible; don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC 4A features are compatible with all phones. For compatibility, see ford.com.au/sync. 19. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. 20. Emergency Assistance feature ____ needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off.

Ford Everest 2026MY Specifications | Ambiente, Trend, Sport, Tremor and Platinum Specifications

	Ambiente	Trend	Sport	Tremor	Platinum
	4WD	4WD	4WD	4WD	4WD
Engine	2.0L Bi-Turbo Diesel¹	2.0L Bi-Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹
Driver Assistance					
Intelligent Adaptive Cruise Control with Stop & Go, Traffic Sign Recognition and Lane Centering ²¹	S	S	S	S	S
Intelligent Speed Assist ²²	S	S	S	S	S
Auto Headlamp	S	S	S	S	S
Blind Spot Monitoring with Cross Traffic Alert ²³	S	S	S	S	S
Blind Spot Monitoring with Trailer Coverage	Р	Р	Р	Р	Р
Dynamic Stability Control (DSC) incorporating ABS, Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Hill Descent Control (4WD only), Load Adaptive Control, Roll Over Mitigation, Traction Control & Trailer Sway Control ²⁴	S	S	S	S	S
Evasive Steer Assist ²⁵	S	S	S	S	S
Lane Keeping Aid with Road Edge Detection and Driver Alert System ²⁶	S	S	S	S	S
Post Impact Braking ²⁷	S	S	S	S	S
Pre-Collission Assist with Autonomous Emergency Braking (AEB) and Intersection Assist ²⁸	S	S	S	S	S
Reverse Brake Assist ²⁹	S	S	S	S	S
Parking Sensors - Front ³⁰	S	S	S	S	S
Parking Sensors - Rear ³⁰	S	S	S	S	S
Rear View Camera - Integrated Digital ³⁰	S	S	S	S	_
360-Degree Camera ³⁰	_	Р	Р	Р	S
Traffic Sign Recognition ³¹	S	S	S	S	S
Tyre Pressure Monitoring System	_	_	_	S	S
Towing					
Maximum Braked Towing Capacity (kg) ³²	3,500	3,500	3,500	3,500	3500
Pro Trailer Back-Up Assist ³⁰	_	Р	Р	Р	Р
Tow Bar with Integrated Trailer Brake Controller33	Р	Р	Р	Р	Р
Tow Haul Mode (part of Selectable Drive Modes) ³⁰	S	S	S	S	S
Factory Options					
All-Terrain Tyres	_	0	_	_	_
18" Alloy Wheels with All-Terrain Tyres and Matching Spare	Ο	_	_	_	_
18" Alloy Wheels (Black) with All-Terrain Tyres	-	-	NCO	-	-
18" Alloy Wheels with All-Terrain Tyres	_	_	_	_	NCO
Prestige Paint	0	0	0	0	0
Body Colour Roof	_	_	_	_	NCO
Premium Seat Pack - Heated/Vented Front Driver & Passenger Seat, 8-Way Power Passenger Seat, 10-Way Power Driver Seat including Memory	_	0	_	0	_
Third Row Seat (Including 3rd Row Air Vent Registers)	0	_	_	_	_

Ford Everest 2026MY Specifications | Ambiente, Trend, Sport, Tremor and Platinum Specifications

	Ambiente 4WD 2.0L Bi-Turbo Diesel¹	Trend	Sport	Tremor 4WD 3.0L V6 Turbo Diesel¹	Platinum 4WD 3.0L V6 Turbo Diesel¹
		4WD	4WD		
Engine		2.0L Bi-Turbo Diesel¹	3.0L V6 Turbo Diesel¹		
Factory Options (continued)					
Touring Pack - 360-Degree Camera, Tow Bar & Hitch, Integrated Trailer Brake Controller, Pro-Trailer Back-Up Assist	_	0	0	0	_
Towing Pack - Tow Bar & Integrated Trailer Brake Controller	0	0	0	0	_
Premium Towing Pack - Tow Bar & Integrated Trailer Brake Controller, Blind Spot Monitoring Trailer Coverage, Pro-Trailer Back-Up Assist	_	_	_	_	0
Rough Terrain Pack - Under Vehicle Armour (UVA), Rough Terrain Bar and Auxiliary Switch Bank	_	_	_	0	_
Tremor Premium Seat Pack - Heated/Vented Front Driver & Passenger Seat, 8-Way Power Passenger Seat, 10-Way Power Driver Seat including Memory	_	_	_	0	_

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

Disclaimer:

21. Driver- assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. iACC uses various data to adjust the set speed of the vehicle to the speed limit detected by the system. The iACC system will not always detect the correct speed limit and may set a vehicle speed that is above or below the actual speed limit. If the system does this, it can be overridden by the driver applying the brake or accelerator. Customers should read the Owner's Manual for full details of the limitations of the iACC system before activating the system. 22. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. 23. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. Trailer Coverage system supports conventional trailer dimensions: up to 2.4m wide (measured at trailer front) and up to 10m long from the rear of your vehicle. Drivers will need to create a profile of their trailers in SYNC to support this system. Only works with a genuine factory fit Ford Tow Bar. 24. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. Hill Descent Control on 4x4 models only. 25. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Evasive Steer Assist does not control steering. See Owner's Manual for details and limitations. 26. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. Designed for use on rural roads at speeds of 65 - 110km/h. The feature does not detect every edge and does require a level of contrast between the road surface and the edge. 27. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. 28. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Pre-collision Assist with Automatic Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. It does not replace safe driving. See Owner's Manual for Limitations. Intersection Assist does not detect all vehicles in intersection, pedestrians or cyclists. It does not replace safe driving. See Owner's Manual for Limitations. 29. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See — Owner's Manual for details and limitations. Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h. Please see the Owner's Manual for precautions and limitations. 30. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. 31. Drivers are responsible for maintaining the correct legal speed limit at all times and should not rely solely upon the Traffic Sign Recognition system. 32. Maximum towing capacity-braked using a Genuine Ford tow pack (optional as part of a pack at additional cost). Subject to State and Territory regulations. To comply with these limits, any load transported by the vehicle may need to be restricted to not exceed the GCM and GVM limits. For further details regarding load restrictions, please consult your authorised Ford Dealer and / or refer to the owner manual. 33. Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on __ the Brake Controller unit.

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost

NCO = Factory Option that can be ordered before a vehicle is manufactured at no additional cost

Find out more





Important information:

This brochure is designed to provide you with a general introduction to the Ford products (including available optional equipment) referred to and should be read in conjunction with the latest specifications may vary from those depicted. Because of changes in conditions and circumstances Ford reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice, to discontinue or change the features, designs, materials, colours and the prices of its products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchaser or purchasers. The latest specification sheet should be referred to for information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order.