





Technical Specifications

TECHNICAL DATA Engine Capacity (cc) 1496 1496 Configuration Turbo Turbo Fuel Trank Capacity (L) 55 55 Maximum Engine Power (kW) 105 105 Maximum Engine Torque (Nm) 230 230 Maximum Traction Motor Torque (Nm) 340 340 Maximum Traction Motor Torque (Nm) 340 340 Maximum Combined Power (kW) 220 220 Maximum Combined Forque (Nm) 350 350 Maximum Combined Forque (Nm) 350 350 Battery Capacity Nominal (kWh) 247 247 WLTP Battery Range (km)* 120 120 NDECC Battery Range (km)* 135 135 Charger Connection Type Type 2 Type 2 Estimated TAW Charger Charge Time (Full Charge) (Hours) 7,3 7,3 Steering System Front Wheel Drive System Flectronic Power Steering Steering System Flectronic Power Steering Transmission Type Flectronic Power Steering Front Suspension Maximu		EXCITE	ESSENCE
Engine Capacity (ct) 1496 1496 Configuration Turb o Turb o Fuel Tank Capacity (L) 55 5 Maximum Engine Power (kW) 105 105 Maximum Engine Torque (Nm) 230 230 Maximum Traction Motor Power (kW) 154 154 Maximum Combined Power (kW) 340 340 Maximum Combined Power (kW) 220 220 Maximum Combined Power (kW) 350 350 Maximum Combined Power (kW) 350 350 Maximum Combined Power (kW) 247 247 Maximum Combined Power (kW) 350 350 Battery Capacity Nominal (kWh) 47 247 WLTP Battery Range (km)* 120 120 NEDC Battery Range (km)* 135 135 NEDC Battery Range (km)* 135 135 Charger Connection Type 73 73 Charger Connection Type 73 73 Steatinated TxW Charge Time (Full Charge) (Hours) 74 4 Drive Type <td< th=""><th>TECHNICAL DATA</th><th></th><th></th></td<>	TECHNICAL DATA		
Configuration Turbo Turbo Fuel Tank Capacity (L) 55 55 Maximum Engine Power (kW) 105 105 Maximum Engine Torque (Nm) 230 230 Maximum Traction Motor Power (kW) 154 154 Maximum Combined Power (kW) 240 220 Maximum Combined Power (kW) 220 220 Maximum Combined Torque (Nm) 350 350 Maximum Combined Torque (Nm) 350 350 Maximum Combined Torque (Nm) 247 247 WLTP Battery Range (km)* 120 120 NEDC Battery Range (km)* 135 135 Charger Connection Type Type 2 Type 2 Steintarded JAW Charger Charge Time (Full Charge) (Hours) 7,3 7,3 Estimated Of Amy Pall Charger Charge Time (Full Charge) (Hours) 4 4 Drive Type Pront Wheel Prive Prive Wheel Prive Prive Wheel Prive No. Wheel Prive Wheel Prive No. Wheel Prive Wheel Prive No. Wheel Prive Wheel Prive Wheel Prive No. Wheel Prive Wheel		1496	1496
Maximum Engine Power (kW) 105 105 Maximum Engine Torque (Nm) 230 230 Maximum Traction Motor Power (kW) 154 154 Maximum Traction Motor Power (kW) 154 154 Maximum Traction Motor Fower (kW) 340 340 Maximum Combined Power (kW) 220 220 Maximum Combined Power (kW) 350 350 Maximum Combined Power (kW) 350 360 Maximum Combined Power (kW) 350 360 Maximum Combined Power (kW) 350 360 Maximum Combined Power (kW) 360 360 Maximum Combined Power (kW) 361 361 Maximum Towing Weight Unbrakel (kg) 360 360 360 Maximum Towing Weight Unbrakel (kg) 160 750 750 Maximum Towing Weight Enakel (kg)		Turbo	Turbo
Maximum Engine Torque (Nm) 230 230 Maximum Traction Motor Power (kW) 154 154 Maximum Traction Motor Torque (Nm) 340 340 Maximum Combined Power (kW) 220 220 Maximum Combined Torque (Nm) 350 350 Battery Capacity Nominal (kWh) 24.7 24.7 WLTP Battery Range (km)* 120 120 NEDC Battery Range (km)* 135 135 Charger Connection Type Type 2 Type 2 Estimated 10Amp Wall Charger Charge Time (Full Charge) (Hours) 7.3 7.3 Estimated 7kW Charge Time (Full Charge) (Hours) front Wheel Orive Pront Wheel Orive Drive Type Front Wheel Orive Pront Wheel Orive Steering System Electrocine Dower Sceering System Electrocine Dower Sceering System Steering System Because of Pront Wheel Orive Pront Wheel Orive Tansmission Type MacPher Son Sceering Sceering Sceering Sceering Sceering Sceering Sceering Applications on Pront Sceering	Fuel Tank Capacity (L)	55	55
Maximum Traction Motor Power (kW) 154 154 Maximum Traction Motor Torque (Nm) 340 340 Maximum Combined Power (kW) 220 220 Maximum Combined Torque (Nm) 350 350 Battery Capacity Nominal (kWh) 24.7 24.7 WLTP Battery Range (km)* 120 120 NEDC Battery Range (km)* 135 135 Charger Connection Type Type 2 Type 2 Estimated 10Amp Wall Charger Thange Itml (Full Charge) (Hours) 7.3 7.3 Estimated 7kW Charge Time (Full Charge) (Hours) 4 4 4 Drive Type Front Wheel Orive Front Wheel Orive Front Wheel Orive Front Wheel Orive Provided Orive Steering System Seering Seering Received Seering <t< td=""><td>Maximum Engine Power (kW)</td><td>105</td><td>105</td></t<>	Maximum Engine Power (kW)	105	105
Maximum Traction Motor Power (kW) 154 154 Maximum Traction Motor Torque (Nm) 340 340 Maximum Combined Power (kW) 220 220 Maximum Combined Torque (Nm) 350 350 Battery Capacity Nominal (kWh) 24.7 24.7 WLTP Battery Range (km)* 120 120 NEDC Battery Range (km)* 135 135 Charger Connection Type Type 2 Type 2 Estimated 10Amp Wall Charger Thange Itml (Full Charge) (Hours) 7.3 7.3 Estimated 7kW Charge Time (Full Charge) (Hours) 4 4 4 Drive Type Front Wheel Orive Front Wheel Orive Front Wheel Orive Front Wheel Orive Provided Orive Steering System Seering Seering Received Seering <t< td=""><td></td><td>230</td><td>230</td></t<>		230	230
Maximum Combined Power (kW) 220 220 Maximum Combined Torque (Nm) 350 350 Battery Capacity Nominal (kWh) 24.7 24.7 WLTP Battery Range (km)* 120 120 NEDC Battery Range (km)* 135 135 Charger Connection Type Type 2 Type 2 Estimated 10Amp Wall Charger Charge Time (Full Charge) (Hours) 7,3 7,3 Estimated 17kW Charge Time (Full Charge) (Hours) 4 4 Drive Type Fornt Wheel Drive Front Wheel Drive Front Wheel Drive Front Wheel Drive Pront Wheel Drive Steering RoN 95 and Above Above Above Above Above <td></td> <td>154</td> <td>154</td>		154	154
Maximum Combined Torque (Nm) 350 350 Battery Capacity Nominal (kWh) 24.7 24.7 WLTP Battery Range (km)* 120 120 NEDC Battery Range (km)* 135 35 Charger Connection Type Type 2 Type 2 Estimated 10Amp Wall Charger Charge Time (Full Charge) (Hours) 7.3 7.3 Estimated 7kW Charge Time (Full Charge) (Hours) 4 4 Drive Type Front Wheel Drive Front Wheel Drive Steering System Electronice Power Secroin Steering Steering Full Grade RON 95 and Above Above Above SUSPENSION & BRAKES RON 95 and Above Above Front Suspension MacPherson MacPherson Rear Suspension Multi-Link Multi-Link Front Brakes Ventilated Disc Ventilated Disc Rear Brakes Ventilated Disc Ventilated Disc Tyre Size 225/55 R19 25/55 R19 Tyre Size 225/55 R19 25/55 R19 Tyre Repair Kit • •	Maximum Traction Motor Torque (Nm)	340	340
Battery Capacity Nominal (kWh) 24.7 24.7 WLTP Battery Range (km)* 120 120 NEDC Battery Range (km)* 135 135 Charger Connection Type Type 2 Type 2 Estimated 10Amp Wall Charger Charge Time (Full Charge) (Hours) 7.3 7.3 Estimated 7kW Charge Time (Full Charge) (Hours) 4 4 Drive Type Front Wheel Drive Front Wheel Drive Provided Prov	Maximum Combined Power (kW)	220	220
WLTP Battery Range (km)* 120 120 NEDC Battery Range (km)* 135 135 Charger Connection Type Type 2 Type 2 Estimated 10Amp Wall Charger Charge Time (Full Charge) (Hours) 7.3 7.3 Estimated 7kW Charge Time (Full Charge) (Hours) 4 4 Drive Type Front Wheel Drive Front Wheel Drive Steering System Electronic Power Electronic Power Steering Steering Transmission Type Transmission Phybrid Transmission Full Grade RAD 95 and RAD 95	Maximum Combined Torque (Nm)	350	350
NEDEC Battery Range (km)* 135 135 Charger Connection Type Type 2 Type 2 Estimated 10Amp Wall Charger Charge Time (Full Charge) (Hours) 7.3 7.3 Estimated 7kW Charge Time (Full Charge) (Hours) 4 4 Drive Type Electronic Power Steering Front Wheel Drive Drive Steering System Electronic Power Steering Steering Steering Pubrid Transmission Tansmission Type RON 95 and Above Phybrid Transmission Fuel Grade RON 95 and Above RON 95 and Above RON 95 and Above SUSPENSION & BRAKES Front Suspension MacPherson MacPherson MacPherson Rear Suspension Multi-Link Multi-Link Multi-Link Front Brakes Obic Disc Disc Rear Brakes Disc Disc Disc WHELLS & TYRES 2 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Battery Capacity Nominal (kWh)	24.7	24.7
Charger Connection Type Type 2 Type 2 Estimated 10Amp Wall Charger Charge Time (Full Charge) (Hours) 7.3 7.3 Estimated 7kW Charge Time (Full Charge) (Hours) 4 4 Drive Type Front Wheel Drive Front Wheel Drive Front Wheel Drive Steering System Electronic Power Steering Steering Steering Steering Steering Steering Steering Ste	WLTP Battery Range (km)*	120	120
Estimated 10Amp Wall Charger Charge Time (Full Charge) (Hours) 7.3 7.3 Estimated 7kW Charge Time (Full Charge) (Hours) 4 4 Drive Type Front Wheel Drive Front Wheel Drive Front Wheel Drive Steering System Electronic Power Steering Steering Steering Steering Steering Steering Steering Steering Steering Stee	NEDC Battery Range (km)*	135	135
Estimated 7kW Charge Time (Full Charge) (Hours) 4 4 Drive Type Front Wheel Drive Front Wheel Drive Front Wheel Drive Steering System Electronic Power Electronic Power Steering Steering Steering Steering Steering Steering Steering S	Charger Connection Type	Type 2	Туре 2
Drive Type Front Wheel Drive Front Wheel Drive Front Wheel Drive Pront Wheel Drive Pront Wheel Drive Drive Type Steering System Electronic Power Exteering Steering Stee	Estimated 10Amp Wall Charger Charge Time (Full Charge) (Hours)	7.3	7.3
Drive Type Drive Drive Drive Steering System Electronic Power Incremit Steering Steering Steering Steering Steering Steering Steering Steering Steering Transmission Steering	Estimated 7kW Charge Time (Full Charge) (Hours)	4	4
Steering System Steering Hybrid Transmission Steering Hybrid Transmission Alpbrid Transmission Fuel Grade RON 95 and Above RON 95 and Above SUSPENSION & BRAKES Front Suspension MacPherson MacPherson Rear Suspension Multi-Link Multi-Link Front Brakes Ventilated Disc Ventilated Disc Rear Brakes Disc Disc WHEELS & TYRES Disc Disc Tyre Size 225/55 R19 225/55 R19 Tyre Repair Kit • • WEIGHT I820 1870 Unladen Mass (kg) 1850 1900 Gross Vehicle Mass (kg) 2325 2375 Maximum Towing Weight Unbraked (kg) 750 750 Maximum Towing Weight Braked (kg) 1500 1500	Drive Type		
Transmission Type Steering Transmission Type Steering Transmission Transmission Transmission Transmission Hybrid Transmission Transmission Fuel Grade RON 95 and Above RON 95 and Above SUSPENSION & BRAKES Front Suspension MacPherson MacPherson Rear Suspension Multi-Link Multi-Link Front Brakes Ventilated Disc Ventilated Disc Rear Brakes Disc Disc WHEELS & TYRES Use Disc 19" Alloy Wheel • • Tyre Size 225/55 R19 225/55 R19 Tyre Repair Kit • • WEIGHT Tare Mass (kg) 1820 1870 Unladen Mass (kg) 1850 1900 Gross Vehicle Mass (kg) 2325 2375 Maximum Towing Weight Unbraked (kg) 750 750 Maximum Towing Weight Braked (kg) 1500 1500	Steering System		
Transmission type Transmission Transmission Fuel Grade RON 95 and Above RON 95 and Above SUSPENSION & BRAKES Front Suspension MacPherson MacPherson Rear Suspension Multi-Link Multi-Link Front Brakes Ventilated Disc Ventilated Disc Rear Brakes Disc Disc WHEELS & TYRES 19" Alloy Wheel • • Tyre Size 225/55 R19 225/55 R19 Tyre Repair Kit • • WEIGHT I820 1870 Unladen Mass (kg) 1850 1900 Gross Vehicle Mass (kg) 2325 2375 Maximum Towing Weight Unbraked (kg) 750 750 Maximum Towing Weight Braked (kg) 1500 1500	6,7,		
Fuel Grade Above Above Above Suppersion MacPherson MacPherson MacPherson MacPherson Malpherson Malpherson Multi-Link Multi-Link <t< td=""><td>Transmission Type</td><td></td><td></td></t<>	Transmission Type		
Front Suspension MacPherson MacPherson Rear Suspension Multi-Link Multi-Link Front Brakes Ventilated Disc Ventilated Disc Rear Brakes Disc Disc WHEELS & TYRES 19" Alloy Wheel • • Tyre Size 225/55 R19 225/55 R19 Tyre Repair Kit • • WEIGHT Tare Mass (kg) 1820 1870 Unladen Mass (kg) 1850 1900 Gross Vehicle Mass (kg) 2325 2375 Maximum Towing Weight Unbraked (kg) 750 750 Maximum Towing Weight Braked (kg) 1500 1500	Fuel Grade		
Rear Suspension Multi-Link Multi-Link Front Brakes Ventilated Disc Ventilated Disc Rear Brakes Disc Disc WHEELS & TYRES 19" Alloy Wheel • • Tyre Size 225/55 R19 225/55 R19 Tyre Repair Kit • • WEIGHT Tare Mass (kg) 1820 1870 Unladen Mass (kg) 1850 1900 Gross Vehicle Mass (kg) 2325 2375 Maximum Towing Weight Unbraked (kg) 750 750 Maximum Towing Weight Braked (kg) 1500 1500	SUSPENSION & BRAKES		
Front Brakes Ventilated Disc Ventilated Disc Rear Brakes Disc Disc WHEELS & TYRES 19" Alloy Wheel • • Tyre Size 225/55 R19 225/55 R19 Tyre Repair Kit • • WEIGHT Tare Mass (kg) 1820 1870 Unladen Mass (kg) 1850 1900 Gross Vehicle Mass (kg) 2325 2375 Maximum Towing Weight Unbraked (kg) 750 750 Maximum Towing Weight Braked (kg) 1500 1500	Front Suspension	MacPherson	MacPherson
Rear Brakes Disc Disc WHEELS & TYRES 19" Alloy Wheel • • Tyre Size 225/55 R19 225/55 R19 Tyre Repair Kit • • WEIGHT Tare Mass (kg) 1820 1870 Unladen Mass (kg) 1850 1900 Gross Vehicle Mass (kg) 2325 2375 Maximum Towing Weight Unbraked (kg) 750 750 Maximum Towing Weight Braked (kg) 1500 1500	Rear Suspension	Multi-Link	Multi-Link
WHEELS & TYRES 19" Alloy Wheel ● ● ● TYRES ize 225/55 R19 1820 1820 1870 WEIGHT Tare Mass (kg) 1820 1870 1900 1870 Unladen Mass (kg) 1850 1900 1900 Gross Vehicle Mass (kg) 2325 2375 2375 Maximum Towing Weight Unbraked (kg) 750 750 Maximum Towing Weight Braked (kg) 1500	Front Brakes	Ventilated Disc	Ventilated Disc
I9" Alloy Wheel ● ● Tyre Size 225/55 R19 225/55 R19 Tyre Repair Kit ● ● WEIGHT Tare Mass (kg) 1820 1870 Unladen Mass (kg) 1850 1900 Gross Vehicle Mass (kg) 2325 2375 Maximum Towing Weight Unbraked (kg) 750 750 Maximum Towing Weight Braked (kg) 1500 1500	Rear Brakes	Disc	Disc
Tyre Size 225/55 R19 225/55 R19 Tyre Repair Kit ● ● WEIGHT Tare Mass (kg) 1820 1870 Unladen Mass (kg) 1850 1900 Gross Vehicle Mass (kg) 2325 2375 Maximum Towing Weight Unbraked (kg) 750 750 Maximum Towing Weight Braked (kg) 1500 1500	WHEELS & TYRES		
Tyre Repair Kit ● ● WEIGHT I820 I870 Unladen Mass (kg) I850 I900 Gross Vehicle Mass (kg) 2325 2375 Maximum Towing Weight Unbraked (kg) 750 750 Maximum Towing Weight Braked (kg) I500 I500	I 9" Alloy Wheel	•	•
WEIGHT Tare Mass (kg) 1820 1870 Unladen Mass (kg) 1850 1900 Gross Vehicle Mass (kg) 2325 2375 Maximum Towing Weight Unbraked (kg) 750 750 Maximum Towing Weight Braked (kg) 1500 1500	Tyre Size	225/55 R19	225/55 R19
Tare Mass (kg) 1820 1870 Unladen Mass (kg) 1850 1900 Gross Vehicle Mass (kg) 2325 2375 Maximum Towing Weight Unbraked (kg) 750 750 Maximum Towing Weight Braked (kg) 1500 1500	Tyre Repair Kit	•	•
Unladen Mass (kg) 1850 1900 Gross Vehicle Mass (kg) 2325 2375 Maximum Towing Weight Unbraked (kg) 750 750 Maximum Towing Weight Braked (kg) 1500 1500	WEIGHT		
Gross Vehicle Mass (kg) 2325 2375 Maximum Towing Weight Unbraked (kg) 750 750 Maximum Towing Weight Braked (kg) 1500 1500	Tare Mass (kg)	1820	1870
Maximum Towing Weight Unbraked (kg) 750 750 Maximum Towing Weight Braked (kg) 1500 1500	Unladen Mass (kg)	1850	1900
Maximum Towing Weight Braked (kg) 1500 1500	Gross Vehicle Mass (kg)	2325	2375
	Maximum Towing Weight Unbraked (kg)	750	750
Maximum Roof Rail Load (kg) 75 75	Maximum Towing Weight Braked (kg)	1500	1500
	Maximum Roof Rail Load (kg)	75	75

	EXCITE	ESSENCE
FUEL CONSUMPTION & EMISSION		
Electric Driving Efficiency (kWh/100km)*	18	18
CO2 (g/km) Combined*	17	17
Fuel Consumption (L/100km) Combined*	0.7	0.7
DIMENSIONS		
Length (mm)	4670	4670
Width (mm)	1890	1890
Height (mm)	1663	1663
Wheelbase (mm)	2765	2765
Running Clearance (mm)	166	176
Boot Volume with Seats Folded (L)	1484	1484
Boot Volume with Seats in Place (L)	507	507
LIGHTING		
LED Headlights with manual levelling	•	•
LED Daytime Running Lights	•	•
LED Taillight	•	•
Automatic Headlights	•	•
High Mounted Brake Light	•	•
Intelligent Headlamp Control (IHC)	•	•
Follow Me Home Headlights	•	•
Rear Fog Lights	•	•
Front Fog Lights	•	•
INTERIOR		
PU Steering Wheel	•	•
Leather Gear Shifter	•	•
Front Seat Pocket	•	•
Front Centre Armrest	•	•
Rear Centre Armrest	•	•
Eight Drink Holders	•	•
Front I2V Power Outlet	•	•
Sun visor with Mirror and Illumination	•	•
Front and Rear Reading Light	•	•
Glove Box with Illumination	•	•
Boot Illumination	•	•
Boot Covering Curtain	•	•
Sunglasses Box	-	•
Slow Charging Cable	•	•
Electronic Panoramic Sunroof	-	•

^{*}Figures according to ADR 81/02 derived from laboratory testing. Factors including but not limited to driving style, road and traffic conditions, environmental influences, vehicle condition and accessories fitted, will in practice in the real-world lead to figures which generally differ from those advertised. Advertised figures are meant for comparison amongst vehicles only.



Technical Specifications

	EXCITE	ESSENCE
SAFETY & SECURITY		
Adaptive Cruise Control (ACC)	•	•
Active Emergency Braking (AEB)	•	•
Lane Change Assist (LCA)	•	•
Lane Keep Assist (LKA)	•	•
Lane Departure Warning System (LDW)	•	•
Emergency Lane Keep Assist (ELKA)	•	•
Intelligent Cruise Assist (ICA)	•	•
Intelligent Speed Limit Assist (SAS)	•	•
Blind Spot Detection (BSD)	•	•
Electric Parking Brake (EPB)	•	•
Driver Monitor Status (DMS)	•	•
Forward Collision Warning (FCW)	•	•
Rear Collision warning (RCW)	•	•
Rear Cross Traffic Braking (RCTB)	•	•
Front Cross Traffic Alert (FCTA)	•	•
Door Open Warning (DOW)	•	•
Direct Tyre Pressure Monitoring System (TPMS)	•	•
Rear ISOFIX (x2) + Top tether Anchorage (x3)	•	•
Drivers Airbag + Passenger Airbag	•	•
Two Side Airbags	•	•
Two Curtain Airbags	•	•
Far side Airbag	•	•
Electronic Stability Program	•	•
Hill Start Assist	•	•
Autohold	•	•
Seat Belt Reminder	•	•
Front Seat Belt (3 point with Pretensioner and Load Limiter)	•	•
Rear Seat Belt (3 point x3. Outer with Pretensioner and Load Limiter)	•	•
Alarm & Engine Immobiliser	•	•
Pedestrian Warning Sound	•	•
HEATING AND VENTILATION		
Rear Window Heating	•	•
Electric AC Control	•	•
Dust Filter (PM2.5)	•	•
Rear AC Vent	•	•
Auto AC Control	•	•
Dual Zone Auto Climate Control	-	•

	EXCITE	ESSENCE
INSTRUMENTS		
12.3" Virtual Driver Information Display	•	•
Cluster Brightness Adjustment	•	•
Trip Computer	•	•
Steering Wheel Recovery Reminder	•	•
Service Interval Indicator	•	•
Immersive Cluster	•	•
Navigation on Cluster	•	•
EXTERIOR		
Silver Roof Rails	•	•
Glass Printed Antenna	•	•
Spoiler	•	•
Boneless Front Wiper	•	•
Rear Wiper	•	•
Rain Sensing Wipers	•	•
Rear Parking Sensors	•	•
Door Mirror with Side indicator (LED)	•	•
Electrically Adjustable, Heated, Door Mirrors	•	-
Electrically Adjustable, Electric Folding, Heated, Door Mirrors	-	•
Front Parking Sensors	-	•
Rear Privacy Glass	•	•
Side Step	•	•
Door Mirror Memory	-	•
SEATING		
Fabric Seat	•	-
PVC Seat	-	•
Drivers Seat Memory	-	•
Driver's 6-way Electric Adjustable Seat	•	•
Drivers 4-way Electric Lumbar Support	-	•
Passenger's 4-way Manual Adjustable Seat	•	-
Passenger's 4-way Electric Adjustable Seat	-	•
Heated Front Seats (3 levels)	-	•
Rear Headrest x3	•	•
2nd Row 60/40 Split Fold Seat	•	•



COMFORT & CONVENIENCE		
Remote Central Locking	•	•
Keyless Entry	•	•
Push Button Start	•	•
Automatic Door Lock	•	•
Multi Function Steering Wheel	•	•
Front & Rear Electric Windows with one-touch up/down	•	•
Tilt & Telescopic Steering Wheel	•	•
Driving Modes	•	•
Power Tailgate	-	•
One Foot Kick Tailgate	-	•
IN-CAR ENTERTAINMENT		
6-Speaker Audio System	•	-
8-Speaker Audio System	-	•
12.3" Colour Touchscreen	•	•
DAB+ Audio	•	•
FM/AM Radio	•	•
Wireless Apple CarPlay and Android Auto	•	•
4 USB Ports (2 at front, 2 at rear)	•	•
Bluetooth Connection	•	•
Reverse Camera (HD)	•	•
360° Camera (HD)	-	•
Satellite Navigation	•	•
iSmart - (12 Months Complimentary Access)	•	•
Wireless Phone Charging	-	•

Technical Specifications

MG HS SUPER HYBRID



@MG Motor Australia 2025. MG Motor Australia offers this information as a general guide to product specifications. All data that applies to MY25 models only is believed to be correct as at May 2025; however as product development is an ongoing process, changes may occur from time to time which may not be necessarily reflected herein. To the maximum extent permitted by law, MG Motor Australia shall not be liable for any reliance placed by any person on the content of this publication. MG Motor Australia reserves the right to change specifications without notice. Accordingly, this information should not be regarded as an infallible guide to correct specifications, nor does it constitute an offer for sale of any particular vehicle. Whilst all care has been taken to provide you with information in regards to the general use of MG products, you should not rely solely on the information provided in this specification sheet. Dealers are not agents of MG Motor Australia and have absolutely no authority to bind MG Motor Australia by an express or implied undertaking or representation. ~ Warranty T&C's at www.mgmotor.com.au/warranty. Bluetooth® is a registered trademark and logo of Bluetooth SIG, Inc. AU 2024. Actual Australian specification may vary from vehicle shown.

Follow us







