



FOTON

TUNLAND



FOTON Tunland V7-C 4x2
FOTON Tunland V7-C 4x4

FOTON Tunland V9-L 4x4
FOTON Tunland V9-S 4x4

*Overseas models shown.

WEIGHT RATINGS

GVM up to 3,355kg
PAYLOAD up to 1,115kg
TOWING CAPACITY¹ 3,500kg

ENGINE

POWER 120kW @ 3600rpm
TORQUE 450Nm @ 1500-2400rpm

TRANSMISSION

8 Speed Automatic Transmission (ZF)

BODY TYPE

Dual Cab

- STANDARD
- OPTIONAL
- UNAVAILABLE



Tunland V7-C 4x2



Tunland V7-C 4x4



Tunland V9-L 4x4



Tunland V9-S 4x4

| ENGINE | | | | | |
|-------------------|--|---|---|---|---|
| Type | 2.0L 4 Cylinder Diesel with 48V Assist | ● | ● | ● | ● |
| Model | Aucan 4F20TC17 | ● | ● | ● | ● |
| Bore x Stroke | 81 x 95.5mm | ● | ● | ● | ● |
| Capacity | 1968cc | ● | ● | ● | ● |
| Compression Ratio | 16:02 | ● | ● | ● | ● |

| TRANSMISSION | | | | | |
|----------------------|-----|--------|--------|--------|--------|
| ZF 8-Speed Automatic | | ● | ● | ● | ● |
| Gear Ratio | 1st | 5 | 5 | 5 | 5 |
| | 2nd | 3.2 | 3.2 | 3.2 | 3.2 |
| | 3rd | 2.143 | 2.143 | 2.143 | 2.143 |
| | 4th | 1.72 | 1.72 | 1.72 | 1.72 |
| | 5th | 1.314 | 1.314 | 1.314 | 1.314 |
| | 6th | 1 | 1 | 1 | 1 |
| | 7th | 0.822 | 0.822 | 0.822 | 0.822 |
| | 8th | 0.64 | 0.64 | 0.64 | 0.64 |
| Reverse | | -3.456 | -3.456 | -3.456 | -3.456 |

1. Maximum Braked Towing Capacity.

- STANDARD
- OPTIONAL
- UNAVAILABLE



Tunland V7-C 4x2



Tunland V7-C 4x4



Tunland V9-L 4x4



Tunland V9-S 4x4

| PERFORMANCE | | | | | |
|----------------|----------------------|---|---|---|---|
| Maximum Power | 120kW @ 3600rpm | ● | ● | ● | ● |
| Maximum Torque | 450Nm @ 1500-2400rpm | ● | ● | ● | ● |

| FUEL & EMISSIONS ¹ | | | | | |
|-------------------------------------|--------|--------|--------|--------|--------|
| Fuel Tank Capacity (L) | 76 | 76 | 76 | 76 | 76 |
| Ad Blue Tank Capacity (L) | 12 | 12 | 12 | 12 | 12 |
| Combined Fuel Consumption (L/100km) | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 |
| CO ₂ Emissions (g/km) | 211 | 211 | 211 | 211 | 211 |
| Emission Standard | Euro 6 | Euro 6 | Euro 6 | Euro 6 | Euro 6 |

| STEERING | | | | | |
|------------------------|-------------------------|---|---|---|---|
| Type | Electric Power Assisted | ● | ● | ● | ● |
| Minimum Turning Circle | 13.5m | ● | ● | ● | ● |

| SUSPENSION | | | | | |
|------------|---------------------------------|---|---|---|---|
| Front Type | Double Wishbone Type Suspension | ● | ● | ● | ● |
| Rear Type | Leaf Spring Rigid Axle | ● | ● | — | — |
| | Multi-Link Rigid Axle | — | — | ● | ● |

| BRAKES | | | | | |
|------------|-----------------|---|---|---|---|
| Front Type | Ventilated Disc | ● | ● | ● | ● |
| Rear Type | Ventilated Disc | ● | ● | ● | ● |

| WHEELS & TYRES | | | | | |
|---|-------------------|----------------|----------------|----------------|----------------|
| Wheel Type | Gloss Black Alloy | ● | ● | ● | ● |
| Tyres (width, profile, size, load index and speed rating) | 265/70R18 116T | 265/70R18 116T | 265/70R18 116T | 265/70R18 116T | 265/70R18 116T |
| Wheel Dimensions | 18x7.5J | 18x7.5J | 18x7.5J | 18x7.5J | 18x7.5J |
| 18" Steel Spare Wheel | 265/70R18 | 265/70R18 | 265/70R18 | 265/70R18 | 265/70R18 |

| DIMENSIONS (mm) | | | | | |
|------------------------------------|-----------------------------------|---------|---------|---------|---------|
| Overall Length | 5617 | 5617 | 5617 | 5617 | 5617 |
| Overall Width | 2000 | 2000 | 2090 | 2090 | 2090 |
| Overall Height | 1910 | 1910 | 1910 | 1955 | 1955 |
| Wheelbase | 3355 | 3355 | 3355 | 3355 | 3355 |
| Minimum Ground Clearance | 240 | 240 | 240 | 240 | 240 |
| Seating Capacity | 5 | 5 | 5 | 5 | 5 |
| Break Over Angle (Degrees) | 21° | 21° | 21° | 21° | 21° |
| Approach/Departure Angle (Degrees) | 28°/26° | 28°/26° | 28°/26° | 28°/26° | 28°/26° |
| Wading Depth | 700 | 700 | 700 | 700 | 700 |
| Tub Dimensions | Length | 1577 | 1577 | 1577 | 1577 |
| | Width | 1650 | 1650 | 1650 | 1650 |
| | Height | 530 | 530 | 530 | 530 |
| | Internal Gap Between Wheel Arches | 1240 | 1240 | 1240 | 1240 |

| WEIGHTS (kg) | | | | | |
|---------------------------|------|------|------|------|------|
| Gross Vehicle Mass (GVM) | 3305 | 3335 | 3310 | 3310 | 3310 |
| Gross Combined Mass (GCM) | 6805 | 6835 | 6810 | 6810 | 6810 |
| Tare Mass ² | 2134 | 2229 | 2259 | 2259 | 2259 |
| Kerb Weight | 2190 | 2285 | 2315 | 2315 | 2315 |
| Payload | 1115 | 1050 | 995 | 995 | 995 |

1. Results achieved in ADR81/02 fuel consumption testing. Results produced in laboratory test conditions, using sample vehicles without fitment of accessories/customisation, and do not reflect real world driving. Figures should only be used for comparative purposes. 2. Tare Weight where quoted is for the vehicle unoccupied and unladen with full fluids and 10 litres fuel. Weights may change with the addition of equipment. An individual vehicle must be weighed to establish the exact kerb weight and payload applicable to that vehicle. It is the responsibility of the driver to ensure the vehicle is operated within the legal limits.

- STANDARD
- OPTIONAL
- UNAVAILABLE



Tunland V7-C 4x2



Tunland V7-C 4x4



Tunland V9-L 4x4



Tunland V9-S 4x4

| TOWING (kg) | | | | |
|----------------------------------|------|------|------|------|
| Maximum Braked Towing Capacity | 3500 | 3500 | 3500 | 3500 |
| Maximum Unbraked Towing Capacity | 750 | 750 | 750 | 750 |
| Maximum Tow Ball Down Weight | 350 | 350 | 350 | 350 |

| COLLISION AVOIDANCE | | | | | |
|--|---------------------|-------|---|---|---|
| Electronic Stability Program | | (ESP) | ● | ● | ● |
| Anti-Lock Braking System | | (ABS) | ● | ● | ● |
| Electric Brakeforce Distribution | | (EBD) | ● | ● | ● |
| Vehicle Dynamics Control | | (VDC) | ● | ● | ● |
| Traction Control System | | (TCS) | ● | ● | ● |
| Hydraulic Brake Assist | | (HBA) | ● | ● | ● |
| Hill-Hold-Control | | (HHC) | ● | ● | ● |
| Hill Descent Control | | (HDC) | ● | ● | ● |
| Hydraulic Brake Boost | | (HBB) | ● | ● | ● |
| Auto Vehicle Hold | | (AVH) | ● | ● | ● |
| Electronic Parking Brake | | (EPB) | ● | ● | ● |
| Overspeed Alert | | (OSA) | ● | ● | ● |
| Driver Monitoring System (DMS) ¹ featuring: | Distraction Warning | | — | — | ● |
| | Fatigue Warning | | — | — | ● |
| Panoramic 360 Degree View Monitor | | | ● | ● | ● |
| Transparent Chassis Monitor | | | ● | ● | ● |
| Front Parking Sensors | | | ● | ● | ● |
| Rear Parking Sensors | | | ● | ● | ● |
| Speed Sensing Door Locks | | | ● | ● | ● |
| Automatic Crash Unlocking | | | ● | ● | ● |
| Fuel Cut Function | | | ● | ● | ● |

| COLLISION PROTECTION | | | | |
|---|---|---|---|---|
| Dual Front Airbags | ● | ● | ● | ● |
| Dual Side Airbags | ● | ● | ● | ● |
| Dual Full Length Curtain Airbags | ● | ● | ● | ● |
| Driver's Knee Airbag | ● | ● | ● | ● |
| Centre Airbag | ● | ● | ● | ● |
| Three-Point ELR Seatbelts with Pretensioners & Force Limiters | ● | ● | ● | ● |
| Seat Belt Reminder - Front & Rear Seats | ● | ● | ● | ● |
| Driver & Front Passenger Headrests | ● | ● | ● | ● |
| Rear Seat Headrests with 3 Position Adjustment ² | ● | ● | ● | ● |
| Driver & Front Passenger Height Adjustable Seat Belts | ● | ● | ● | ● |

| CHILD SAFETY | | | | |
|--|---|---|---|---|
| Child Seat Anchor Points (x 3) | ● | ● | ● | ● |
| ISOFIX Anchor Points for 2 ISOFIX Compliant Child Restraints | ● | ● | ● | ● |
| Rear Door Child Lock | ● | ● | ● | ● |

1. The Driver Monitoring System (DMS) features for Tunland V9-S 4x4 are distraction warning and drowsiness warning. DMS performance and capability is dependent on environmental and technical conditions. Refer to Owner's Manual for full details. 2. Outboard Headrests Only.

- STANDARD
- OPTIONAL
- UNAVAILABLE



Tunland V7-C 4x2



Tunland V7-C 4x4



Tunland V9-L 4x4



Tunland V9-S 4x4

| INTELLIGENT DRIVING DYNAMICS | | | | | |
|--|--|---|---|---|---|
| 4x2 (2WD) | | ● | — | — | — |
| Part Time 4x4 (4WD) | | — | ● | ● | ● |
| Auto Start/Stop | | ● | ● | ● | ● |
| Rear Differential Lock ¹ | | — | ● | ● | ● |
| Front Differential Lock ¹ | | — | — | — | ● |
| Four Wheel Drive Mode | 2H | ● | — | — | — |
| | Auto/2H/4H/4L | — | ● | ● | ● |
| Drive Mode Select | Eco/Standard/Sport | ● | — | — | — |
| | Eco/Standard/Sport/Sand/Mud/Snow | — | ● | ● | ● |
| Advanced Driver-Assistance System (ADAS) featuring: | Adaptive Cruise Control (ACC) | ● | ● | ● | ● |
| | Autonomous Emergency Braking with Pedestrian & Cyclist Alert (AEB) | ● | ● | ● | ● |
| | Front Collision Warning (FCW) | ● | ● | ● | ● |
| | Lane Departure Warning (LDW) | ● | ● | ● | ● |
| | Pedestrian Collision Warning (PCW) | ● | ● | ● | ● |
| | Lane Keep Assist (LKA) | ● | ● | ● | ● |
| | Lane Centering Control (LCC) | ● | ● | ● | ● |
| | Traffic Sign Recognition (TSR) | ● | ● | ● | ● |
| | Emergency Signal System (ESS) | ● | ● | ● | ● |
| | Blind Spot Detection (BSD) | ● | ● | ● | ● |
| | Door Open Warning (DOW) | ● | ● | ● | ● |
| | Rear Cross Traffic Alert (RCTA) | ● | ● | ● | ● |
| | Trailer Stability Assist (TSA) | ● | ● | ● | ● |
| Electronic Power Steering Modes | Sport/Comfort/Light | ● | ● | ● | ● |
| Tyre Pressure Monitoring System ² with Tyre Temperatures (TPMS) | | ● | ● | ● | ● |

| TRAY | | | | | |
|----------------------|--------------------|---|---|---|---|
| Inner Rope Hook | | ● | ● | ● | ● |
| Sports Bar | | — | — | ● | ● |
| Tailgate | Tailgate Assist | ● | ● | ● | ● |
| | Decorative Board | ● | ● | ● | ● |
| | Chrome Tray Handle | — | — | — | ● |
| Key Locking Tailgate | | — | — | ● | ● |
| Spray In-Tub Liner | | ● | ● | ● | ● |

1. Auto disconnects if vehicle is travelling more than 38km/hr. 2. TPMS triggered at 1.8bar = 180kpa.

- STANDARD
- OPTIONAL
- UNAVAILABLE



Tunland V7-C 4x2



Tunland V7-C 4x4



Tunland V9-L 4x4



Tunland V9-S 4x4

| EXTERIOR FEATURES | | | | | |
|---|-----------------|---|---|---|---|
| Chrome Type Front Grille | | ● | ● | ● | ● |
| Side Step | | ● | ● | — | — |
| Premium Side Step | | — | — | ● | ● |
| Door Mirror | Power Adjust | ● | ● | ● | ● |
| | Heated | — | — | ● | ● |
| | Indicators | ● | ● | ● | ● |
| | Position Memory | — | — | — | ● |
| | Power Folding | — | — | ● | ● |
| Roof Rails | | — | — | — | ● |
| Panoramic Sunroof | | — | — | — | ● |
| Electrically Adjustable Sunshade | | — | — | — | ● |
| Green Glass in Front Doors | | ● | ● | ● | ● |
| Green Glass in Rear Doors, Rear Quarter & Rear Windscreen | | ● | ● | ● | — |
| Privacy Glass in Rear Doors, Rear Quarter & Rear Windscreen | | — | — | — | ● |
| Front & Rear Mudguards | | ● | ● | ● | ● |

| EXTERIOR LIGHTING | | | | | |
|--------------------------------------|--|---|---|---|---|
| LED Daytime Running Lights (DRL) | | ● | ● | ● | ● |
| Dusk Sensing LED Headlights | | ● | ● | ● | ● |
| Electric Height Adjustable Headlight | | ● | ● | ● | ● |
| 'Follow Me Home' Headlight Function | | ● | ● | ● | ● |
| LED Combination Rear Lights | | ● | ● | ● | ● |

| INTERIOR FEATURES | | | | | |
|--|--------------------------------------|---|---|---|---|
| Interior Lighting | 256 Colour Ambient Lighting | ● | ● | ● | ● |
| | LED Front Reading Lighting | ● | ● | ● | ● |
| | LED Rear Roof Lighting | — | — | — | ● |
| | Halogen Rear Roof Lighting | ● | ● | ● | — |
| Air-Conditioning | Automatic Single Zone | ● | ● | — | — |
| | Automatic Dual Zone | — | — | ● | ● |
| | Rear Air Vent | ● | ● | ● | ● |
| | Centre Armrest Storage with Air Vent | ● | ● | ● | ● |
| Front Windshield Demister | | ● | ● | ● | ● |
| Rear Windshield Demister | | ● | ● | ● | ● |
| BCM Anti-Theft Security System | | ● | ● | ● | ● |
| 4-way Manual Steering Wheel Adjustment | | ● | ● | ● | ● |
| Screen Display | 12.3" Digital Instrument Cluster | ● | ● | ● | ● |
| | 14.6" Infotainment Screen | ● | ● | ● | ● |
| | Bluetooth Connectivity | ● | ● | ● | ● |
| | AM/FM Radio | ● | ● | ● | ● |
| 4 Speaker Audio System | | ● | ● | — | — |
| 6 Speaker Audio System | | — | — | ● | ● |

- STANDARD
○ OPTIONAL
— UNAVAILABLE



Tunland V7-C 4x2



Tunland V7-C 4x4



Tunland V9-L 4x4



Tunland V9-S 4x4

| CONVENIENCE | | | | |
|--|---|---|---|---|
| 12V/120W Power Outlet | ● | ● | ● | ● |
| USB-A Ports (x 2) | ● | ● | — | — |
| USB-A Ports (x 4) | — | — | ● | ● |
| 220V/300W Power Socket (Vehicle To Load - V2L) | — | — | ● | ● |
| Rain-Sensing Front Windshield Wipers | ● | ● | ● | ● |
| Power Windows (Driver with Auto Up/Down & Jam Protect) | ● | ● | ● | — |
| Power Windows (All with Auto Up/Down & Jam Protect) | — | — | — | ● |
| Rear Seat Centre Armrest | ● | ● | ● | ● |
| Automatic Anti-Glare Rearview Mirror | — | — | ● | ● |
| Remote Central Locking | ● | ● | ● | ● |
| Smart Key Start & Entry | ● | ● | ● | ● |
| Driver & Front Passenger Illuminated Sunvisors with Vanity Mirrors | ● | ● | ● | ● |
| Integrated Dashcamera ¹ with Panoramic View | ● | ● | ● | ● |
| 18W Wireless Charging Pad ² (x 1) | — | — | ● | ● |
| Active Regeneration Switch (DPF) | ● | ● | ● | ● |
| Facial Recognition (x 3 Profiles) | — | — | — | ● |
| "Hi Foton" Voice Recognition | ● | ● | ● | ● |

| SEATING | | | | |
|--------------------------------------|---|---|---|---|
| Interior Trims | Synthetic Leather Seat Trim | ● | ● | ● |
| | Black Seat Trim | ● | ● | ● |
| | Brown Seat Trim ³ | ○ | ○ | ○ |
| Driver's Seat Courtesy Seat Function | | — | — | — |
| Driver's Seat Features | 6-way Manual Adjustment | ● | ● | — |
| | 6-way Powered + 4-way Lumbar Adjustment | — | — | ● |
| | Heating Function | — | — | ● |
| | Ventilation Function | — | — | ● |
| | Memory Function | — | — | ● |
| Front Passenger Seat Features | 4-way Manual Adjustment | ● | ● | — |
| | 4-way Powered Adjustment | — | — | ● |
| | Heating Function | — | — | ● |
| | Ventilation Function | — | — | ● |
| Second Row Seat Features | Fold Up 60/40 Split | ● | ● | ● |
| | Fold Down | ● | ● | ● |
| | Heating Function | — | — | ● |

| STORAGE | | | | |
|-----------------------------------|---|---|---|---|
| Glovebox | ● | ● | ● | ● |
| Centre Console Cupholder | ● | ● | ● | ● |
| Rear Seat Arm Rest Cupholder | ● | ● | ● | ● |
| Under Centre Console Storage Area | ● | ● | ● | ● |
| Centre Armrest Storage Box | ● | ● | ● | ● |
| Door Storage & Bottle Holder | ● | ● | ● | ● |
| Sunglasses Holder | ● | ● | ● | ● |
| Behind Rear Seat Storage | ● | ● | ● | ● |
| Map Pockets | ● | ● | ● | ● |

1. Micro SD card required for function to work. Supports Micro SD Card up to 512GB. 2. Compatible Qi enabled and compliant device required. 3. Optional extra available at an additional cost.

EXTERIOR COLOURS (Tunland V9-S 4X4 models shown)



FLARE WHITE



GALAXY SILVER¹



TITANIUM GREY¹



FIRE RED¹



PHANTOM BLACK¹



DIAMOND BLUE¹



LIGHTNING PURPLE¹



AURORA GREEN¹

¹. Optional extra available at an additional cost. Note: Paint colours are representative only and subject to variation due to the printing process.

FOTON Automotive Australia offers this information as a general guide to product specifications. All data is believed to be correct as at October 2025, however, as development is an ongoing process, changes may occur from time to time which will not necessarily be reflected herein. Therefore, FOTON Automotive Australia reserves the right to change specifications without notice. Accordingly, this information should not be regarded as an infallible guide to correct specifications, nor does it constitute an offer for sale of any particular vehicle. Whilst all care has been taken to provide you with information in regards to the general use of FOTON products, you should not rely solely on the information provided in this brochure. Dealers are not agents of FOTON Automotive Australia and have absolutely no authority to bind FOTON Automotive Australia by an express or implied undertaking or representation. Inchcape Automotive Distribution Australia Pty Ltd ABN 72 637 080 927 trading as FOTON Automotive Australia.