



# PEUGEOT PROFESSIONAL PARTNER VAN



EQUIPMENT & TECHNICAL SPECIFICATIONS



# PARTNER VAN

# EQUIPMENT

- STANDARD
- OPTIONAL
- UNAVAILABLE



| SAFETY & SECURITY   |                |               |                    |                   |
|---|----------------|---------------|--------------------|-------------------|
|   | PRO SHORT AUTO | PRO LONG AUTO | PREMIUM SHORT AUTO | PREMIUM LONG AUTO |
| Autonomous Emergency Braking (AEB)  | ●              | ●             | ●                  | ●                 |
| Forward Collision Warning   | ●              | ●             | ●                  | ●                 |
| Anti-lock Braking System (ABS)  | ●              | ●             | ●                  | ●                 |
| Emergency Braking Assistance (EBA)  | ●              | ●             | ●                  | ●                 |
| Electronic Braking Distribution (EBD)   | ●              | ●             | ●                  | ●                 |
| Electronic Stability Programme (ESP)  | ●              | ●             | ●                  | ●                 |
| Blind Spot Detection (BSD)  | ●              | ●             | ●                  | ●                 |
| Lane Departure Warning (LDW)  | ●              | ●             | ●                  | ●                 |
| Active Lane Keep Assist   | ●              | ●             | ●                  | ●                 |
| Advanced Driver Attention Alert (DAA3)  | ●              | ●             | ●                  | ●                 |
| Speed limit recommendation  | ●              | ●             | ●                  | ●                 |
| Hill Start Assist   | ●              | ●             | ●                  | ●                 |
| Traction Control  | ●              | ●             | ●                  | ●                 |
| Programmable cruise control   | ●              | ●             | ●                  | ●                 |
| Speed limiter function  | ●              | ●             | ●                  | ●                 |
| Automatic door locking when driving off                                       | ●              | ●             | ●                  | ●                 |
| Front three-point retractable seatbelts with pretensioners and force limiters | ●              | ●             | ●                  | ●                 |
| Seatbelt unfastened audible & visual alert while moving                       | ●              | ●             | ●                  | ●                 |
| Front Airbags: Driver & front passenger                                       | ●              | ●             | ●                  | ●                 |
| Side Airbags: Driver & front passenger  | ●              | ●             | ●                  | ●                 |
| Curtain Airbags   | ●              | ●             | ●                  | ●                 |
| Tyre under-inflation detection  | ●              | ●             | ●                  | ●                 |
| COMFORT & CONVENIENCE   |                |               |                    |                   |
| Eco & Normal drive modes  | ●              | ●             | ●                  | ●                 |
| PEUGEOT i-Cockpit™ driver layout  | ●              | ●             | ●                  | ●                 |
| Configurable 10" digital driving cockpit                                      | ●              | ●             | ●                  | ●                 |
| Multifunction trip computer   | ●              | ●             | ●                  | ●                 |
| External temperature gauge  | ●              | ●             | ●                  | ●                 |
| Front & rear parking sensors  | ●              | ●             | ●                  | ●                 |
| 180° colour reversing camera with top down view                               | ●              | ●             | ●                  | ●                 |
| Digital rear view mirror and lateral side view                                | ●              | ●             | ●                  | ●                 |
| Reversing image on touchscreen  | ●              | ●             | ●                  | ●                 |
| Electric parking brake  | ●              | ●             | ●                  | ●                 |
| Push Button Start   | –              | –             | ●                  | ●                 |
| Keyless entry   | –              | –             | ●                  | ●                 |



# PARTNER VAN

# EQUIPMENT

- STANDARD
- OPTIONAL
- UNAVAILABLE



## COMFORT & CONVENIENCE

|   | PRO SHORT AUTO | PRO LONG AUTO  | PREMIUM SHORT AUTO | PREMIUM LONG AUTO |
|---|----------------|----------------|--------------------|-------------------|
| Remote central locking  | ●              | ●              | ●                  | ●                 |
| Air conditioning  | ●              | ●              | –                  | –                 |
| Automatic dual zone climate control air conditioning                          | –              | –              | ●                  | ●                 |
| Allergen, dust & pollen filter  | ●              | ●              | ●                  | ●                 |
| Rear view mirror  | ●              | ●              | ●                  | ●                 |
| Electric power steering with height & reach adjustable steering column        | ●              | ●              | ●                  | ●                 |
| Steering mounted paddle gear shifter  | ●              | ●              | ●                  | ●                 |
| Glazed Bulkhead (ISO27956 Compliant)  | ●              | ●              | –                  | –                 |
| Glazed Bulkhead with Load-through Flap (ISO27956 Compliant)                   | ○ <sup>1</sup> | ○ <sup>1</sup> | ●                  | ●                 |
| Cargo Bay floor covering  | –              | –              | ●                  | ●                 |
| Tie-down Rings x 6 (Cargo Bay)  | ●              | ●              | ●                  | ●                 |
| 'Multiflex' Mobile Office (flip-down rotating work table & underseat storage) | ○ <sup>1</sup> | ○ <sup>1</sup> | ●                  | ●                 |

## IN-CAR ENTERTAINMENT & COMMUNICATION

|   |   |   |   |   |
|---|---|---|---|---|
| 10" High Definition capacitive central touch-screen                             | ● | ● | ● | ● |
| 12V socket  | ● | ● | – | – |
| 12V sockets (x2)  | – | – | ● | ● |
| USB sockets (x2 front)  | ● | ● | ● | ● |
| AM, FM & DAB (Digital Audio Broadcasting) Radio                                 | ● | ● | ● | ● |
| Bluetooth® phone connectivity   | ● | ● | ● | ● |
| Wireless Apple CarPlay® & Android Auto™ connectivity <sup>2</sup>               | ● | ● | ● | ● |
| Voice recognition   | ● | ● | ● | ● |
| myPeugeot App (downloadable from App store)                                     | ● | ● | ● | ● |
| 4 Speaker sound system (2 woofer door speakers, 2 tweeter door pillar speakers) | ● | ● | ● | ● |

## INTERIOR FEATURES

|   |                |                |   |   |
|---|----------------|----------------|---|---|
| Load Area Dome Light                                      | ●              | ●              | – | – |
| Reinforced Load Area LED Dome Light                       | –              | –              | ● | ● |
| Under Seat Storage (Middle Seat)                          | ○ <sup>1</sup> | ○ <sup>1</sup> | ● | ● |
| Overhead Storage Shelf                                    | ●              | ●              | ● | ● |
| Upper Dashboard Tray                                      | ●              | ●              | ● | ● |
| Multi-function steering wheel                             | ●              | ●              | ● | ● |
| e-Toggle automatic gear selector switch on centre-console | ●              | ●              | ● | ● |
| Cup Holders x 2 (Upper Dash)                              | ●              | ●              | ● | ● |
| Cup Holders x 2 (Centre Console)                          | ● <sup>3</sup> | ● <sup>3</sup> | – | – |

1. Available for 3 seater option only. 2. Compatible Apple® or Android™ device required. 3. Available for 2 seater option only.



# PARTNER VAN

# EQUIPMENT

- STANDARD
- OPTIONAL
- UNAVAILABLE



| EXTERIOR FEATURES                                   |   |   |   |   |
|---|---|---|---|---|
| Plastic Floor Cover (Passenger Compartment)         | ● | ● | ● | ● |
| Driver's foot rest                                  | ● | ● | ● | ● |
| Thermoplastic composite foot pedals                 | ● | ● | ● | ● |
| Grey unpainted rear bumper                          | ● | ● | – | – |
| Body colour rear bumper                             | – | – | ● | ● |
| Unpainted Door Mirrors                              | ● | ● | – | – |
| Nera black door mirror shells                       | – | – | ● | ● |
| Heated door mirrors                                 | ● | ● | ● | ● |
| Power-folding door mirrors                          | ● | ● | ● | ● |
| Grey unpainted exterior door handles                | ● | ● | – | – |
| Body coloured exterior door handles                 | – | – | ● | ● |
| Dual sliding side doors                             | ● | ● | ● | ● |
| 180-degree opening rear doors                       | ● | ● | ● | ● |
| Unglazed rear doors                                 | ● | ● | ● | ● |
| Side protectors                                     | ● | ● | – | – |
| Black side protectors                               | – | – | ● | ● |
| Body colour door rail                               | – | – | ● | ● |
| One-touch electric windows with pinch protection    | ● | ● | ● | ● |
| 16" Steel wheels                                    | ● | ● | – | – |
| 16" Taranaki alloy wheels                           | – | – | ● | ● |
| Full size spare wheel                               | ● | ● | ● | ● |
| LIGHTING & VISIBILITY                               |   |   |   |   |
| Halogen headlights                                  | ● | ● | – | – |
| LED headlights                                      | – | – | ● | ● |
| Auto Highbeam function                              | ● | ● | ● | ● |
| Automatic dusk sensing headlights                   | ● | ● | ● | ● |
| Automatic rain-sensing flat blade wipers            | ● | ● | ● | ● |
| SEATING   |   |   |   |   |
| 2 Front seats                                       | ● | ● | – | – |
| 3 Front seats (passenger bench)                     | ○ | ○ | ● | ● |
| Driver & front passenger seat mechanical adjustment | ● | ● | ● | ● |
| 'Curibita' Grey fabric seats                        | ● | ● | ● | ● |



# PARTNER VAN

# TECHNICAL SPECIFICATIONS

- STANDARD
- OPTIONAL
- UNAVAILABLE



PRO SHORT AUTO



PRO LONG AUTO



PREMIUM SHORT AUTO



PREMIUM LONG AUTO

## INTERNAL COMBUSTION ENGINE

| Type                      | 1.2L Puretech Direct Injection Petrol | 1.2L Puretech Direct Injection Petrol |
|---------------------------|---------------------------------------|---------------------------------------|
| Cylinders                 | 3                                     | 3                                     |
| Cubic capacity (cc)       | 1199                                  | 1199                                  |
| Maximum power (kW @ rpm)  | 96 @ 5500                             | 96 @ 5500                             |
| Maximum torque (Nm @ rpm) | 230 @ 1750                            | 230 @ 1750                            |
| Stop/start function       | ●                                     | ●                                     |
| Fuel                      | ULP 95                                | ULP 95                                |
| Emission standard         | Euro 6.3                              | Euro 6.3                              |

## TRANSMISSION

|  |   |   |   |   |
|--|---|---|---|---|
| 8-speed Efficient Automatic Transmission (EAT) | ● | ● | ● | ● |
|--|---|---|---|---|

## BRAKES

|              |                       |                       |
|--------------|-----------------------|-----------------------|
| Front brakes | 304mm ventilated disc | 304mm ventilated disc |
| Rear brakes  | 268mm solid disc      | 268mm solid disc      |

## WHEELS & TYRES

|                 |            |            |
|-----------------|------------|------------|
| Wheel Size/Tyre | 205/60 R16 | 205/60 R16 |
| Spare wheel     | Full Size  | Full Size  |

## STEERING

|                            |      |      |      |      |
|----------------------------|------|------|------|------|
| Minimum turning circle (m) | 10.8 | 11.4 | 10.8 | 11.4 |
|----------------------------|------|------|------|------|

## WEIGHTS (kg)

|                                 |  |      |      |      |
|---------------------------------|--|------|------|------|
| Gross vehicle mass              | 2320   | 2320 | 2320 | 2320 |
| Tare weight <sup>1</sup>        | 1283   | 1385 | 1283 | 1385 |
| Payload                         | 998  | 896  | 998  | 896  |
| Braked towing load              | 900  | 950  | 900  | 950  |
| Unbraked towing load            | 720  | 740  | 720  | 740  |
| Towball download                | 74   | 74   | 74   | 74   |
| Maximum roof load               | Roof Bars - 50kg per bar (Maximum of 3 bars) |      |      |      |
| Alloy Rack <sup>2</sup> - 120kg | 120  | 120  | 120  | 120  |

1. Tare Weight where quoted is for the vehicle unoccupied and unladen with full fluids and 10 litres fuel. Weights may change with the addition of equipment. An individual vehicle must be weighed to establish the exact kerb weight and payload applicable to that vehicle. It is the responsibility of the driver to ensure the vehicle is operated within the legal limits. 2. All data for genuine Peugeot accessories only. See owners handbook for more information.



# PARTNER VAN

# TECHNICAL SPECIFICATIONS

- STANDARD
- OPTIONAL
- UNAVAILABLE



PRO SHORT AUTO



PRO LONG AUTO



PREMIUM SHORT AUTO



PREMIUM LONG AUTO

| CARGO BAY DIMENSIONS <sup>1</sup> (mm)                        |         |         |         |         |
|---|---------|---------|---------|---------|
| Maximum load length with bulkhead                             | 1817    | 2167    | 1817    | 2167    |
| Maximum load length through open bulkhead flap                | 3090    | 3440    | 3090    | 3440    |
| Maximum load height   | 1243    | 1243    | 1243    | 1243    |
| Maximum load width  | 1527    | 1527    | 1527    | 1527    |
| Load width between wheel arches                               | 1229    | 1229    | 1229    | 1229    |
| Load volume excluding load through bulkhead (m <sup>3</sup> ) | 3.3     | 3.9     | 3.3     | 3.9     |
| Load volume including load through bulkhead (m <sup>3</sup> ) | 3.8     | 4.4     | 3.8     | 4.4     |
| Width of sliding door (max/min)                               | 675/641 | 675/641 | 675/641 | 675/641 |
| Maximum height of sliding door                                | 1072    | 1072    | 1072    | 1072    |
| Maximum width of rear opening                                 | 1241    | 1241    | 1241    | 1241    |
| Maximum height of rear opening                                | 1137    | 1137    | 1137    | 1137    |

| EXTERIOR DIMENSIONS (mm)    |      |      |      |      |
|-----------------------------|------|------|------|------|
| Length                      | 4403 | 4753 | 4403 | 4753 |
| Width with mirrors folded   | 1921 | 1921 | 1921 | 1921 |
| Width with mirrors extended | 2107 | 2107 | 2107 | 2107 |
| Height                      | 1880 | 1880 | 1880 | 1880 |
| Wheelbase                   | 2785 | 2975 | 2785 | 2975 |
| Front overhang              | 890  | 890  | 890  | 890  |
| Rear overhang               | 726  | 886  | 726  | 886  |

| CONSUMPTION & EMISSIONS <sup>2</sup>      |     |     |     |     |
|---|-----|-----|-----|-----|
| City Cycle (L/100km)                      | 7.3 | 7.3 | 7.3 | 7.3 |
| Highway Cycle (L/100km)                   | 5.7 | 5.7 | 5.7 | 5.7 |
| Combined Cycle (L/100km)                  | 6.3 | 6.3 | 6.3 | 6.3 |
| CO <sub>2</sub> emissions combined (g/km) | 142 | 142 | 142 | 142 |
| Fuel tank capacity (L)                    | 60  | 60  | 60  | 60  |

1. Cargo bay dimensions quoted at maximum length, and are provided for guidance only. The cargo bay is an asymmetric shape and dimensions are therefore variable. Customers must check critical dimension requirements by measuring vehicle. 2. Fuel consumption results are based on WLTP or NEDC's standard test procedure to provide customers with a basis for comparison of the performance of vehicles in accordance with ADR 81/02 only. No test can simulate all 'real world' driving conditions. Actual on-road fuel consumption will vary due to factors such as traffic conditions, vehicle conditions and load, fuel quality and how the vehicle is driven. More information at [www.greenvehicleguide.gov.au](http://www.greenvehicleguide.gov.au)



# PEUGEOT PROFESSIONAL PARTNER VAN



[CONFIGURE](#)



[CURRENT OFFERS](#)



[ACCESSORIES](#)



[FIND A DEALER](#)



Peugeot Citroën Australia offers this information as a general guide to product specifications. All data is believed to be correct as at February 2026, however, as development is an ongoing process, changes may occur from time to time which will not necessarily be reflected herein. Therefore, Peugeot Citroën Australia reserves the right to change specifications without notice. Accordingly, this information should not be regarded as an infallible guide to correct specifications, nor does it constitute an offer for sale of any particular vehicle. Whilst all care has been taken to provide you with information in regards to the general use of PEUGEOT products, you should not rely solely on the information provided in this brochure. Dealers are not agents of Peugeot Citroën Australia and have absolutely no authority to bind Peugeot Citroën Australia by an express or implied undertaking or representation. Peugeot Citroën Australia is the trading name of Inchcape European Automotive Pty Limited (ABN 97 070 000 789).