



2026.50MY

Ranger

Ford Service

Don't worry about service.
That's our job.



Ford Insure

Fit your Ford with
insurance made for it.



Know what you'll pay

When you buy a new Ford, you'll know exactly how much each of your first four general car services will cost.



Service made easier

We have great offerings that make servicing more convenient, like loan cars¹, pick up and drop off², Express Service³ and online booking.




Roadside Assistance⁴

When you purchase a new Ranger, you receive Ford National Roadside assistance for 12 months. You also receive Ford National Roadside assistance for 12 months each time a general service is completed with a participating dealer, until your vehicle reaches 7 years of age.




New Genuine Ford Parts⁵

Look after the integrity of your vehicle, by using only New Genuine Parts, when possible.



Automatic off-road cover⁷

Enjoy peace of mind with automatic off-road coverage included.



Dealer fitted accessories⁶

Accessories which are fitted on your vehicle by a dealership are automatically included.



Removal of excess for glass damage⁸

The Standard Excess under your policy won't be applied for windscreen, sunroof or window glass only claims.



For more information, visit
ford.com.au/owners/service



For more information, visit
ford.com.au/owners/insurance



Clarity for the road ahead.



Genuine & Licensed Accessories



Vehicle is fitted with optional accessories.

Whether you're upgrading, switching models, or buying your first Ford, Ford Finance is here to shorten the distance between you and your next vehicle. Talk to one of our dealers to understand the benefits of choosing Ford Finance.

Steps to get behind the wheel



Estimate repayments

Using the repayment estimator



Shop for vehicles

Explore the options



Finance with clarity

Get a personalised quote or apply for finance at your preferred Dealership.

There's no better way to personalise your Ford than with the wide range of Ford accessories available for every model.

From seat covers and floor mats, to bull bars, you'll find lots of options to make your Ford uniquely your own at one of our nation-wide Dealers.

*For full details, please visit our Warranties page at <https://www.ford.com.au/owners/warranties/>

Genuine Quality

Every Ford Genuine accessory is fully compatible with your vehicle for optimal integration and performance.

Five Year Warranty

Enjoy complete peace of mind with all Ford Genuine and Ford Licensed Accessories, backed by a full Ford Warranty of up to 5 Years and unlimited kilometres.*

Australia Wide

Our vast national network of Ford Dealers means there's a fitment centre conveniently located near you.



For more information, visit [ford.com.au/ford-finance](https://www.ford.com.au/ford-finance)



Order your Ranger adventure-ready

Ford has joined forces with ARB to create an exciting range of 4WD accessories designed for the Ford Ranger. You can choose from a large selection of ARB Ford Licensed Accessories at your local participating Ford Dealer, backed by Ford's 5 year unlimited kilometre warranty when fitted to your new Ranger prior to delivery.

4x2 | XL, XLT Ranger 2026.50MY Specifications

| | XL | XL | XL | XLT |
|--|------------------------|------------------------|------------------------|------------------------|
| | 4x2 Single Cab-Chassis | 4x2 Super Cab-Chassis | 4x2 Double Cab Pick-Up | 4x2 Double Cab Pick-Up |
| Engine | 2.0L Turbo | 2.0L Turbo | 2.0L Turbo | 2.0L Turbo |
| Engine Max Power | 125kW @ 3,500rpm | 125kW @ 3,500rpm | 125kW @ 3,500rpm | 125kW @ 3,500rpm |
| Engine Max Torque | 405Nm @ 1,750-2,500rpm | 405Nm @ 1,750-2,500rpm | 405Nm @ 1,750-2,500rpm | 405Nm @ 1,750-2,500rpm |
| Transmissions | | | | |
| 10-Speed Automatic Transmission | S | S | S | S |
| Driveline | | | | |
| RWD | S | S | S | S |
| Selectable Drive Modes: ¹ | | | | |
| - Normal | - | - | - | S |
| - Eco | - | - | - | S |
| - Tow / Haul | - | - | - | S |
| - Slippery | - | - | - | S |
| Vehicle Masses (kg)² | | | | |
| Gross Combined Mass (GCM) | 6,200 | 6,200 | 6,200 | 6,200 |
| Gross Vehicle Mass (GVM) | 3,150 | 3,200 | 3,200 | 3,200 |
| Front Gross Axle Weight Rating | 1,400 | 1,400 | 1,400 | 1,400 |
| Rear Gross Axle Weight Rating | 1,959 | 1,959 | 1,959 | 1,959 |
| Kerb Weight | 1,738 | 1,850 | 2,030 | 2,092 |
| Payload (based on Kerb Weight) | 1,412 | 1,350 | 1,170 | 1,108 |
| Chassis & Suspension | | | | |
| Front Disc / Rear Drum Brakes | S | S | S | - |
| Front and Rear Ventilated Discs with Electronic Brake Booster | - | - | - | S |
| Electrical Power Steering | S | S | S | S |
| Heavy-Duty Suspension | S | S | S | - |
| Locking Rear Differential | - | - | - | S |
| Fuel | | | | |
| Combined Fuel Economy (L/100km) ³ | 6.8 | 6.8 | 6.8 | 6.8 |
| CO ₂ Emissions (g/km) ³ | 179 | 179 | 179 | 179 |
| Fuel Tank Capacity (L) | 80 | 80 | 80 | 80 |
| Fuel Type | Diesel | Diesel | Diesel | Diesel |
| Exterior Dimensions (mm)⁴ | | | | |
| Length - with rear bumper (where fitted) without tow receiver ⁵ | 5,410 | 5,410 | 5,410 | 5,370 |
| Length - with rear bumper (where fitted) with tow receiver ⁵ | 5,410 | 5,410 | 5,410 | 5,406 |
| Width - exterior mirrors extended | 2,208 | 2,208 | 2,208 | 2,208 |
| Width - exterior mirrors folded | 2,015 | 2,015 | 2,015 | 2,015 |
| Width - excluding mirrors | 1,910 | 1,910 | 1,910 | 1,918 |

4x2 | XL, XLT Ranger 2026.50MY Specifications

| | XL | XL | XL | XLT |
|---|------------------------|-----------------------|------------------------|------------------------|
| | 4x2 Single Cab-Chassis | 4x2 Super Cab-Chassis | 4x2 Double Cab Pick-Up | 4x2 Double Cab Pick-Up |
| Engine | 2.0L Turbo | 2.0L Turbo | 2.0L Turbo | 2.0L Turbo |
| Exterior Dimensions (mm)⁴ (continued) | | | | |
| Height - to top of antenna base | 1,872 | 1,866 | 1,875 | 1,886 |
| Overhang - front | 865 | 865 | 865 | 865 |
| Overhang - rear | 1,255 | 1,255 | 1,255 | 1,215 |
| Track - front and rear | 1,620 | 1,620 | 1,620 | 1,620 |
| Wheelbase | 3,270 | 3,270 | 3,270 | 3,270 |
| Ground Clearance (unladen) | 224 | 224 | 224 | 224 |
| Wading Depth ⁶ | 800 | 800 | 800 | 800 |
| Approach Angle (unladen, degrees) | 29 | 29 | 29 | 30 |
| Departure Angle (unladen, degrees) ⁷ | 25 | 25 | 25 | 23 |
| Ramp Breakover Angle (unladen, degrees) | 21 | 20 | 20 | 21 |
| Turning Circle (meters) | 14 | 14 | 14 | 14 |
| Pick-Up Box Dimensions (mm)⁸ | | | | |
| Height - at centreline of axle | - | - | 529 | 525 |
| Height - floor height to ground | - | - | 816 | 831 |
| Length - at floor | - | - | 1,547 | 1,464 |
| Length - top of box | - | - | 1,471 | 1,468 |
| Width - between wheelhouses | - | - | 1,224 | 1,217 |
| Width - pick-up box | - | - | 1,584 | 1,520 |
| Width - rear opening | - | - | 1,413 | 1,393 |
| Interior Dimensions (mm)⁹ | | | | |
| Front Headroom | 1,024 | 1,024 | 1,024 | 1,024 |
| Front Legroom | 1,057 | 1,057 | 1,057 | 1,057 |
| Front Shoulder Room | 1,450 | 1,450 | 1,450 | 1,450 |
| 2nd Row Headroom | - | 935 | 989 | 989 |
| 2nd Row Legroom | - | 759 | 879 | 879 |
| 2nd Row Shoulder Room | - | 1,392 | 1,440 | 1,440 |

S = Standard **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost **NCO** = No Cost Option

Disclaimer:

1. Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. 2. Kerb weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo with the lightest possible orderable combination of factory fit equipment. Maximum payload is calculated by deducting the vehicles Kerb Weight from its Gross Vehicle Mass (GVM). Payload is the maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). All Chassis Cab payload and kerb weights exclude weights of tray bodies. Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross Axle Weight Ratings are not exceeded. 3. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, options and accessories, condition and use. 4. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All Pick-up box dimensions take into account the Drop-In or Spray-In Bedliner where standard. 5. Vehicle length measured from front license plate bracket. 6. 800mm Water Wading achieved when maintaining a steady speed of 7 km/h. 7. Inclusive of tow bar where standard. 8. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All Pick-up box dimensions take into account the Drop-In or Spray-In Bedliner where standard. 9. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value.

4x2 | XL, XLT Ranger 2026.50MY Specifications

| | XL | XL | XL | XLT |
|--|------------------------|-----------------------|------------------------|------------------------|
| | 4x2 Single Cab-Chassis | 4x2 Super Cab-Chassis | 4x2 Double Cab Pick-Up | 4x2 Double Cab Pick-Up |
| Engine | 2.0L Turbo | 2.0L Turbo | 2.0L Turbo | 2.0L Turbo |
| Wheels and Tyres | | | | |
| 16" Steel with All-Season Tyres | S | S | S | - |
| 17" Alloy with All-Season Tyres | - | - | - | S |
| Spare Wheel - 16" Steel | S | S | S | - |
| Spare Wheel - 17" Steel | - | - | - | S |
| Exterior Lighting | | | | |
| Headlamps - Halogen | S | S | S | - |
| Headlamps - LED | - | - | - | S |
| Daytime Running Lamps - Halogen | S | S | S | - |
| Daytime Running Lamps - LED | - | - | - | S |
| Front Fog Lamps - Halogen | - | - | - | S |
| Taillamps - Halogen | S | S | - | - |
| Taillamps - LED | - | - | S | S |
| Tailgate Mounted Stop Light | - | - | S | S |
| Exterior | | | | |
| Exterior Mirrors - Power Adjustable | S | S | S | S |
| Exterior Mirrors - Power Folding | - | - | S | S |
| Side Steps | - | - | - | S |
| Rear Box Step | - | - | S | S |
| Sports Bar ¹⁰ | - | - | - | S |
| Load Box Elements | | | | |
| Tailgate Ruler | - | - | S | - |
| Drop In Bedliner (without Tailgate Ruler) ¹⁰ | - | - | - | S |
| Pro Power Onboard™ - 400W (230V) Inverter - In Bedliner | - | - | - | S |
| Box Protective Capping with Load Box Access Caps ¹⁰ | - | - | S | S |
| Inner Tie Down Rails | - | - | S | S |
| Load Rest ¹⁰ | - | - | S | - |
| Load Box Illumination | - | - | S | S |
| Tailgate Cargo Clamps | - | - | S | S |
| Tailgate Cupholders | - | - | S | S |
| Power Tailgate Lock | - | - | - | S |
| Tailgate with Lift Assistance | - | - | S | S |
| Interior and Seating | | | | |
| Seating Capacity | 2 | 4 | 5 | 5 |
| Driver Seat - 8-Way Manual | S | S | S | S |
| Front Passenger Seat - 4-Way Manual | S | S | S | S |

4x2 | XL, XLT Ranger 2026.50MY Specifications

| | XL | XL | XL | XLT |
|---|------------------------|-----------------------|------------------------|------------------------|
| | 4x2 Single Cab-Chassis | 4x2 Super Cab-Chassis | 4x2 Double Cab Pick-Up | 4x2 Double Cab Pick-Up |
| Engine | 2.0L Turbo | 2.0L Turbo | 2.0L Turbo | 2.0L Turbo |
| Interior and Seating (continued) | | | | |
| Seat Material - Cloth | S | S | S | - |
| Seat Material - Premium Cloth | - | - | - | S |
| Child Seat Upper Anchorage Points (x2) | - | - | S | S |
| Child Seat ISOFIX Anchorage Points (x2) | - | - | S | S |
| Steering Wheel Reach & Height Adjust | S | S | S | S |
| Electric Park Brake | - | - | - | S |
| Floor Covering - Vinyl | S | S | S | - |
| Floor Covering - Carpet | - | - | - | S |
| Floor Mats - Driver | - | - | - | S |
| Comfort and Convenience | | | | |
| Centre Console with Single Lid and 2 Cup Holders | S | S | S | S |
| Instrument Panel Cup Holders | S | S | S | S |
| Charging: | | | | |
| - Interior 12V Power Outlet - In Console Bin | S | S | S | S |
| - Total USB Ports | 2 | 4 | 4 | 4 |
| - Wireless Charging ¹¹ | - | - | - | S |
| - Pro Power Onboard™ - 400W (230V) Inverter - Rear of Console | - | S | S | S |
| - Pro Power Onboard™ - 400W (230V) Inverter - In Bedliner | - | - | - | S |
| Climate Control - Dual-Zone | S | S | S | S |
| Rear Air Vent Registers | - | - | S | S |
| Underseat Stowage | - | S | S | S |
| Auto Headlamp On-Off | S | S | S | S |
| Front Power Windows | S | S | S | S |
| Rear Power Windows | - | - | S | S |
| Privacy Glass | - | - | - | S |
| Rear Window Defrost | S | S | S | S |
| Rain Sensing Windscreen Wipers | - | - | - | S |
| Electrochromatic Rear View Mirror | - | - | - | S |

S = Standard **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost **NCO** = No Cost Option

Disclaimer:

¹⁰. Load Rest (XL), Sports Bar (XLT), Sports Hoop/Sailplane, Aluminium Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. Drop in bedliner may be trimmed to accommodate mounting brackets. ¹¹. Wireless charging only available with compatible phones.

4x2 | XL, XLT Ranger 2026.50MY Specifications

| | XL | XL | XL | XLT |
|--|------------------------|-----------------------|------------------------|------------------------|
| | 4x2 Single Cab-Chassis | 4x2 Super Cab-Chassis | 4x2 Double Cab Pick-Up | 4x2 Double Cab Pick-Up |
| Engine | 2.0L Turbo | 2.0L Turbo | 2.0L Turbo | 2.0L Turbo |
| Audio and Communication | | | | |
| Embedded Modem | S | S | S | S |
| Ford App Connectivity ¹² | S | S | S | S |
| Colour Digital Instrument Cluster with Configurable Display - 8-inch | S | S | S | S |
| Colour Multi-Function Touch Screen Display - 12-inch | S | S | S | S |
| Speakers | 2 | 4 | 4 | 6 |
| DAB+/AM/FM Radio | - | - | - | S |
| Bluetooth® with Phone/Audio Streaming ¹³ | S | S | S | S |
| Built-In Satellite Navigation with One Year of Connected Navigation Services included ¹⁴ | - | - | - | S |
| SYNC®4A with Voice-Activated Controls ¹⁵ | S | S | S | S |
| Steering Wheel Audio/Function Control | S | S | S | S |
| Wireless Apple CarPlay™ & Android Auto™ ¹⁶ | S | S | S | S |
| Safety & Security | | | | |
| Perimeter Alarm System | - | - | - | S |
| Trailer Connection Alarm ¹⁷ | - | - | - | S |
| Airbags x 9 - Front, Side, Knee & Full Length Curtain (Driver & Passenger) & Far Side Driver Front Airbag | S | S | S | S |
| 3 Point Lap Sash Seat Belt - All Positions | S | S | S | S |
| Child Proof Rear Door Locks | - | - | S | S |
| Emergency Assistance ¹⁸ | S | S | S | S |
| Power Door Locks | S | S | S | S |
| Smart Keyless Entry with Push Button Start | - | - | - | S |
| Driver Assistance | | | | |
| Adaptive Cruise Control ¹⁹ | S | S | S | - |
| Intelligent Adaptive Cruise Control with Stop & Go and Lane Centring ²⁰ | - | - | - | S |
| Traffic Sign Recognition ²¹ | S | S | S | S |
| Intelligent Speed Assist ²² | S | S | S | S |
| Blind Spot Monitoring with Cross Traffic Assist ¹⁹ | S | S | S | S |
| Blind Spot Monitoring with Cross Traffic Assist and Trailer Coverage ²³ | P | P | P | S |
| Dynamic Stability Control (DSC) incorporating ABS, Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Load Adaptive Control, Roll Over Mitigation, Traction Control and Trailer Sway Control ¹⁹ | S | S | S | S |
| Evasive Steer Assist ¹⁹ | S | S | S | S |
| Lane Keeping Aid with Road Edge Detection and Driver Alert System ²⁴ | S | S | S | S |
| Post Impact Braking ¹⁹ | S | S | S | S |
| Pre-Collision Assist with Autonomous Emergency Braking (AEB) ²⁵ | S | S | S | S |
| Reverse Brake Assist ²⁶ | S | S | S | S |

4x2 | XL, XLT Ranger 2026.50MY Specifications

| | XL | XL | XL | XLT |
|--|------------------------|-----------------------|------------------------|------------------------|
| | 4x2 Single Cab-Chassis | 4x2 Super Cab-Chassis | 4x2 Double Cab Pick-Up | 4x2 Double Cab Pick-Up |
| Engine | 2.0L Turbo | 2.0L Turbo | 2.0L Turbo | 2.0L Turbo |
| Driver Assistance (continued) | | | | |
| Parking Sensors - Front ¹⁹ | S | S | S | S |
| Parking Sensors - Rear ¹⁹ | S | S | S | S |
| Rearview Camera - Integrated Digital ¹⁹ | S | S | S | S |
| Tyre Pressure Monitoring System | - | - | - | S |

S = Standard **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO** = No Cost Option

Disclaimer:

12. Use of Ford app is subject to the Ford app Terms and User Guide and Ford app Privacy Collection Notice which are available on <https://www.ford.com.au/privacy> and requires a compatible mobile device, internet access and software (including software updates from time to time). The Ford app functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the Ford app on your mobile device, including associated fees. The Ford app and the Vehicle's modem can only work when both are connected to the telecommunications network. The Vehicle's modem will only function on the telecommunications networks it could use at time of manufacture. When all compatible networks for the modem in your vehicle are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that Ford app will be in fully operating condition at all times and the Ford app may be unavailable or particular Ford app services interrupted. If the Ford app is unavailable, the ability to lock or unlock your vehicle remotely could be limited, and a physical key might be needed. Always keep your key with you to ensure you can access your vehicle at all times even if the Ford app is unavailable. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. 13. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 14. Eligible vehicles receive Connected Navigation Services for 1 year from the Ford Express New Vehicle Warranty start date, after which time the Connected Navigation Services may cease to be available, or may be subject to a subscription fee. To use Connected Navigation Services, users must have created a Ford App account (terms apply), have fully activated the vehicle's modem and have SYNC Location set to 'on'. 15. Don't drive distracted. Use voice operated systems where possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates. 16. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay/Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. 17. Drivers will need to create a profile of their trailers in SYNC to support this system. 18. Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. 19. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. 20. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Intelligent Adaptive Cruise Control (iACC) uses various data to adjust the set speed of the vehicle to the speed limit detected by the system. The iACC system will not always detect the correct speed limit and may set a vehicle speed that is above or below the actual speed limit. If the system does this, it can be overridden by the driver applying the brake or accelerator or via steering wheel controls. In some circumstances, iACC will use map data to set the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. Adaptive Cruise Control and Lane Centring has a minimum operating speed of 20km/hr. Detection of lower speed limit will result in system entering standby when iACC is active. The Stop and Go functionality of this system operates as low as 0km/hr in traffic jam situations. Lane Centring feature should be disabled via the Driver Assistance menu in SYNC before towing. Customers should read the Owner's Manual for details of the limitations of the iACC system before activating. Speed Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. On Ranger models with Satellite Navigation, in some circumstances, Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. 21. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Speed Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. On Ranger models with Satellite Navigation, in some circumstances Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. 22. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Intelligent Speed Assist (ISA) uses various data to limit the set speed of the vehicle to the speed limit detected by the system. The ISA system will not always detect the correct speed limit and may limit a vehicle speed above or below the actual speed limit. ISA can be temporarily overridden by the driver firmly pressing the accelerator. Customers should read the Owner's Manual for details of the limitations of the ISA system before activating. On Ranger models with Satellite Navigation, in some circumstances, ISA will use map data to limit the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. 23. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Trailer Coverage system (requires a genuine factory fit tow bar) supports conventional trailer dimensions: up to 2.4m wide (measured at trailer front) and up to 10m long from the rear of your vehicle. Drivers will need to create a profile of their trailers in SYNC to support this system. 24. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Road Edge Detection designed for use on rural roads at speeds of 65 – 110km/h. The feature does not detect every edge and does require a level of contrast between the road surface and the edge. 25. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Pre-collision Assist with Automatic Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. It does not replace safe driving. See Owner's Manual for Limitations. 26. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Please see Owner's Manual for more information. Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h.

4x2 | XL, XLT Ranger 2026.50MY Specifications

| | XL | XL | XL | XLT |
|--|------------------------|-----------------------|------------------------|------------------------|
| | 4x2 Single Cab-Chassis | 4x2 Super Cab-Chassis | 4x2 Double Cab Pick-Up | 4x2 Double Cab Pick-Up |
| Engine | 2.0L Turbo | 2.0L Turbo | 2.0L Turbo | 2.0L Turbo |
| Towing | | | | |
| Maximum Braked Towing Capacity (kg) ²⁷ | 3,500 | 3,500 | 3,500 | 3,500 |
| Tow Bar Receiver | - | - | - | S |
| Tow Bar Receiver with Tow Hitch | P | P | P | - |
| Integrated Trailer Brake Controller ²⁸ | P | P | P | S |
| Trailer Light Check ²⁹ | P | P | P | S |
| Towing Vehicle Integration with Towing Checklist | S | S | S | S |
| Tow/Haul Mode (part of Selectable Drive Modes) ³⁰ | - | - | - | S |
| Off-Road | | | | |
| Front Recovery Point | 1 | 1 | 1 | 1 |
| Ford Factory Fitted Options | | | | |
| Prestige Paint | O | O | O | O |
| Additional Wheel Centre Cap to suit Wheel Nut Indicator Fitment | O | O | O | - |
| Towing Pack - Tow Bar Receiver with Tow Hitch, Integrated Trailer Brake Controller and Trailer Light Check ³¹ | O | O | O | - |
| Stylish Canopy (Dual Lift) ³² | - | - | O | O |
| Stylish Canopy (Lift & Slide) ³² | - | - | O | O |
| Commercial Canopy ³² | - | - | O | O |

S = Standard **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO** = No Cost Option

Disclaimer:

27. Maximum towing capacity-braked using a Genuine Ford tow pack. Standard on XLT, Wolftrak, Tremor, Wildtrak, Platinum, and Raptor models. Available as part of a pack at additional cost on XL, XLS, Black Edition. The standard Genuine Ford tow pack on XLT, Wolftrak, and Raptor models do not include a tow hitch, which is available at an additional cost. Subject to State and Territory regulations. To comply with regulations and vehicle GCM and GVM limits, the weight of any load transported by the vehicle may need to be restricted. For further details regarding load weight restrictions, please consult your authorised Ford Dealer and refer to the Owner's Manual. **28** Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. **29**. Trailer Light Check requires a Genuine Ford Tow Bar to be fitted and can be used via SYNC, or via Ford App app as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a Ford App account (terms apply) and have fully activated the vehicle's modem to use this feature via the app. **30**. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. **31**. Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. - Trailer Light Check requires a Genuine Ford Tow Bar to be fitted and can be used via SYNC, or via Ford App as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a Ford App account (terms apply) and have fully activated the vehicle's modem to use this feature via the app. **32**. Load Rest (XL), Sports Bar (XLT), Sports Hoop/ Sailplane, Aluminium Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. Drop in bedliner may be trimmed to accommodate mounting brackets.

4x4 | XL Ranger 2026.50MY Specifications

| | XL | XL | XL | XL |
|--|------------------------|-----------------------------|------------------------|-----------------------------|
| | 4x4 Single Cab-Chassis | 4x4 Single Cab-Chassis | 4x4 Super Cab-Chassis | 4x4 Super Cab-Chassis |
| Engine | 2.0L Turbo | 3.0L V6 Turbo-Diesel | 2.0L Turbo | 3.0L V6 Turbo-Diesel |
| Engine Max Power | 125kW @ 3,500rpm | 184kW @ 3,250rpm | 125kW @ 3,500rpm | 184kW @ 3,250rpm |
| Engine Max Torque | 405Nm @ 1,750-2,500rpm | 600Nm @ 1,750-2,250rpm | 405Nm @ 1,750-2,500rpm | 600Nm @ 1,750-2,250rpm |
| Transmission | | | | |
| 10-Speed Automatic Transmission | S | S | S | S |
| Driveline | | | | |
| Part-time 4x4 | S | - | S | - |
| Full-time 4WD | - | S | - | S |
| Selectable Drive Modes: ¹ | | | | |
| - Normal | - | S | - | S |
| - Eco | - | S | - | S |
| - Tow / Haul | - | S | - | S |
| - Slippery | - | S | - | S |
| Vehicle Masses (kg)² | | | | |
| Gross Combined Mass (GCM) | 6,200 | 6,400 | 6,200 | 6,400 |
| Gross Vehicle Mass (GVM) | 3,150 | 3,230 | 3,250 | 3,350 |
| Front Gross Axle Weight Rating | 1,490 | 1,490 | 1,490 | 1,490 |
| Rear Gross Axle Weight Rating | 1,959 | 1,959 | 1,959 | 1,959 |
| Kerb Weight | 1,834 | 1,925 | 1,946 | 2,034 |
| Payload (based on Kerb Weight) | 1,316 | 1,305 | 1,304 | 1,316 |
| Chassis & Suspension | | | | |
| Front Disc / Rear Drum Brakes | S | - | S | - |
| Front and Rear Ventialted Discs with Electronic Brake Booster | - | S | - | S |
| Electrical Power Steering | S | S | S | S |
| Heavy-Duty Suspension | S | S | S | S |
| Locking Rear Differential | S | S | S | S |
| Fuel | | | | |
| Combined Fuel Economy (L/100km) ³ | 7.1 | 8.3 | 7.1 | 8.3 |
| CO ₂ Emissions (g/km) ³ | 187 | 218 | 187 | 218 |
| Fuel Tank Capacity (L) | 80 | 80 | 80 | 80 |
| Fuel Type | Diesel | Diesel | Diesel | Diesel |
| Exterior Dimensions (mm)⁴ | | | | |
| Length - with rear bumper (where fitted) without tow receiver ⁵ | 5,410 | 5,410 | 5,410 | 5,410 |
| Length - with rear bumper (where fitted) with tow receiver ⁵ | 5,410 | 5,410 | 5,410 | 5,410 |
| Width - exterior mirrors extended | 2,208 | 2,208 | 2,208 | 2,208 |

4x4 | XL Ranger 2026.50MY Specifications

| | XL | XL | XL | XL |
|---|------------------------|-----------------------------|-----------------------|-----------------------------|
| | 4x4 Single Cab-Chassis | 4x4 Single Cab-Chassis | 4x4 Super Cab-Chassis | 4x4 Super Cab-Chassis |
| Engine | 2.0L Turbo | 3.0L V6 Turbo-Diesel | 2.0L Turbo | 3.0L V6 Turbo-Diesel |
| Exterior Dimensions (mm)⁴ (continued) | | | | |
| Width - exterior mirrors folded | 2,015 | 2,015 | 2,015 | 2,015 |
| Width - excluding mirrors | 1,910 | 1,910 | 1,910 | 1,910 |
| Height - to top of antenna base | 1,872 | 1,872 | 1,866 | 1,866 |
| Overhang - front | 865 | 865 | 865 | 865 |
| Overhang - rear | 1,255 | 1,255 | 1,255 | 1,255 |
| Track - front and rear | 1,620 | 1,620 | 1,620 | 1,620 |
| Wheelbase | 3,270 | 3,270 | 3,270 | 3,270 |
| Ground Clearance (unladen) | 224 | 224 | 224 | 224 |
| Wading Depth ⁶ | 800 | 800 | 800 | 800 |
| Approach Angle (unladen, degrees) | 29 | 29 | 29 | 29 |
| Departure Angle (unladen, degrees) ⁷ | 25 | 25 | 25 | 25 |
| Ramp Breakover Angle (unladen, degrees) | 21 | 21 | 20 | 20 |
| Turning Circle (meters) | 12.9 | 12.9 | 12.9 | 12.9 |
| Interior Dimensions (mm)⁸ | | | | |
| Front Headroom | 1,024 | 1,024 | 1,024 | 1,024 |
| Front Legroom | 1,057 | 1,057 | 1,057 | 1,057 |
| Front Shoulder Room | 1,450 | 1,450 | 1,450 | 1,450 |
| 2nd Row Headroom | - | - | 935 | 935 |
| 2nd Row Legroom | - | - | 759 | 759 |
| 2nd Row Shoulder Room | - | - | 1,392 | 1,392 |
| Wheels and Tyres | | | | |
| 16" Steel with All-Season Tyres | S | - | S | - |
| 17" Steel with All-Terrain Tyres | O | S | O | S |
| Spare Wheel - 16" Steel | S | - | S | - |
| Spare Wheel - 17" Steel | O | S | O | S |

S = Standard **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO** = No Cost Option

Disclaimer:

1. Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. 2. Kerb weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo with the lightest possible orderable combination of factory fit equipment. Maximum payload is calculated by deducting the vehicles Kerb Weight from its Gross Vehicle Mass (GVM). Payload is the maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). All Chassis Cab payload and kerb weights exclude weights of tray bodies. Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross Axle Weight Ratings are not exceeded. 3. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, options and accessories, condition and use. 4. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All Pick-up box dimensions take into account the Drop-In or Spray-In Bedliner where standard. 5. Vehicle length measured from front license plate bracket. 6. 800mm Water Wading achieved when maintaining a steady speed of 7 km/h. 7. Inclusive of tow bar where standard. 8. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value.

4x4 | XL Ranger 2026.50MY Specifications

| | XL | XL | XL | XL |
|--|------------------------|------------------------|-----------------------|-----------------------|
| | 4x4 Single Cab-Chassis | 4x4 Single Cab-Chassis | 4x4 Super Cab-Chassis | 4x4 Super Cab-Chassis |
| Engine | 2.0L Turbo | 3.0L V6 Turbo-Diesel | 2.0L Turbo | 3.0L V6 Turbo-Diesel |
| Exterior Lighting | | | | |
| Headlamps - Halogen | S | S | S | S |
| Daytime Running Lamps - Halogen | S | S | S | S |
| Taillamps - Halogen | S | S | S | S |
| Exterior | | | | |
| Exterior Mirrors - Power Adjustable | S | S | S | S |
| Steel Underbody Protection | S | S | S | S |
| Interior and Seating | | | | |
| Seating Capacity | 2 | 2 | 4 | 4 |
| Driver Seat - 8-Way Manual | S | S | S | S |
| Front Passenger Seat - 4-Way Manual | S | S | S | S |
| Seat Material - Cloth | S | S | S | S |
| Steering Wheel Reach & Height Adjust | S | S | S | S |
| Leather-Wrapped Gear Knob | - | S | - | S |
| Electric Park Brake | - | S | - | S |
| e-Shifter | - | S | - | S |
| Floor Covering - Vinyl | S | S | S | S |
| Comfort and Convenience | | | | |
| Centre Console with Single Lid and 2 Cup Holders | S | S | S | S |
| Instrument Panel Cup Holders | S | S | S | S |
| Charging: | | | | |
| - Interior 12V Power Outlet - In Console Bin | S | S | S | S |
| - Total USB Ports | 2 | 2 | 4 | 4 |
| - Pro Power Onboard™ - 400W (230V) Inverter - Rear of Console | - | - | S | S |
| Climate Control - Dual-Zone | S | S | S | S |
| Underseat Stowage | - | - | S | S |
| Auto Headlamp On-Off | S | S | S | S |
| Front Power Windows | S | S | S | S |
| Rear Window Defrost | S | S | S | S |
| Audio and Communication | | | | |
| Embedded Modem | S | S | S | S |
| Ford App Connectivity ⁹ | S | S | S | S |
| Colour Digital Instrument Cluster with Configurable Display - 8-inch | S | S | S | S |
| Colour Multi-Function Touch Screen Display - 12-inch | S | S | S | S |
| Speakers | 2 | 2 | 4 | 4 |

4x4 | XL Ranger 2026.50MY Specifications

| | XL | XL | XL | XL |
|---|------------------------|------------------------|-----------------------|-----------------------|
| | 4x4 Single Cab-Chassis | 4x4 Single Cab-Chassis | 4x4 Super Cab-Chassis | 4x4 Super Cab-Chassis |
| Engine | 2.0L Turbo | 3.0L V6 Turbo-Diesel | 2.0L Turbo | 3.0L V6 Turbo-Diesel |
| Audio and Communication (continued) | | | | |
| Bluetooth® with Phone/Audio Streaming ¹⁰ | S | S | S | S |
| SYNC®4A with Voice-Activated Controls ¹¹ | S | S | S | S |
| Steering Wheel Audio/Function Control | S | S | S | S |
| Wireless Apple CarPlay™ & Android Auto™ ¹² | S | S | S | S |
| Safety & Security | | | | |
| Airbags x 9 - Front, Side, Knee & Full Length Curtain (Driver & Passenger) & Far Side Driver Front Airbag | S | S | S | S |
| 3 Point Lap Sash Seat Belt - All Positions | S | S | S | S |
| Emergency Assistance ¹³ | S | S | S | S |

S = Standard **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO** = No Cost Option

Disclaimer:

9. Use of Ford app is subject to the Ford app Terms and User Guide and Ford app Privacy Collection Notice which are available on <https://www.ford.com.au/privacy> and requires a compatible mobile device, internet access and software (including software updates from time to time). The Ford app functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the Ford app on your mobile device, including associated fees. The Ford app and the Vehicle's modem can only work when both are connected to the telecommunications network. The Vehicle's modem will only function on the telecommunications networks it could use at time of manufacture. When all compatible networks for the modem in your vehicle are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that Ford app will be in fully operating condition at all times and the Ford app may be unavailable or particular Ford app services interrupted. If the Ford app is unavailable, the ability to lock or unlock your vehicle remotely could be limited, and a physical key might be needed. Always keep your key with you to ensure you can access your vehicle at all times even if the Ford app is unavailable. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. **10.** Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. **11.** Don't drive distracted. Use voice operated systems where possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates. **12.** Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay/Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. **13.** Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off.

4x4 | XL Ranger 2026.50MY Specifications

| | XL | XL | XL | XL |
|--|------------------------|------------------------|-----------------------|-----------------------|
| | 4x4 Single Cab-Chassis | 4x4 Single Cab-Chassis | 4x4 Super Cab-Chassis | 4x4 Super Cab-Chassis |
| Engine | 2.0L Turbo | 3.0L V6 Turbo-Diesel | 2.0L Turbo | 3.0L V6 Turbo-Diesel |
| Driver Assistance | | | | |
| Adaptive Cruise Control ¹⁴ | S | S | S | S |
| Traffic Sign Recognition ¹⁵ | S | S | S | S |
| Intelligent Speed Assist ¹⁶ | S | S | S | S |
| Blind Spot Monitoring with Cross Traffic Assist ¹⁴ | S | S | S | S |
| Blind Spot Monitoring with Cross Traffic Assist and Trailer Coverage ¹⁷ | P | P | P | P |
| Dynamic Stability Control (DSC) incorporating ABS, Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Load Adaptive Control, Roll Over Mitigation, Traction Control and Trailer Sway Control ¹⁴ | S | S | S | S |
| Evasive Steer Assist ¹⁴ | S | S | S | S |
| Lane Keeping Aid with Road Edge Detection and Driver Alert System ¹⁸ | S | S | S | S |
| Post Impact Braking ¹⁴ | S | S | S | S |
| Pre-Collision Assist with Autonomous Emergency Braking (AEB) ¹⁹ | S | S | S | S |
| Reverse Brake Assist ²⁰ | S | S | S | S |
| Parking Sensors - Front ¹⁴ | S | S | S | S |
| Parking Sensors - Rear ¹⁴ | S | S | S | S |
| Rearview Camera - Integrated Digital ¹⁴ | S | S | S | S |
| Towing | | | | |
| Maximum Braked Towing Capacity (kg) ²¹ | 3,500 | 3,500 | 3,500 | 3,500 |
| Tow Bar Receiver with Tow Hitch | P | P | P | P |
| Integrated Trailer Brake Controller ²² | P | P | P | P |
| Trailer Light Check ²³ | P | P | P | P |
| Towing Vehicle Integration with Towing Checklist | S | S | S | S |
| Tow/Haul Mode (part of Selectable Drive Modes) ¹⁴ | - | S | - | S |
| Off-Road | | | | |
| Hill Descent Control ¹⁴ | S | S | S | S |
| Front Recovery Point | 1 | 1 | 1 | 1 |
| Ford Factory Fitted Options | | | | |
| Prestige Paint | O | O | O | O |
| 17" Steel Wheels with All-Terrain Tyres with 17" Steel Spare Wheel | O | - | O | - |
| Additional Wheel Centre Cap to suit Wheel Nut Indicator Fitment | O | O | O | O |
| Towing Pack - Tow Bar Receiver with Tow Hitch, Integrated Trailer Brake Controller and Trailer Light Check ²⁴ | O | O | O | O |

S = Standard **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO** = No Cost Option

Disclaimer:

14. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information

15. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Speed Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. On Ranger models with Satellite Navigation, in some circumstances Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee.

16. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Intelligent Speed Assist (ISA) uses various data to limit the set speed of the vehicle to the speed limit detected by the system. The ISA system will not always detect the correct speed limit and may limit a vehicle speed above or below the actual speed limit. ISA can be temporarily overridden by the driver firmly pressing the accelerator. Customers should read the Owner's Manual for details of the limitations of the ISA system before activating. On Ranger models with Satellite Navigation, in some circumstances, ISA will use map data to limit the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee.

17. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Trailer Coverage system (requires a genuine factory fit tow bar) supports conventional trailer dimensions: up to 2.4m wide (measured at trailer front) and up to 10m long from the rear of your vehicle. Drivers will need to create a profile of their trailers in SYNC to support this system.

18. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Road Edge Detection designed for use on rural roads at speeds of 65 – 110km/h. The feature does not detect every edge and does require a level of contrast between the road surface and the edge.

19. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Pre-collision Assist with Automatic Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. It does not replace safe driving. See Owner's Manual for Limitations.

20. Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Please see Owner's Manual for more information. Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h.

21. Maximum towing capacity-braked using a Genuine Ford tow pack. Standard on XLT, Wolftrak, Tremor, Wildtrak, Platinum, and Raptor models. Available as part of a pack at additional cost on XL, XLS, Black Edition. The standard Genuine Ford tow pack on XLT, Wolftrak, and Raptor models do not include a tow hitch, which is available at an additional cost. Subject to State and Territory regulations. To comply with regulations and vehicle GCM and GVM limits, the weight of any load transported by the vehicle may need to be restricted. For further details regarding load weight restrictions, please consult your authorised Ford Dealer and refer to the Owner's Manual.

22. Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit.

23. Trailer Light Check requires a Genuine Ford Tow Bar to be fitted and can be used via SYNC, or via Ford App app as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a Ford App account (terms apply) and have fully activated the vehicle's modem to use this feature via the app.

24. Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. - Trailer Light Check requires a Genuine Ford Tow Bar to be fitted and can be used via SYNC, or via Ford App as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a Ford App account (terms apply) and have fully activated the vehicle's modem to use this feature via the app.

4x4 | XL Ranger 2026.50MY Specifications

| | XL | XL | XL | XL |
|--|------------------------|-----------------------------|------------------------|-----------------------------|
| | 4x4 Double Cab-Chassis | 4x4 Double Cab-Chassis | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up |
| Engine | 2.0L Turbo | 3.0L V6 Turbo-Diesel | 2.0L Turbo | 3.0L V6 Turbo-Diesel |
| Engine Max Power | 125kW @ 3,500rpm | 184kW @ 3,250rpm | 125kW @ 3,500rpm | 184kW @ 3,250rpm |
| Engine Max Torque | 405Nm @ 1,750-2,500rpm | 600Nm @ 1,750-2,250rpm | 405Nm @ 1,750-2,500rpm | 600Nm @ 1,750-2,250rpm |
| Transmission | | | | |
| 10-Speed Automatic Transmission | S | S | S | S |
| Driveline | | | | |
| Part-time 4x4 | S | - | S | - |
| Full-time 4WD | - | S | - | S |
| Selectable Drive Modes: ¹ | | | | |
| - Normal | - | S | - | S |
| - Eco | - | S | - | S |
| - Tow / Haul | - | S | - | S |
| - Slippery | - | S | - | S |
| Vehicle Masses (kg)² | | | | |
| Gross Combined Mass (GCM) | 6,200 | 6,400 | 6,200 | 6,400 |
| Gross Vehicle Mass (GVM) | 3,250 | 3,350 | 3,250 | 3,350 |
| Front Gross Axle Weight Rating | 1,490 | 1,490 | 1,490 | 1,490 |
| Rear Gross Axle Weight Rating | 1,959 | 1,959 | 1,959 | 1,959 |
| Kerb Weight | 2,014 | 2,103 | 2,126 | 2,215 |
| Payload (based on Kerb Weight) | 1,236 | 1,247 | 1,124 | 1,135 |
| Chassis & Suspension | | | | |
| Front Disc / Rear Drum Brakes | S | - | S | - |
| Front and Rear Ventialted Discs with Electronic Brake Booster | - | S | - | S |
| Electrical Power Steering | S | S | S | S |
| Heavy-Duty Suspension | S | S | S | S |
| Locking Rear Differential | S | S | S | S |
| Fuel | | | | |
| Combined Fuel Economy (L/100km) ³ | 7.2 | 8.3 | 7.2 | 8.3 |
| CO ₂ Emissions (g/km) ³ | 190 | 218 | 190 | 218 |
| Fuel Tank Capacity (L) | 80 | 80 | 80 | 80 |
| Fuel Type | Diesel | Diesel | Diesel | Diesel |
| Exterior Dimensions (mm)⁴ | | | | |
| Length - with rear bumper (where fitted) without tow receiver ⁵ | 5,410 | 5,410 | 5,370 | 5,370 |
| Length - with rear bumper (where fitted) with tow receiver ⁵ | 5,410 | 5,410 | 5,406 | 5,406 |
| Width - exterior mirrors extended | 2,208 | 2,208 | 2,208 | 2,208 |
| Width - exterior mirrors folded | 2,015 | 2,015 | 2,015 | 2,015 |
| Width - excluding mirrors | 1,910 | 1,910 | 1,910 | 1,910 |

4x4 | XL Ranger 2026.50MY Specifications

| | XL | XL | XL | XL |
|---|------------------------|-----------------------------|------------------------|-----------------------------|
| | 4x4 Double Cab-Chassis | 4x4 Double Cab-Chassis | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up |
| Engine | 2.0L Turbo | 3.0L V6 Turbo-Diesel | 2.0L Turbo | 3.0L V6 Turbo-Diesel |
| Exterior Dimensions (mm)⁴ (continued) | | | | |
| Height - to top of antenna base | 1,875 | 1,875 | 1,875 | 1,875 |
| Overhang - front | 865 | 865 | 865 | 865 |
| Overhang - rear | 1,255 | 1,255 | 1,215 | 1,215 |
| Track - front and rear | 1,620 | 1,620 | 1,620 | 1,620 |
| Wheelbase | 3,270 | 3,270 | 3,270 | 3,270 |
| Ground Clearance (unladen) | 224 | 224 | 224 | 224 |
| Wading Depth ⁶ | 800 | 800 | 800 | 800 |
| Approach Angle (unladen, degrees) | 29 | 29 | 29 | 29 |
| Departure Angle (unladen, degrees) ⁷ | 25 | 25 | 25 | 25 |
| Ramp Breakover Angle (unladen, degrees) | 20 | 20 | 20 | 20 |
| Turning Circle (meters) | 12.9 | 12.9 | 12.9 | 12.9 |
| Pick-Up Box Dimensions (mm)⁴ | | | | |
| Height - at centreline of axle | - | - | 529 | 529 |
| Height - floor height to ground | - | - | 816 | 816 |
| Length - at floor | - | - | 1,547 | 1,547 |
| Length - top of box | - | - | 1,471 | 1,471 |
| Width - between wheelhouses | - | - | 1,224 | 1,224 |
| Width - pick-up box | - | - | 1,584 | 1,584 |
| Width - rear opening | - | - | 1,413 | 1,413 |
| Interior Dimensions (mm)⁴ | | | | |
| Front Headroom | 1,024 | 1,024 | 1,024 | 1,024 |
| Front Legroom | 1,057 | 1,057 | 1,057 | 1,057 |
| Front Shoulder Room | 1,450 | 1,450 | 1,450 | 1,450 |
| 2nd Row Headroom | 989 | 989 | 989 | 989 |
| 2nd Row Legroom | 879 | 879 | 879 | 879 |
| 2nd Row Shoulder Room | 1,440 | 1,440 | 1,440 | 1,440 |

S = Standard **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO** = No Cost Option

Disclaimer:

1. Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. 2. Kerb weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo with the lightest possible orderable combination of factory fit equipment. Maximum payload is calculated by deducting the vehicles Kerb Weight from its Gross Vehicle Mass (GVM). Payload is the maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). All Chassis Cab payload and kerb weights exclude weights of tray bodies. Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross Axle Weight Ratings are not exceeded. 3. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, options and accessories, condition and use. 4. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All Pick-up box dimensions take into account the Drop-In or Spray-In Bedliner where standard. 5. Vehicle length measured from front license plate bracket. 6. 800mm Water Wading achieved when maintaining a steady speed of 7 km/h. 7. Inclusive of tow bar where standard.

4x4 | XL Ranger 2026.50MY Specifications

| | XL | XL | XL | XL |
|---|------------------------|------------------------|------------------------|------------------------|
| | 4x4 Double Cab-Chassis | 4x4 Double Cab-Chassis | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up |
| Engine | 2.0L Turbo | 3.0L V6 Turbo-Diesel | 2.0L Turbo | 3.0L V6 Turbo-Diesel |
| Wheels and Tyres | | | | |
| 16" Steel with All-Season Tyres | S | - | S | - |
| 17" Steel with All-Terrain Tyres | O | S | O | S |
| Spare Wheel - 16" Steel | S | - | S | - |
| Spare Wheel - 17" Steel | O | S | O | S |
| Exterior Lighting | | | | |
| Headlamps - Halogen | S | S | S | S |
| Daytime Running Lamps - Halogen | S | S | S | S |
| Taillamps - Halogen | S | S | - | - |
| Taillamps - LED | - | - | S | S |
| Tailgate Mounted Stop Light | - | - | S | S |
| Exterior | | | | |
| Exterior Mirrors - Power Adjustable | S | S | S | S |
| Exterior Mirrors - Power Folding | - | - | S | S |
| Steel Underbody Protection | S | S | S | S |
| Rear Box Step | - | - | S | S |
| Load Box Elements | | | | |
| Tailgate Ruler | - | - | S | S |
| Box Protective Capping with Load Box Access Caps ⁸ | - | - | S | S |
| Inner Tie Down Rails | - | - | S | S |
| Load Rest ⁸ | - | - | S | S |
| Load Box Illumination | - | - | S | S |
| Tailgate Cargo Clamps | - | - | S | S |
| Tailgate Cupholders | - | - | S | S |
| Tailgate with Lift Assistance | - | - | S | S |
| Interior and Seating | | | | |
| Seating Capacity | 5 | 5 | 5 | 5 |
| Driver Seat - 8-Way Manual | S | S | S | S |
| Front Passenger Seat - 4-Way Manual | S | S | S | S |
| Seat Material - Cloth | S | S | S | S |
| Child Seat Upper Anchorage Points (x2) | S | S | S | S |
| Child Seat ISOFIX Anchorage Points (x2) | S | S | S | S |
| Steering Wheel Reach & Height Adjust | S | S | S | S |
| Leather-Wrapped Gear Knob | - | S | - | S |
| Electric Park Brake | - | S | - | S |
| e-Shifter | - | S | - | S |
| Floor Covering - Vinyl | S | S | S | S |

4x4 | XL Ranger 2026.50MY Specifications

| | 4x4 Double Cab-Chassis | 4x4 Double Cab-Chassis | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up |
|--|------------------------|------------------------|------------------------|------------------------|
| Engine | 2.0L Turbo | 3.0L V6 Turbo-Diesel | 2.0L Turbo | 3.0L V6 Turbo-Diesel |
| Comfort and Convenience | | | | |
| Centre Console with Single Lid and 2 Cup Holders | S | S | S | S |
| Instrument Panel Cup Holders | S | S | S | S |
| Charging: | | | | |
| - Interior 12V Power Outlet - In Console Bin | S | S | S | S |
| - Total USB Ports | 4 | 4 | 4 | 4 |
| - Pro Power Onboard™ - 400W (230V) Inverter - Rear of Console | S | S | S | S |
| Climate Control - Dual-Zone | S | S | S | S |
| Rear Air Vent Registers | S | S | S | S |
| Underseat Stowage | S | S | S | S |
| Auto Headlamp On-Off | S | S | S | S |
| Front Power Windows | S | S | S | S |
| Rear Power Windows | S | S | S | S |
| Rear Window Defrost | S | S | S | S |
| Audio and Communication | | | | |
| Embedded Modem | S | S | S | S |
| Ford App Connectivity ⁹ | S | S | S | S |
| Colour Digital Instrument Cluster with Configurable Display - 8-inch | S | S | S | S |
| Colour Multi-Function Touch Screen Display - 12-inch | S | S | S | S |
| Speakers | 4 | 4 | 4 | 4 |
| Bluetooth® with Phone/Audio Streaming ¹⁰ | S | S | S | S |
| SYNC®4A with Voice-Activated Controls ¹¹ | S | S | S | S |
| Steering Wheel Audio/Function Control | S | S | S | S |
| Wireless Apple CarPlay™ & Android Auto™ ¹² | S | S | S | S |

S = Standard **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO** = No Cost Option

Disclaimer:

8. Load Rest (XL), Sports Bar (XLT), Sports Hoop/Sailplane, Aluminium Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. Drop in bedliner may be trimmed to accommodate mounting brackets. **9.** Use of Ford app is subject to the Ford app Terms and User Guide and Ford app Privacy Collection Notice which are available on <https://www.ford.com.au/privacy> and requires a compatible mobile device, internet access and software (including software updates from time to time). The Ford app functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the Ford app on your mobile device, including associated fees. The Ford app and the Vehicle's modem can only work when both are connected to the telecommunications network. The Vehicle's modem will only function on the telecommunications networks it could use at time of manufacture. When all compatible networks for the modem in your vehicle are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that Ford app will be in fully operating condition at all times and the Ford app may be unavailable or particular Ford app services interrupted. If the Ford app is unavailable, the ability to lock or unlock your vehicle remotely could be limited, and a physical key might be needed. Always keep your key with you to ensure you can access your vehicle at all times even if the Ford app is unavailable. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. **10.** Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. **11.** Don't drive distracted. Use voice operated systems where possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates. **12.** Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay/Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions.

4x4 | XL Ranger 2026.50MY Specifications

| | XL | XL | XL | XL |
|--|------------------------|------------------------|------------------------|------------------------|
| | 4x4 Double Cab-Chassis | 4x4 Double Cab-Chassis | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up |
| Engine | 2.0L Turbo | 3.0L V6 Turbo-Diesel | 2.0L Turbo | 3.0L V6 Turbo-Diesel |
| Safety & Security | | | | |
| Airbags x 9 - Front, Side, Knee & Full Length Curtain (Driver & Passenger) & Far Side Driver Front Airbag | S | S | S | S |
| 3 Point Lap Sash Seat Belt - All Positions | S | S | S | S |
| Child Proof Rear Door Locks | S | S | S | S |
| Emergency Assistance ¹³ | S | S | S | S |
| Driver Assistance | | | | |
| Adaptive Cruise Control ¹⁴ | S | S | S | S |
| Traffic Sign Recognition ¹⁵ | S | S | S | S |
| Intelligent Speed Assist ¹⁶ | S | S | S | S |
| Blind Spot Monitoring with Cross Traffic Assist ¹⁴ | S | S | S | S |
| Blind Spot Monitoring with Cross Traffic Assist and Trailer Coverage ¹⁷ | P | P | P | P |
| Dynamic Stability Control (DSC) incorporating ABS, Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Load Adaptive Control, Roll Over Mitigation, Traction Control and Trailer Sway Control ¹⁴ | S | S | S | S |
| Evasive Steer Assist ¹⁴ | S | S | S | S |
| Lane Keeping Aid with Road Edge Detection and Driver Alert System ¹⁸ | S | S | S | S |
| Post Impact Braking ¹⁴ | S | S | S | S |
| Pre-Collision Assist with Autonomous Emergency Braking (AEB) ¹⁹ | S | S | S | S |
| Reverse Brake Assist ²⁰ | S | S | S | S |
| Parking Sensors - Front ¹⁴ | S | S | S | S |
| Parking Sensors - Rear ¹⁴ | S | S | S | S |
| Rearview Camera - Integrated Digital ¹⁴ | S | S | S | S |
| Towing | | | | |
| Maximum Braked Towing Capacity (kg) ²¹ | 3,500 | 3,500 | 3,500 | 3,500 |
| Tow Bar Receiver with Tow Hitch | P | P | P | P |
| Integrated Trailer Brake Controller ²² | P | P | P | P |
| Trailer Light Check ²³ | P | P | P | P |
| Towing Vehicle Integration with Towing Checklist | S | S | S | S |
| Tow/Haul Mode (part of Selectable Drive Modes) ¹⁴ | - | S | - | S |
| Off-Road | | | | |
| Hill Descent Control ¹⁴ | S | S | S | S |
| Front Recovery Point | 1 | 1 | 1 | 1 |
| Ford Factory Fitted Options | | | | |
| Prestige Paint | O | O | O | O |
| 17" Steel Wheels with All-Terrain Tyres with 17" Steel Spare Wheel | O | - | O | - |

4x4 | XL Ranger 2026.50MY Specifications

| | XL | XL | XL | XL |
|--|------------------------|------------------------|------------------------|------------------------|
| | 4x4 Double Cab-Chassis | 4x4 Double Cab-Chassis | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up |
| Engine | 2.0L Turbo | 3.0L V6 Turbo-Diesel | 2.0L Turbo | 3.0L V6 Turbo-Diesel |
| Ford Factory Fitted Options | | | | |
| Additional Wheel Centre Cap to suit Wheel Nut Indicator Fitment | O | O | O | O |
| Towing Pack - Tow Bar Receiver with Tow Hitch, Integrated Trailer Brake Controller and Trailer Light Check ²⁴ | O | O | O | O |
| Stylish Canopy (Dual Lift) ²⁵ | - | - | O | O |
| Stylish Canopy (Lift & Slide) ²⁵ | - | - | O | O |
| Commercial Canopy ²⁵ | - | - | O | O |

S = Standard **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO** = No Cost Option

Disclaimer:

13. Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. **14.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. **15.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Speed Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. On Ranger models with Satellite Navigation, in some circumstances Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **16.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Intelligent Speed Assist (ISA) uses various data to limit the set speed of the vehicle to the speed limit detected by the system. The ISA system will not always detect the correct speed limit and may limit a vehicle speed above or below the actual speed limit. ISA can be temporarily overridden by the driver firmly pressing the accelerator. Customers should read the Owner's Manual for details of the limitations of the ISA system before activating. On Ranger models with Satellite Navigation, in some circumstances, ISA will use map data to limit the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **17.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Trailer Coverage system (requires a genuine factory fit tow bar) supports conventional trailer dimensions: up to 2.4m wide (measured at trailer front) and up to 10m long from the rear of your vehicle. Drivers will need to create a profile of their trailers in SYNC to support this system. **18.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Road Edge Detection designed for use on rural roads at speeds of 65 – 110km/h. The feature does not detect every edge and does require a level of contrast between the road surface and the edge. **19.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Pre-collision Assist with Automatic Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. It does not replace safe driving. See Owner's Manual for Limitations. **20.** Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Please see Owner's Manual for more information. Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h. **21.** Maximum towing capacity-braked using a Genuine Ford tow pack. Standard on XLT, Wolftrak, Tremor, Wildtrak, Platinum, and Raptor models. Available as part of a pack at additional cost on XL, XLS, Black Edition. The standard Genuine Ford tow pack on XLT, Wolftrak, and Raptor models do not include a tow hitch, which is available at an additional cost. Subject to State and Territory regulations. To comply with regulations and vehicle GCM and GVM limits, the weight of any load transported by the vehicle may need to be restricted. For further details regarding load weight restrictions, please consult your authorised Ford Dealer and refer to the Owner's Manual. **22.** Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. **23.** Trailer Light Check requires a Genuine Ford Tow Bar to be fitted and can be used via SYNC, or via Ford App app as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a Ford App account (terms apply) and have fully activated the vehicle's modem to use this feature via the app. **24.** Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. - Trailer Light Check requires a Genuine Ford Tow Bar to be fitted and can be used via SYNC, or via Ford App as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a Ford App account (terms apply) and have fully activated the vehicle's modem to use this feature via the app. **25.** Load Rest (XL), Sports Bar (XLT), Sports Hoop/Sailplane, Aluminium Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. Drop in bedliner may be trimmed to accommodate mounting brackets.

4x4 | XLS, Black Edition Ranger 2026.50MY Specifications

| | XLS | Black Edition | Black Edition |
|--|-----------------------------|------------------------|-----------------------------|
| | 4x4 Double Cab-Chassis | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up |
| Engine | 3.0L V6 Turbo-Diesel | 2.0L Turbo | 3.0L V6 Turbo-Diesel |
| Engine Max Power | 184kW @ 3,250rpm | 125kW @ 3,500rpm | 184kW @ 3,250rpm |
| Engine Max Torque | 600Nm @ 1,750-2,250rpm | 405Nm @ 1,750-2,500rpm | 600Nm @ 1,750-2,250rpm |
| Transmission | | | |
| 10-Speed Automatic Transmission | S | S | S |
| Driveline | | | |
| Part-time 4x4 | - | S | - |
| Full-time 4WD | S | - | S |
| Selectable Drive Modes: ¹ | | | |
| - Normal | S | - | S |
| - Eco | S | - | S |
| - Tow / Haul | S | - | S |
| - Slippery | S | - | S |
| Vehicle Masses (kg)² | | | |
| Gross Combined Mass (GCM) | 6,400 | 6,200 | 6,400 |
| Gross Vehicle Mass (GVM) | 3,350 | 3,250 | 3,350 |
| Front Gross Axle Weight Rating | 1,490 | 1,490 | 1,490 |
| Rear Gross Axle Weight Rating | 1,959 | 1,959 | 1,959 |
| Kerb Weight | 2,107 | 2,190 | 2,254 |
| Payload (based on Kerb Weight) | 1,243 | 1,060 | 1,096 |
| Chassis & Suspension | | | |
| Front Disc / Rear Drum Brakes | - | S | - |
| Front and Rear Ventialted Discs with Electronic Brake Booster | S | - | S |
| Electrical Power Steering | S | S | S |
| Heavy-Duty Suspension | S | S | S |
| Locking Rear Differential | S | S | S |
| Fuel | | | |
| Combined Fuel Economy (L/100km) ³ | 8.3 | 7.2 | 8.3 |
| CO ₂ Emissions (g/km) ³ | 218 | 190 | 218 |
| Fuel Tank Capacity (L) | 80 | 80 | 80 |
| Fuel Type | Diesel | Diesel | Diesel |
| Exterior Dimensions (mm)⁴ | | | |
| Length - with rear bumper (where fitted) without tow receiver ⁵ | 5,410 | 5,370 | 5,370 |
| Length - with rear bumper (where fitted) with tow receiver ⁵ | 5,410 | 5,406 | 5,406 |
| Width - exterior mirrors extended | 2,208 | 2,208 | 2,208 |
| Width - exterior mirrors folded | 2,015 | 2,015 | 2,015 |
| Width - excluding mirrors | 1,918 | 1,918 | 1,918 |

4x4 | XLS, Black Edition Ranger 2026.50MY Specifications

| | XLS | Black Edition | Black Edition |
|---|-----------------------------|------------------------|-----------------------------|
| | 4x4 Double Cab-Chassis | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up |
| Engine | 3.0L V6 Turbo-Diesel | 2.0L Turbo | 3.0L V6 Turbo-Diesel |
| Exterior Dimensions (mm)⁴ (continued) | | | |
| Height - to top of antenna base | 1,975 | 1,875 | 1,875 |
| Overhang - front | 865 | 865 | 865 |
| Overhang - rear | 1,255 | 1,215 | 1,215 |
| Track - front and rear | 1,620 | 1,620 | 1,620 |
| Wheelbase | 3,270 | 3,270 | 3,270 |
| Ground Clearance (unladen) | 224 | 224 | 224 |
| Wading Depth ⁶ | 800 | 800 | 800 |
| Approach Angle (unladen, degrees) | 29 | 29 | 29 |
| Departure Angle (unladen, degrees) ⁷ | 25 | 25 | 25 |
| Ramp Breakover Angle (unladen, degrees) | 20 | 20 | 20 |
| Turning Circle (meters) | 12.9 | 12.9 | 12.9 |
| Pick-Up Box Dimensions (mm)⁴ | | | |
| Height - at centreline of axle | - | 529 | 529 |
| Height - floor height to ground | - | 816 | 816 |
| Length - at floor | - | 1,547 | 1,547 |
| Length - top of box | - | 1,471 | 1,471 |
| Width - between wheelhouses | - | 1,224 | 1,224 |
| Width - pick-up box | - | 1,584 | 1,584 |
| Width - rear opening | - | 1,413 | 1,413 |
| Interior Dimensions (mm)⁴ | | | |
| Front Headroom | 1,024 | 1,024 | 1,024 |
| Front Legroom | 1,057 | 1,057 | 1,057 |
| Front Shoulder Room | 1,450 | 1,450 | 1,450 |
| 2nd Row Headroom | 989 | 989 | 989 |
| 2nd Row Legroom | 879 | 879 | 879 |
| 2nd Row Shoulder Room | 1,440 | 1,440 | 1,440 |

S = Standard **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO** = No Cost Option

Disclaimer:

1. Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. 2. Kerb weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo with the lightest possible orderable combination of factory fit equipment. Maximum payload is calculated by deducting the vehicles Kerb Weight from its Gross Vehicle Mass (GVM). Payload is the maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). All Chassis Cab payload and kerb weights exclude weights of tray bodies. Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross Axle Weight Ratings are not exceeded. 3. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, options and accessories, condition and use. 4. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All Pick-up box dimensions take into account the Drop-In or Spray-In Bedliner where standard. 5. Vehicle length measured from front license plate bracket. 6. 800mm Water Wading achieved when maintaining a steady speed of 7 km/h. 7. Inclusive of tow bar where standard.

4x4 | XLS, Black Edition Ranger 2026.50MY Specifications

| | XLS | Black Edition | Black Edition |
|--|------------------------|------------------------|------------------------|
| | 4x4 Double Cab-Chassis | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up |
| Engine | 3.0L V6 Turbo-Diesel | 2.0L Turbo | 3.0L V6 Turbo-Diesel |
| Wheels and Tyres | | | |
| 17" Alloy with All-Terrain Tyres | S | S | S |
| Spare Wheel - 17" Steel | S | S | S |
| Exterior Lighting | | | |
| Headlamps - Halogen | S | S | S |
| Daytime Running Lamps - Halogen | S | S | S |
| Taillamps - Halogen | S | | |
| Taillamps - LED | - | S | S |
| Tailgate Mounted Stop Light | - | S | S |
| Exterior | | | |
| Exterior Mirrors - Power Adjustable | S | S | S |
| Exterior Mirrors - Power Folding | - | S | S |
| Steel Underbody Protection | S | S | S |
| Side Steps | S | S | S |
| Rear Box Step | - | S | S |
| Long-Legged Sports Bar | - | S | S |
| Load Box Elements | | | |
| Drop In Bedliner (without Tailgate Ruler) | - | S | S |
| Box Protective Capping with Load Box Access Caps | - | S | S |
| Inner Tie Down Rails | - | S | S |
| Cargo Management System | - | S | S |
| Load Box Illumination | - | S | S |
| Tailgate Cargo Clamps | - | S | S |
| Tailgate Cupholders | - | S | S |
| Tailgate with Lift Assistance | - | S | S |
| Interior and Seating | | | |
| Seating Capacity | 5 | 5 | 5 |
| Driver Seat - 8-Way Manual | S | S | S |
| Front Passenger Seat - 4-Way Manual | S | S | S |
| Seat Material - Cloth | S | S | S |
| Child Seat Upper Anchorage Points (x2) | S | S | S |
| Child Seat ISOFIX Anchorage Points (x2) | S | S | S |
| Steering Wheel Reach & Height Adjust | S | S | S |
| Leather-Wrapped Gear Knob | S | - | S |
| Electric Park Brake | S | - | S |
| e-Shifter | S | - | S |
| Floor Covering - Carpet | S | S | S |
| Floor Mats - Driver | S | S | S |

4x4 | XLS, Black Edition Ranger 2026.50MY Specifications

| | XLS | Black Edition | Black Edition |
|--|------------------------|------------------------|------------------------|
| | 4x4 Double Cab-Chassis | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up |
| Engine | 3.0L V6 Turbo-Diesel | 2.0L Turbo | 3.0L V6 Turbo-Diesel |
| Comfort and Convenience | | | |
| Centre Console with Single Lid and 2 Cup Holders | S | S | S |
| Instrument Panel Cup Holders | S | S | S |
| Charging: | | | |
| - Interior 12V Power Outlet - In Console Bin | S | S | S |
| - Total USB Ports | 4 | 4 | 4 |
| - Pro Power Onboard™ - 400W (230V) Inverter - Rear of Console | S | S | S |
| Climate Control - Dual-Zone | S | S | S |
| Rear Air Vent Registers | S | S | S |
| Underseat Stowage | S | S | S |
| Auto Headlamp On-Off | S | S | S |
| Front Power Windows | S | S | S |
| Rear Power Windows | S | S | S |
| Rear Window Defrost | S | S | S |
| Audio and Communication | | | |
| Embedded Modem | S | S | S |
| Ford App Connectivity ⁸ | S | S | S |
| Colour Digital Instrument Cluster with Configurable Display - 8-inch | S | S | S |
| Colour Multi-Function Touch Screen Display - 12-inch | S | S | S |
| Speakers | 4 | 4 | 4 |
| Bluetooth® with Phone/Audio Streaming ⁹ | S | S | S |
| SYNC®4A with Voice-Activated Controls ¹⁰ | S | S | S |
| Steering Wheel Audio/Function Control | S | S | S |
| Wireless Apple CarPlay™ & Android Auto™ ¹¹ | S | S | S |

S = Standard **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO** = No Cost Option

Disclaimer:

8. Use of Ford app is subject to the Ford app Terms and User Guide and Ford app Privacy Collection Notice which are available on <https://www.ford.com.au/privacy> and requires a compatible mobile device, internet access and software (including software updates from time to time). The Ford app functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the Ford app on your mobile device, including associated fees. The Ford app and the Vehicle's modem can only work when both are connected to the telecommunications network. The Vehicle's modem will only function on the telecommunications networks it could use at time of manufacture. When all compatible networks for the modem in your vehicle are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that Ford app will be in fully operating condition at all times and the Ford app may be unavailable or particular Ford app services interrupted. If the Ford app is unavailable, the ability to lock or unlock your vehicle remotely could be limited, and a physical key might be needed. Always keep your key with you to ensure you can access your vehicle at all times even if the Ford app is unavailable. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. **9.** Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. **10.** Don't drive distracted. Use voice operated systems where possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates. **11.** Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay/Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions.

4x4 | XLS, Black Edition Ranger 2026.50MY Specifications

| | XLS | Black Edition | Black Edition |
|--|-----------------------------|------------------------|-----------------------------|
| | 4x4 Double Cab-Chassis | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up |
| Engine | 3.0L V6 Turbo-Diesel | 2.0L Turbo | 3.0L V6 Turbo-Diesel |
| Safety & Security | | | |
| Airbags x 9 - Front, Side, Knee & Full Length Curtain (Driver & Passenger) & Far Side Driver Front Airbag | S | S | S |
| 3 Point Lap Sash Seat Belt - All Positions | S | S | S |
| Child Proof Rear Door Locks | S | S | S |
| Emergency Assistance ¹² | S | S | S |
| Driver Assistance | | | |
| Adaptive Cruise Control ¹³ | S | S | S |
| Traffic Sign Recognition ¹⁴ | S | S | S |
| Intelligent Speed Assist ¹⁵ | S | S | S |
| Blind Spot Monitoring with Cross Traffic Assist ¹³ | S | S | S |
| Blind Spot Monitoring with Cross Traffic Assist and Trailer Coverage ¹⁶ | P | P | P |
| Dynamic Stability Control (DSC) incorporating ABS, Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Load Adaptive Control, Roll Over Mitigation, Traction Control and Trailer Sway Control ¹³ | S | S | S |
| Evasive Steer Assist ¹³ | S | S | S |
| Lane Keeping Aid with Road Edge Detection and Driver Alert System ¹⁷ | S | S | S |
| Post Impact Braking ¹³ | S | S | S |
| Pre-Collision Assist with Autonomous Emergency Braking (AEB) ¹⁸ | S | S | S |
| Reverse Brake Assist ¹⁹ | S | S | S |
| Parking Sensors - Front ¹³ | S | S | S |
| Parking Sensors - Rear ¹³ | S | S | S |
| Rearview Camera - Integrated Digital ¹³ | S | S | S |
| Towing | | | |
| Maximum Braked Towing Capacity (kg) ²⁰ | 3,500 | 3,500 | 3,500 |
| Tow Bar Receiver with Tow Hitch | P | P | P |
| Integrated Trailer Brake Controller ²¹ | P | P | P |
| Trailer Light Check ²² | P | P | P |
| Towing Vehicle Integration with Towing Checklist | S | S | S |
| Tow/Haul Mode (part of Selectable Drive Modes) ¹³ | S | - | S |
| Off-Road | | | |
| Hill Descent Control ¹³ | S | S | S |
| Front Recovery Point | 1 | 1 | 1 |
| Ford Factory Fitted Options | | | |
| Prestige Paint | O | O | O |
| Towing Pack - Tow Bar Receiver with Tow Hitch, Integrated Trailer Brake Controller and Trailer Light Check ²³ | O | O | O |

S = Standard **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO** = No Cost Option

Disclaimer:

12. Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. **13.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. **14.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Speed Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. On Ranger models with Satellite Navigation, in some circumstances Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **15.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Intelligent Speed Assist (ISA) uses various data to limit the set speed of the vehicle to the speed limit detected by the system. The ISA system will not always detect the correct speed limit and may limit a vehicle speed above or below the actual speed limit. ISA can be temporarily overridden by the driver firmly pressing the accelerator. Customers should read the Owner's Manual for details of the limitations of the ISA system before activating. On Ranger models with Satellite Navigation, in some circumstances, ISA will use map data to limit the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **16.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Trailer Coverage system (requires a genuine factory fit tow bar) supports conventional trailer dimensions: up to 2.4m wide (measured at trailer front) and up to 10m long from the rear of your vehicle. Drivers will need to create a profile of their trailers in SYNC to support this system. **17.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Road Edge Detection designed for use on rural roads at speeds of 65 – 110km/h. The feature does not detect every edge and does require a level of contrast between the road surface and the edge. **18.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Pre-collision Assist with Automatic Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. It does not replace safe driving. See Owner's Manual for Limitations. **19.** Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Please see Owner's Manual for more information. Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h. **20.** Maximum towing capacity-braked using a Genuine Ford tow pack. Standard on XLT, Wolftrak, Tremor, Wildtrak, Platinum, and Raptor models. Available as part of a pack at additional cost on XL, XLS, Black Edition. The standard Genuine Ford tow pack on XLT, Wolftrak, and Raptor models do not include a tow hitch, which is available at an additional cost. Subject to State and Territory regulations. To comply with regulations and vehicle GCM and GVM limits, the weight of any load transported by the vehicle may need to be restricted. For further details regarding load weight restrictions, please consult your authorised Ford Dealer and refer to the Owner's Manual. **21.** Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. **22.** Trailer Light Check requires a Genuine Ford Tow Bar to be fitted and can be used via SYNC, or via Ford App app as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a Ford App account (terms apply) and have fully activated the vehicle's modem to use this feature via the app. **23.** Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. - Trailer Light Check requires a Genuine Ford Tow Bar to be fitted and can be used via SYNC, or via Ford App as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a Ford App account (terms apply) and have fully activated the vehicle's modem to use this feature via the app.

4x4 | XLT Ranger 2026.50MY Specifications

| | XLT | XLT | XLT |
|--|-----------------------------|-----------------------------|-----------------------------|
| | 4x4 Super Cab Pick-Up | 4x4 Double Cab-Chassis | 4x4 Double Cab Pick-Up |
| Engine | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel |
| Engine Max Power | 184kW @ 3,250rpm | 184kW @ 3,250rpm | 184kW @ 3,250rpm |
| Engine Max Torque | 600Nm @ 1,750-2,250rpm | 600Nm @ 1,750-2,250rpm | 600Nm @ 1,750-2,250rpm |
| Transmission | | | |
| 10-Speed Automatic Transmission | S | S | S |
| Driveline | | | |
| Full-time 4WD | S | S | S |
| Selectable Drive Modes: ¹ | | | |
| - Normal | S | S | S |
| - Eco | S | S | S |
| - Tow / Haul | S | S | S |
| - Slippery | S | S | S |
| - Mud / Ruts ² | P | P | P |
| - Sand ³ | P | P | P |
| Vehicle Masses (kg)⁴ | | | |
| Gross Combined Mass (GCM) | 6,400 | 6,400 | 6,400 |
| Gross Vehicle Mass (GVM) | 3,350 | 3,350 | 3,350 |
| Front Gross Axle Weight Rating | 1,490 | 1,490 | 1,490 |
| Rear Gross Axle Weight Rating | 1,959 | 1,959 | 1,959 |
| Kerb Weight | 2,215 | 2,124 | 2,251 |
| Payload (based on Kerb Weight) | 1,135 | 1,226 | 1,099 |
| Chassis & Suspension | | | |
| Front and Rear Ventialted Discs with Electronic Brake Booster | S | S | S |
| Electrical Power Steering | S | S | S |
| Heavy-Duty Suspension | - | S | - |
| Locking Rear Differential | S | S | S |
| Fuel | | | |
| Combined Fuel Economy (L/100km) ⁵ | 8.3 | 8.3 | 8.3 |
| CO ₂ Emissions (g/km) ⁵ | 218 | 218 | 218 |
| Fuel Tank Capacity (L) | 80 | 80 | 80 |
| Fuel Type | Diesel | Diesel | Diesel |
| Exterior Dimensions (mm)⁶ | | | |
| Length - with rear bumper (where fitted) without tow receiver ⁷ | 5,370 | 5,410 | 5,370 |
| Length - with rear bumper (where fitted) with tow receiver ⁷ | 5,406 | 5,410 | 5,406 |
| Width - exterior mirrors extended | 2,208 | 2,208 | 2,208 |
| Width - exterior mirrors folded | 2,015 | 2,015 | 2,015 |
| Width - excluding mirrors | 1,918 | 1,918 | 1,918 |

4x4 | XLT Ranger 2026.50MY Specifications

| | XLT | XLT | XLT |
|---|-----------------------------|-----------------------------|-----------------------------|
| | 4x4 Super Cab Pick-Up | 4x4 Double Cab-Chassis | 4x4 Double Cab Pick-Up |
| Engine | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel |
| Exterior Dimensions (mm)⁶ (continued) | | | |
| Height - to top of antenna base | 1,877 | 1,886 | 1,886 |
| Overhang - front | 865 | 865 | 865 |
| Overhang - rear | 1,215 | 1,255 | 1,215 |
| Track - front and rear | 1,620 | 1,620 | 1,620 |
| Wheelbase | 3,270 | 3,270 | 3,270 |
| Ground Clearance (unladen) | 234 | 234 | 234 |
| Wading Depth ⁸ | 800 | 800 | 800 |
| Approach Angle (unladen, degrees) | 30 | 30 | 30 |
| Departure Angle (unladen, degrees) ⁹ | 23 | 25 | 23 |
| Ramp Breakover Angle (unladen, degrees) | 21 | 21 | 21 |
| Turning Circle (meters) | 12.9 | 12.9 | 12.9 |
| Pick-Up Box Dimensions (mm)⁶ | | | |
| Height - at centreline of axle | 526 | - | 525 |
| Height - floor height to ground | 830 | - | 831 |
| Length - at floor | 1,839 | - | 1,464 |
| Length - top of box | 1,766 | - | 1,468 |
| Width - between wheelhouses | 1,218 | - | 1,217 |
| Width - pick-up box | 1,578 | - | 1,520 |
| Width - rear opening | 1,407 | - | 1,393 |
| Interior Dimensions (mm)⁶ | | | |
| Front Headroom | 1,024 | 1,024 | 1,024 |
| Front Legroom | 1,057 | 1,057 | 1,057 |
| Front Shoulder Room | 1,450 | 1,450 | 1,450 |
| 2nd Row Headroom | 935 | 989 | 989 |
| 2nd Row Legroom | 759 | 879 | 879 |
| 2nd Row Shoulder Room | 1,392 | 1,440 | 1,440 |

S = Standard **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO** = No Cost Option

Disclaimer:

1. Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. 2. Mud/Rut Mode intended for off-road use only. 3. Sand Mode intended for off-road use only. 4. Kerb weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo with the lightest possible orderable combination of factory fit equipment. Maximum payload is calculated by deducting the vehicles Kerb Weight from its Gross Vehicle Mass (GVM). Payload is the maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). All Chassis Cab payload and kerb weights exclude weights of tray bodies. Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross Axle Weight Ratings are not exceeded. 5. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, options and accessories, condition and use. 6. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All Pick-up box dimensions take into account the Drop-In or Spray-In Bedliner where standard. 7. Vehicle length measured from front license plate bracket. 8. 800mm Water Wading achieved when maintaining a steady speed of 7 km/h 9. Inclusive of tow bar where standard.

4x4 | XLT Ranger 2026.50MY Specifications

| | XLT | XLT | XLT |
|--|-----------------------|------------------------|------------------------|
| | 4x4 Super Cab Pick-Up | 4x4 Double Cab-Chassis | 4x4 Double Cab Pick-Up |
| Engine | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel |
| Wheels and Tyres | | | |
| 17" Alloy with All-Terrain Tyres | S | S | S |
| Spare Wheel - 17" Steel | S | S | S |
| Exterior Lighting | | | |
| Headlamps - LED | S | S | S |
| Daytime Running Lamps - LED | S | S | S |
| Front Fog Lamps - LED | S | S | S |
| Taillamps - Halogen | - | S | - |
| Taillamps - LED | S | - | S |
| Tailgate Mounted Stop Light | S | - | S |
| Zone Lighting ¹⁰ | P | - | P |
| Exterior | | | |
| Exterior Mirrors - Power Adjustable | S | S | S |
| Exterior Mirrors - Power Folding | S | S | S |
| Exterior Mirrors - Puddle Lamps | P | P | P |
| Steel Underbody Protection | S | S | S |
| Side Steps | S | S | S |
| Rear Box Step | S | - | S |
| Sports Bar ¹¹ | S | - | S |
| Load Box Elements | | | |
| Drop In Bedliner (without Tailgate Ruler) ¹¹ | - | - | S |
| Tough Bed™ Spray-In Bedliner (incl. Tailgate Ruler) | S | - | - |
| Pro Power Onboard™ - 400W (230V) Inverter - In Bedliner | S | - | S |
| Box Protective Capping with Load Box Access Caps ¹¹ | S | - | S |
| Inner Tie Down Rails | S | - | S |
| Cargo Management System | P | - | P |
| Load Box Illumination | S | - | S |
| Tailgate Cargo Clamps | S | - | S |
| Tailgate Cupholders | S | - | S |
| Power Tailgate Lock | S | - | S |
| Tailgate with Lift Assistance | S | - | S |
| Interior and Seating | | | |
| Seating Capacity | 4 | 5 | 5 |
| Driver Seat - 8-Way Manual | S | S | S |
| Front Passenger Seat - 4-Way Manual | S | S | S |

4x4 | XLT Ranger 2026.50MY Specifications

| | XLT | XLT | XLT |
|---|-----------------------|------------------------|------------------------|
| | 4x4 Super Cab Pick-Up | 4x4 Double Cab-Chassis | 4x4 Double Cab Pick-Up |
| Engine | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel |
| Interior and Seating (continued) | | | |
| Seat Material - Premium Cloth | S | S | S |
| Child Seat Upper Anchorage Points (x2) | - | S | S |
| Child Seat ISOFIX Anchorage Points (x2) | - | S | S |
| Steering Wheel Reach & Height Adjust | S | S | S |
| Leather-Wrapped Gear Knob | S | S | S |
| Electric Park Brake | S | S | S |
| e-Shifter | S | S | S |
| Floor Covering - Carpet | S | S | S |
| Floor Mats - Driver | S | S | S |
| Comfort and Convenience | | | |
| Centre Console with Single Lid and 2 Cup Holders | S | S | S |
| Instrument Panel Cup Holders | S | S | S |
| Charging: | | | |
| - Interior 12V Power Outlet - In Console Bin | S | S | S |
| - Total USB Ports | 4 | 4 | 4 |
| - Wireless Charging ¹² | S | S | S |
| - Pro Power Onboard™ - 400W (230V) Inverter - Rear of Console | S | S | S |
| - Pro Power Onboard™ - 400W (230V) Inverter - In Bedliner | S | - | S |
| Climate Control - Dual-Zone | S | S | S |
| Rear Air Vent Registers | S | S | S |
| Underseat Stowage | S | S | S |
| Auto Headlamp On-Off | S | S | S |
| Front Power Windows | S | S | S |
| Rear Power Windows | - | S | S |
| Privacy Glass | S | S | S |
| Rear Window Defrost | S | S | S |
| Rain Sensing Windscreen Wipers | S | S | S |
| Electrochromatic Rear View Mirror | S | S | S |

S = Standard **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO** = No Cost Option

Disclaimer:

¹⁰. Zone Lighting will not operate if battery charge is insufficient. The length of time that Zone Lighting will operate depends on the battery charge, the types of lights fitted to the vehicle (LED or Bulb) and other electrical loads connected to the vehicle. The system will automatically turn off after a period of time to preserve the battery's engine starting performance. ¹¹. Load Rest (XL), Sports Bar (XLT), Sports Hoop/Sailplane, Aluminium Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. Drop in bedliner may be trimmed to accommodate mounting brackets. ¹². Wireless charging only available with compatible phones.

4x4 | XLT Ranger 2026.50MY Specifications

| | XLT | XLT | XLT |
|--|-----------------------|------------------------|------------------------|
| | 4x4 Super Cab Pick-Up | 4x4 Double Cab-Chassis | 4x4 Double Cab Pick-Up |
| Engine | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel |
| Audio and Communication | | | |
| Embedded Modem | S | S | S |
| Ford App Connectivity ¹³ | S | S | S |
| Colour Digital Instrument Cluster with Configurable Display - 8-inch | S | S | S |
| Colour Multi-Function Touch Screen Display - 12-inch | S | S | S |
| Speakers | 6 | 6 | 6 |
| DAB+/AM/FM Radio | S | S | S |
| Bluetooth® with Phone/Audio Streaming ¹⁴ | S | S | S |
| Built-In Satellite Navigation with One Year of Connected Navigation Services included ¹⁵ | S | S | S |
| SYNC®4A with Voice-Activated Controls ¹⁶ | S | S | S |
| Steering Wheel Audio/Function Control | S | S | S |
| Wireless Apple CarPlay™ & Android Auto™ ¹⁷ | S | S | S |
| Safety & Security | | | |
| Perimeter Alarm System | S | S | S |
| Trailer Connection Alarm ¹⁸ | S | S | S |
| Airbags x 9 - Front, Side, Knee & Full Length Curtain (Driver & Passenger) & Far Side Driver Front Airbag | S | S | S |
| 3 Point Lap Sash Seat Belt - All Positions | - | S | S |
| Child Proof Rear Door Locks | - | S | S |
| Emergency Assistance ¹⁹ | S | S | S |
| Power Door Locks | S | S | S |
| Smart Keyless Entry with Push Button Start | S | S | S |
| Driver Assistance | | | |
| Intelligent Adaptive Cruise Control with Stop & Go and Lane Centring ²⁰ | S | S | S |
| Traffic Sign Recognition ²¹ | S | S | S |
| Intelligent Speed Assist ²² | S | S | S |
| Blind Spot Monitoring with Cross Traffic Assist and Trailer Coverage ²³ | S | S | S |
| Dynamic Stability Control (DSC) incorporating ABS, Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Load Adaptive Control, Roll Over Mitigation, Traction Control and Trailer Sway Control ²⁴ | S | S | S |
| Evasive Steer Assist ²⁴ | S | S | S |
| Lane Keeping Aid with Road Edge Detection and Driver Alert System ²⁵ | S | S | S |
| Post Impact Braking ²⁴ | S | S | S |
| Pre-Collision Assist with Autonomous Emergency Braking (AEB) ²⁶ | S | S | S |
| Reverse Brake Assist ²⁷ | S | S | S |
| Parking Sensors - Front ²⁴ | S | S | S |
| Parking Sensors - Rear ²⁴ | S | S | S |

4x4 | XLT Ranger 2026.50MY Specifications

| | XLT | XLT | XLT |
|--|-----------------------|------------------------|------------------------|
| | 4x4 Super Cab Pick-Up | 4x4 Double Cab-Chassis | 4x4 Double Cab Pick-Up |
| Engine | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel |
| Driver Assistance (continued) | | | |
| Rearview Camera - Integrated Digital ²⁴ | S | S | S |
| 360-Degree Camera ²⁴ | P | P | P |
| Tyre Pressure Monitoring System | S | S | S |

S = Standard **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO** = No Cost Option

Disclaimer:

13. Use of Ford app is subject to the Ford app Terms and User Guide and Ford app Privacy Collection Notice which are available on <https://www.ford.com.au/privacy> and requires a compatible mobile device, internet access and software (including software updates from time to time). The Ford app functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the Ford app on your mobile device, including associated fees. The Ford app and the Vehicle's modem can only work when both are connected to the telecommunications network. The Vehicle's modem will only function on the telecommunications networks it could use at time of manufacture. When all compatible networks for the modem in your vehicle are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that Ford app will be in fully operating condition at all times and the Ford app may be unavailable or particular Ford app services interrupted. If the Ford app is unavailable, the ability to lock or unlock your vehicle remotely could be limited, and a physical key might be needed. Always keep your key with you to ensure you can access your vehicle at all times even if the Ford app is unavailable. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. **14.** Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. **15.** Eligible vehicles receive Connected Navigation Services for 1 year from the Ford Express New Vehicle Warranty start date, after which time the Connected Navigation Services may cease to be available, or may be subject to a subscription fee. To use Connected Navigation Services, users must have created a Ford App account (terms apply), have fully activated the vehicle's modem and have SYNC Location set to 'on'. **16.** Don't drive distracted. Use voice operated systems where possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates. **17.** Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay/Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. **18.** Drivers will need to create a profile of their trailers in SYNC to support this system. **19.** Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. **20.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Intelligent Adaptive Cruise Control (iACC) uses various data to adjust the set speed of the vehicle to the speed limit detected by the system. The iACC system will not always detect the correct speed limit and may set a vehicle speed that is above or below the actual speed limit. If the system does this, it can be overridden by the driver applying the brake or accelerator or via steering wheel controls. In some circumstances, iACC will use map data to set the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. Adaptive Cruise Control and Lane Centring has a minimum operating speed of 20km/hr. Detection of lower speed limit will result in system entering standby when iACC is active. The Stop and Go functionality of this system operates as low as 0km/hr in traffic jam situations. Lane Centring feature should be disabled via the Driver Assistance menu in SYNC before towing. Customers should read the Owner's Manual for details of the limitations of the iACC system before activating. Speed Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. On Ranger models with Satellite Navigation, in some circumstances, Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **21.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Speed Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. On Ranger models with Satellite Navigation, in some circumstances Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **22.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Intelligent Speed Assist (ISA) uses various data to limit the set speed of the vehicle to the speed limit detected by the system. The ISA system will not always detect the correct speed limit and may limit a vehicle speed above or below the actual speed limit. ISA can be temporarily overridden by the driver firmly pressing the accelerator. Customers should read the Owner's Manual for details of the limitations of the ISA system before activating. On Ranger models with Satellite Navigation, in some circumstances, ISA will use map data to limit the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **23.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Trailer Coverage system (requires a genuine factory fit tow bar) supports conventional trailer dimensions: up to 2.4m wide (measured at trailer front) and up to 10m long from the rear of your vehicle. Drivers will need to create a profile of their trailers in SYNC to support this system. **24.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. **25.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Road Edge Detection designed for use on rural roads at speeds of 65 – 110km/h. The feature does not detect every edge and does require a level of contrast between the road surface and the edge. **26.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Pre-collision Assist with Automatic Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. It does not replace safe driving. See Owner's Manual for Limitations. **27.** Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Please see Owner's Manual for more information. Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h.

4x4 | XLT Ranger 2026.50MY Specifications

| | XLT | XLT | XLT |
|---|-----------------------------|-----------------------------|-----------------------------|
| | 4x4 Super Cab Pick-Up | 4x4 Double Cab-Chassis | 4x4 Double Cab Pick-Up |
| Engine | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel |
| Towing | | | |
| Maximum Braked Towing Capacity (kg) ²⁸ | 3,500 | 3,500 | 3,500 |
| Pro Trailer Backup Assist™ ²⁹ | P | - | P |
| Tow Bar Receiver | S | S | S |
| Integrated Trailer Brake Controller ³⁰ | S | S | S |
| Trailer Light Check ³¹ | S | S | S |
| Towing Vehicle Integration with Towing Checklist | S | S | S |
| Tow/Haul Mode (part of Selectable Drive Modes) ²⁹ | S | S | S |
| Off-Road | | | |
| Off-Road Screen ²⁹ | P | P | P |
| Hill Descent Control ²⁹ | S | S | S |
| Front Recovery Point | 1 | 1 | 1 |
| Ford Factory Fitted Options | | | |
| Prestige Paint | O | O | O |
| Auxiliary Switch Bank | O | O | O |
| Touring Pack – Intelligent Speed Sign Recognition, 360-Degree Camera, Puddle Lamps, Off-Road Screen and Additional Drive Modes: Mud/Rut, Sand | - | O | - |
| Touring Pack - Cargo Management System, Pro Trailer Backup Assist™, Intelligent Speed Sign Recognition, 360-Degree Camera, Puddle Lamps, Zone Lighting, Off-Road Screen and Additional Drive Modes: Mud/Rut, Sand | O | - | O |
| Cargo Management System | P | - | P |
| Stylish Canopy (Dual Lift) ³² | - | - | O |
| Stylish Canopy (Lift & Slide) ³² | - | - | O |
| Commercial Canopy ³² | - | - | O |

S = Standard **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO** = No Cost Option

Disclaimer:

28. Maximum towing capacity-braked using a Genuine Ford tow pack. Standard on XLT, Wolftrak, Tremor, Wildtrak, Platinum, and Raptor models. Available as part of a pack at additional cost on XL, XLS, Black Edition. The standard Genuine Ford tow pack on XLT, Wolftrak, and Raptor models do not include a tow hitch, which is available at an additional cost. Subject to State and Territory regulations. To comply with regulations and vehicle GCM and GVM limits, the weight of any load transported by the vehicle may need to be restricted. For further details regarding load weight restrictions, please consult your authorised Ford Dealer and refer to the Owner's Manual. **29.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. **30.** Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. **31.** Trailer Light Check requires a Genuine Ford Tow Bar to be fitted and can be used via SYNC, or via Ford App app as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a Ford App account (terms apply) and have fully activated the vehicle's modem to use this feature via the app. **32.** Load Rest (XL), Sports Bar (XLT), Sports Hoop/Sailplane, Aluminium Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. Drop in bedliner may be trimmed to accommodate mounting brackets.

4x4 | Wolftrak, Tremor, Wildtrak, Platinum, Raptor Ranger 2026.50MY Specifications

| | Wolftrak | Tremor | Wildtrak | Platinum | Raptor |
|---|------------------------|------------------------|------------------------|------------------------|-----------------------------|
| | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up |
| Engine | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Twin-Turbo EcoBoost |
| Engine Max Power | 184kW @ 3,250rpm | 184kW @ 3,250rpm | 184kW @ 3,250rpm | 184kW @ 3,250rpm | 292kW @ 5,650rpm |
| Engine Max Torque | 600Nm @ 1,750-2,250rpm | 600Nm @ 1,750-2,250rpm | 600Nm @ 1,750-2,250rpm | 600Nm @ 1,750-2,250rpm | 583Nm @ 3,500rpm |
| Transmission | | | | | |
| 10-Speed Automatic Transmission | S | S | S | S | S |
| Driveline | | | | | |
| Full-time 4WD | S | S | S | S | S |
| Selectable Drive Modes: ¹ | | | | | |
| - Normal | S | S | S | S | S |
| - Eco | S | S | S | S | - |
| - Tow / Haul | S | S | S | S | - |
| - Slippery | S | S | S | S | S |
| - Mud / Ruts ² | S | S | S | S | S |
| - Sand ³ | S | S | S | S | S |
| - Sport | - | - | - | - | S |
| - Baja ⁴ | - | - | - | - | S |
| - Rock Crawl ⁵ | - | S | - | - | S |
| Vehicle Masses (kg) ⁶ | | | | | |
| Gross Combined Mass (GCM) | 6,400 | 6,400 | 6,400 | 6,400 | 5,400 |
| Gross Vehicle Mass (GVM) | 3,350 | 3,350 | 3,350 | 3,350 | 3,160 |
| Front Gross Axle Weight Rating | 1,490 | 1,490 | 1,490 | 1,490 | 1,520 |
| Rear Gross Axle Weight Rating | 1,959 | 1,959 | 1,959 | 1,959 | 1,700 |
| Kerb Weight | 2,295 | 2,317 | 2,331 | 2,369 | 2,407 |
| Payload (based on Kerb Weight) | 1,055 | 1,033 | 1,019 | 981 | 753 |
| Chassis & Suspension | | | | | |
| Front and Rear Ventialted Discs with Electronic Brake Booster | S | S | S | S | S |
| Electrical Power Steering | S | S | S | S | S |
| Locking Rear Differential | S | S | S | S | S |
| Fuel | | | | | |
| Combined Fuel Economy (L/100km) ⁷ | 8.3 | 9.4 | 8.3/8.4 ⁸ | 8.4 | 11.5 |
| CO ₂ Emissions (g/km) ⁷ | 218 | 247 | 218/222 ⁹ | 222 | 262 |
| Fuel Tank Capacity (L) | 80 | 80 | 80 | 80 | 80 |
| Fuel Type | Diesel | Diesel | Diesel | Diesel | Petrol |
| Exterior Dimensions (mm) ¹⁰ | | | | | |
| Length - with rear bumper (where fitted) without tow receiver ¹¹ | 5,370 | 5,370 | 5,370 | 5,370 | 5,380 |

4x4 | Wolftrak, Tremor, Wildtrak, Platinum, Raptor Ranger 2026.50MY Specifications

| | Wolftrak | Tremor | Wildtrak | Platinum | Raptor |
|--|------------------------|------------------------|------------------------|------------------------|-----------------------------|
| | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up |
| Engine | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Twin-Turbo EcoBoost |
| Exterior Dimensions (mm) ¹⁰ (continued) | | | | | |
| Length - with rear bumper (where fitted) with tow receiver ¹¹ | 5,406 | 5,406 | 5,406 | 5,406 | 5,425 |
| Width - exterior mirrors extended | 2,208 | 2,208 | 2,208 | 2,208 | 2,208 |
| Width - exterior mirrors folded | 2,015 | 2,015 | 2,015 | 2,015 | 2,028 |
| Width - excluding mirrors | 1,918 | 1,949 | 1,918 | 1,918 | 2,028 |
| Height - to top of antenna base | 1,886 | 1,914 | 1,886 | - | 1,926 |
| Height - to top of flexible rack system | - | - | - | 1,920 | - |
| Overhang - front | 865 | 865 | 865 | 865 | 865 |
| Overhang - rear | 1,215 | 1,215 | 1,215 | 1,215 | 1,225 |
| Track - front and rear | 1,620 | 1,650 | 1,620 | 1,620 | 1,710 |
| Wheelbase | 3,270 | 3,270 | 3,270 | 3,270 | 3,270 |
| Ground Clearance (unladen) | 234 | 261 | 234 | 234 | 272 |
| Wading Depth ¹² | 800 | 800 | 800 | 800 | 850 |
| Approach Angle (unladen, degrees) | 30 | 32 | 30 | 30 | 32 |
| Departure Angle (unladen, degrees) ¹³ | 23 | 24.1 | 23 | 23 | 25 |
| Ramp Breakover Angle (unladen, degrees) | 21 | 24 | 21 | 21 | 24 |
| Turning Circle (meters) | 12.9 | 12.9 | 12.9 | 12.9 | 13.2 |
| Pick-Up Box Dimensions (mm) ¹⁴ | | | | | |
| Height - at centreline of axle | 525 | 525 | 525 | 525 | 526 |
| Height - floor height to ground | 831 | 831 | 831 | 831 | 870 |
| Length - at floor | 1,464 | 1,464 | 1,464 | 1,464 | 1,541 |
| Length - top of box | 1,468 | 1,468 | 1,468 | 1,468 | 1,468 |
| Width - between wheelhouses | 1,217 | 1,217 | 1,217 | 1,217 | 1,218 |
| Width - pick-up box | 1,520 | 1,520 | 1,520 | 1,520 | 1,578 |
| Width - rear opening | 1,393 | 1,393 | 1,393 | 1,393 | 1,407 |

S = Standard **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO** = No Cost Option

Disclaimer:

1. Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. 2. Mud/Rut Mode intended for off-road use only. 3. Sand Mode intended for off-road use only. 4. Baja Mode intended for off-road use only. 5. Rock Crawl Mode intended for off-road use only. 6. Kerb weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo with the lightest possible orderable combination of factory fit equipment. Maximum payload is calculated by deducting the vehicles Kerb Weight from its Gross Vehicle Mass (GVM). Payload is the maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). All Chassis Cab payload and kerb weights exclude weights of tray bodies. Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross Axle Weight Ratings are not exceeded. 7. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, options and accessories, condition and use. 8. The figure 8.4 L/100 km applies to Ranger 4WD Wildtrak Double PU 3.0L V6 with any of the following factory options: Flexible Rack System, Stylish Dual Lift Canopy, Stylish Lift and Slide Canopy, or Commercial Canopy. The 8.3 L/100 km figure applies to the standard configuration. 9. The figure 222 g/km applies to Ranger 4WD Wildtrak Double PU 3.0L V6 with any of the following factory options: Flexible Rack System, Stylish Dual Lift Canopy, Stylish Lift and Slide Canopy, or Commercial Canopy. The 218 g/km figure applies to the standard configuration. 10. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All Pick-up box dimensions take into account the Drop-In or Spray-In Bedliner where standard. 11. Vehicle length measured from front license plate bracket 12. 800mm Water Wading achieved when maintaining a steady speed of 7 km/h 13. Inclusive of tow bar where standard 14. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All Pick-up box dimensions take into account the Drop-In or Spray-In Bedliner where standard.

4x4 | Wolftrak, Tremor, Wildtrak, Platinum, Raptor Ranger 2026.50MY Specifications

| | Wolftrak | Tremor | Wildtrak | Platinum | Raptor |
|---|------------------------|------------------------|------------------------|------------------------|-----------------------------|
| | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up |
| Engine | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Twin-Turbo EcoBoost |
| Interior Dimensions (mm)¹⁵ | | | | | |
| Front Headroom | 1,024 | 1,024 | 1,024 | 1,024 | 1,024 |
| Front Legroom | 1,057 | 1,057 | 1,057 | 1,057 | 1,057 |
| Front Shoulder Room | 1,450 | 1,450 | 1,450 | 1,450 | 1,450 |
| 2nd Row Headroom | 989 | 989 | 989 | 989 | 989 |
| 2nd Row Legroom | 879 | 879 | 879 | 879 | 879 |
| 2nd Row Shoulder Room | 1,440 | 1,440 | 1,440 | 1,440 | 1,440 |
| Wheels and Tyres | | | | | |
| 17" Alloy with All-Terrain Tyres | S | - | - | - | - |
| 17" Alloy with All-Terrain General Grabber AT3 Tyres | - | S | - | - | - |
| LT285/70R17 BF Goodrich KO2 All-Terrain Tyres | - | - | - | - | S |
| 18" Alloy with All-Terrain Tyres | - | - | S | - | - |
| 20" Alloy with All-Season Tyres | - | - | O | S | - |
| Spare Wheel - 17" Steel | S | - | - | - | - |
| Spare Wheel - 17" Alloy | - | S | - | - | S |
| Spare Wheel - 18" Alloy | - | - | S | - | - |
| Spare Wheel - 20" Alloy | - | - | O | S | - |
| Exterior Lighting | | | | | |
| Headlamps - LED | S | S | - | - | - |
| Headlamps - Matrix LED with Auto Leveling & Dynamic Bending | - | - | S | S | S |
| Daytime Running Lamps - LED | S | S | S | S | S |
| Front Fog Lamps - LED | S | S | S | S | S |
| Taillamps - LED | S | S | S | S | S |
| Tailgate Mounted Stop Light | S | S | S | S | S |
| Auxiliary Grille Lights | - | S | - | - | - |
| Zone Lighting ¹⁶ | S | S | S | S | S |
| Exterior | | | | | |
| Exterior Mirrors - Power Adjustable | S | S | S | S | S |
| Exterior Mirrors - Power Folding | S | S | S | S | S |
| Exterior Mirrors - Puddle Lamps | S | S | S | S | S |
| Steel Underbody Protection | S | S | S | S | S |
| Side Steps | S | S | S | S | S |
| Rear Box Step | S | S | S | S | - |
| Roof Rails | - | - | S | - | - |

4x4 | Wolftrak, Tremor, Wildtrak, Platinum, Raptor Ranger 2026.50MY Specifications

| | Wolftrak | Tremor | Wildtrak | Platinum | Raptor |
|--|------------------------|------------------------|------------------------|------------------------|-----------------------------|
| | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up |
| Engine | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Twin-Turbo EcoBoost |
| Exterior (continued) | | | | | |
| Roof Rails with Folding Roof Racks | - | - | O | S | - |
| Long-Legged Sports Bar ¹⁷ | S | S | - | - | - |
| Sports Hoop/Sailplane ¹⁷ | - | - | S | - | - |
| Flexible Rack System ¹⁸ | - | - | O | S | - |
| Load Box Elements | | | | | |
| Drop In Bedliner (without Tailgate Ruler) ¹⁷ | S | S | S | S | - |
| Tough Bed™ Spray-In Bedliner (incl. Tailgate Ruler) | - | - | - | - | S |
| Pro Power Onboard™ - 400W (230V) Inverter - In Bedliner | S | S | S | S | S |
| Box Protective Capping with Load Box Access Caps ¹⁷ | S | S | S | S | S |
| Aluminium Tie Down Rails ¹⁷ | - | - | S | - | - |
| Inner Tie Down Rails | S | S | S | S | S |
| Cargo Management System | S | P | O | S | - |
| Load Box Illumination | S | S | S | S | S |
| Tailgate Cargo Clamps | S | S | S | S | S |
| Tailgate Cupholders | S | S | S | S | S |
| Power Tailgate Lock | S | S | S | S | S |
| Tailgate with Lift Assistance | S | S | S | - | S |
| Damped Tailgate with Lift Assistance | - | - | - | S | - |
| Power Roller Shutter ¹⁹ | - | - | S | S | O |
| Flexible Rack System | - | O | O | S | - |

S = Standard **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO** = No Cost Option

Disclaimer:

¹⁵. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. ¹⁶. Zone Lighting will not operate if battery charge is insufficient. The length of time that Zone Lighting will operate depends on the battery charge, the types of lights fitted to the vehicle (LED or Bulb) and other electrical loads connected to the vehicle. The system will automatically turn off after a period of time to preserve the battery's engine starting performance. ¹⁷. Load Rest (XL), Sports Bar (XLT), Sports Hoop/Sailplane, Aluminium Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. Drop in bedliner may be trimmed to accommodate mounting brackets. ¹⁸. Flexible Rack System has a maximum load limit 80kg (dynamic) and 250kg (static). Manual set-up required. Removal of antenna mast recommended when cargo positioned over antenna. Removal may affect availability of radio, satellite and connected services. ¹⁹. Load Rest (XL), Sports Bar (XLT), Sports Hoop/Sailplane, Aluminium Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. Drop in bedliner may be trimmed to accommodate mounting brackets. Drop-in bedliner in lieu of spray-in bedliner and Load Box Access Caps not included when Power Roller Shutter option selected on Raptor.

4x4 | Wolftrak, Tremor, Wildtrak, Platinum, Raptor Ranger 2026.50MY Specifications

| | Wolftrak | Tremor | Wildtrak | Platinum | Raptor |
|--|------------------------|------------------------|------------------------|------------------------|-----------------------------|
| | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up |
| Engine | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Twin-Turbo EcoBoost |
| Interior and Seating | | | | | |
| Seating Capacity | S | S | S | S | S |
| Driver Seat - 8-Way Manual | S | - | - | - | - |
| Driver Seat - 8-Way Power | - | S | S | - | - |
| Driver Seat - 10-Way Power | - | - | - | - | S |
| Driver Seat - 10-Way Power with Memory Setting | - | - | - | S | - |
| Front Passenger Seat - 4-Way Manual | S | - | - | - | - |
| Front Passenger Seat - 6-Way Manual | - | S | S | - | - |
| Front Passenger Seat - 8-Way Power | - | - | - | - | S |
| Front Passenger Seat - 10-Way Power | - | - | - | S | - |
| Heated Seats - Driver & Front Passenger | - | - | S | - | S |
| Heated & Ventilated Seats - Driver & Front Passenger | - | - | - | S | - |
| Seat Material - Vinyl | S | S | - | - | - |
| Seat Material - Leather-Accented (excluding 2nd row middle seat) ²⁰ | - | - | S | S | S |
| Child Seat Upper Anchorage Points (x2) | S | S | S | S | S |
| Child Seat ISOFIX Anchorage Points (x2) | S | S | S | S | S |
| Steering Wheel Reach & Height Adjust | S | S | S | S | S |
| Heated Steering Wheel | - | - | - | S | - |
| Leather-Wrapped Steering Wheel | - | - | - | S | S |
| Leather-Wrapped Gear Knob | S | S | S | S | S |
| Electric Park Brake | S | S | S | S | S |
| e-Shifter | S | S | S | S | S |
| Floor Covering - Carpet | S | S | S | S | S |
| Floor Mats - Driver & Front Passenger | S | S | S | S | S |
| Floor Mats - Rear | S | S | - | S | S |
| Comfort and Convenience | | | | | |
| Ambient Lighting | - | - | S | S | S |
| Auxiliary Switch Bank (6x Switches) | S | S | O | S | S |
| Centre Console with Single Lid and 2 Cup Holders | S | S | S | S | S |
| Instrument Panel Cup Holders | S | S | S | S | S |
| Charging: | | | | | |
| - Interior 12V Power Outlet - In Console Bin | S | S | S | S | S |
| - Total USB Ports | 4 | 5 | 5 | 5 | 5 |
| - Wireless Charging ²¹ | S | S | S | S | S |

4x4 | Wolftrak, Tremor, Wildtrak, Platinum, Raptor Ranger 2026.50MY Specifications

| | Wolftrak | Tremor | Wildtrak | Platinum | Raptor |
|---|------------------------|------------------------|------------------------|------------------------|-----------------------------|
| | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up |
| Engine | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Twin-Turbo EcoBoost |
| Comfort and Convenience (continued) | | | | | |
| - Pro Power Onboard™ - 400W (230V) Inverter - Rear of Console | S | S | S | S | S |
| - Pro Power Onboard™ - 400W (230V) Inverter - In Bedliner | S | S | S | S | S |
| Climate Control - Dual-Zone | S | S | S | S | S |
| Rear Air Vent Registers | S | S | S | S | S |
| Underseat Stowage | S | S | S | S | S |
| Auto Headlamp On-Off | S | S | S | S | S |
| Auto High Beam | - | - | S | S | S |
| Front Power Windows | S | S | S | S | S |
| Rear Power Windows | S | S | S | S | S |
| Privacy Glass | S | S | S | S | S |
| Rear Window Defrost | S | S | S | S | S |
| Rain Sensing Windscreen Wipers | S | S | S | S | S |
| Electrochromatic Rear View Mirror | S | S | S | S | S |

S = Standard **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO** = No Cost Option

Disclaimer:

²⁰. Leather accented refers to seats with a combination of real and artificial leather. No leather in 2nd row middle seat. ²¹. Wireless charging only available with compatible phones.

4x4 | Wolftrak, Tremor, Wildtrak, Platinum, Raptor Ranger 2026.50MY Specifications

| | Wolftrak | Tremor | Wildtrak | Platinum | Raptor |
|--|------------------------|------------------------|------------------------|------------------------|-----------------------------|
| | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up |
| Engine | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Twin-Turbo EcoBoost |
| Audio and Communication | | | | | |
| Embedded Modem | S | S | S | S | S |
| Ford App Connectivity ²⁰ | S | S | S | S | S |
| Colour Digital Instrument Cluster with Configurable Display - 8-inch | S | S | S | - | - |
| Colour Digital Instrument Cluster with Configurable Display - 12.4-inch | - | - | - | S | S |
| Colour Multi-Function Touch Screen Display - 12-inch | S | S | S | S | S |
| Speakers | 6 | 6 | 10 | 10 | 10 |
| B&O Premium Audio System ²¹ | - | - | S | S | S |
| DAB+/AM/FM Radio | S | S | S | S | S |
| Bluetooth® with Phone/Audio Streaming ²² | S | S | S | S | S |
| Built-In Satellite Navigation with One Year of Connected Navigation Services included ²³ | S | S | S | S | S |
| SYNC®4A with Voice-Activated Controls ²⁴ | S | S | S | S | S |
| Steering Wheel Audio/Function Control | S | S | S | S | S |
| Wireless Apple CarPlay™ & Android Auto™ ²⁵ | S | S | S | S | S |
| Safety & Security | | | | | |
| Perimeter Alarm System | S | S | S | S | S |
| Trailer Connection Alarm ²⁸ | S | S | S | S | S |
| Airbags x 9 - Front, Side, Knee & Full Length Curtain (Driver & Passenger) & Far Side Driver Front Airbag | S | S | S | S | S |
| 3 Point Lap Sash Seat Belt - All Positions | S | S | S | S | S |
| Child Proof Rear Door Locks | S | S | S | S | S |
| Emergency Assistance ²⁹ | S | S | S | S | S |
| Power Door Locks | S | S | S | S | S |
| Smart Keyless Entry with Push Button Start | S | S | S | S | S |
| Driver Assistance | | | | | |
| Intelligent Adaptive Cruise Control with Stop & Go and Lane Centring ³⁰ | S | S | S | S | S |
| Traffic Sign Recognition ³¹ | S | S | S | S | S |
| Intelligent Speed Assist ³² | S | S | S | S | S |
| Blind Spot Monitoring with Cross Traffic Assist and Trailer Coverage ³³ | S | S | S | S | S |
| Dynamic Stability Control (DSC) incorporating ABS, Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Load Adaptive Control, Roll Over Mitigation, Traction Control and Trailer Sway Control ³⁴ | S | S | S | S | S |
| Evasive Steer Assist ³⁴ | S | S | S | S | S |
| Lane Keeping Aid with Road Edge Detection and Driver Alert System ³⁵ | S | S | S | S | S |
| Post Impact Braking ³⁴ | S | S | S | S | S |

4x4 | Wolftrak, Tremor, Wildtrak, Platinum, Raptor Ranger 2026.50MY Specifications

| | Wolftrak | Tremor | Wildtrak | Platinum | Raptor |
|--|------------------------|------------------------|------------------------|------------------------|-----------------------------|
| | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up |
| Engine | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Twin-Turbo EcoBoost |
| Driver Assistance (continued) | | | | | |
| Pre-Collision Assist with Autonomous Emergency Braking (AEB) ³⁶ | S | S | S | S | S |
| Reverse Brake Assist ³⁷ | S | S | S | S | S |
| Parking Sensors - Front ³⁴ | S | S | S | S | S |
| Parking Sensors - Rear ³⁴ | S | S | S | S | S |
| Rearview Camera - Integrated Digital ³⁴ | S | S | S | S | S |
| 360-Degree Camera ³⁴ | S | S | S | S | S |
| Tyre Pressure Monitoring System | S | S | S | S | S |

S = Standard **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO** = No Cost Option

Disclaimer:

22. Use of Ford app is subject to the Ford app Terms and User Guide and Ford app Privacy Collection Notice which are available on <https://www.ford.com.au/privacy> and requires a compatible mobile device, internet access and software (including software updates from time to time). The Ford app functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the Ford app on your mobile device, including associated fees. The Ford app and the Vehicle's modem can only work when both are connected to the telecommunications network. The Vehicle's modem will only function on the telecommunications networks it could use at time of manufacture. When all compatible networks for the modem in your vehicle are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that Ford app will be in fully operating condition at all times and the Ford app may be unavailable or particular Ford app services interrupted. If the Ford app is unavailable, the ability to lock or unlock your vehicle remotely could be limited, and a physical key might be needed. Always keep your key with you to ensure you can access your vehicle at all times even if the Ford app is unavailable. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. **23.** BANG & OLUFSEN© 2024 and B&O© 2024. BANG & OLUFSEN™ and B&O™ are registered trademarks of Bang & Olufsen Group. Licensed by Harman Becker Automotive System Manufacturing Kft. All rights reserved. **24.** Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. **25.** Eligible vehicles receive Connected Navigation Services for 1 year from the Ford Express New Vehicle Warranty start date, after which time the Connected Navigation Services may cease to be available, or may be subject to a subscription fee. To use Connected Navigation Services, users must have created a Ford App account (terms apply), have fully activated the vehicle's modem and have SYNC Location set to 'on'. **26.** Don't drive distracted. Use voice operated systems where possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates. **27.** Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay/Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. **28.** Drivers will need to create a profile of their trailers in SYNC to support this system. **29.** Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. **30.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Intelligent Adaptive Cruise Control (iACC) uses various data to adjust the set speed of the vehicle to the speed limit detected by the system. The iACC system will not always detect the correct speed limit and may set a vehicle speed that is above or below the actual speed limit. If the system does this, it can be overridden by the driver applying the brake or accelerator or via steering wheel controls. In some circumstances, iACC will use map data to set the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. Adaptive Cruise Control and Lane Centring has a minimum operating speed of 20km/hr. Detection of lower speed limit will result in system entering standby when iACC is active. The Stop and Go functionality of this system operates as low as 0km/hr in traffic jam situations. Lane Centring feature should be disabled via the Driver Assistance menu in SYNC before towing. Customers should read the Owner's Manual for details of the limitations of the iACC system before activating. Speed Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. On Ranger models with Satellite Navigation, in some circumstances, Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **31.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Speed Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. On Ranger models with Satellite Navigation, in some circumstances Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **32.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Intelligent Speed Assist (ISA) uses various data to limit the set speed of the vehicle to the speed limit detected by the system. The ISA system will not always detect the correct speed limit and may limit a vehicle speed above or below the actual speed limit. ISA can be temporarily overridden by the driver firmly pressing the accelerator. Customers should read the Owner's Manual for details of the limitations of the ISA system before activating. On Ranger models with Satellite Navigation, in some circumstances, ISA will use map data to limit the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **33.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Trailer Coverage system (requires a genuine factory fit tow bar) supports conventional trailer dimensions: up to 2.4m wide (measured at trailer front) and up to 10m long from the rear of your vehicle. Drivers will need to create a profile of their trailers in SYNC to support this system. **34.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. **35.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Road Edge Detection designed for use on rural roads at speeds of 65 – 110km/h. The feature does not detect every edge and does require a level of contrast between the road surface and the edge. **36.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Pre-collision Assist with Automatic Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. It does not replace safe driving. See Owner's Manual for Limitations. **37.** Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Please see Owner's Manual for more information. Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h.

4x4 | Wolftrak, Tremor, Wildtrak, Platinum, Raptor Ranger 2026.50MY Specifications

| | Wolftrak | Tremor | Wildtrak | Platinum | Raptor |
|--|------------------------|------------------------|------------------------|------------------------|-----------------------------|
| | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up | 4x4 Double Cab Pick-Up |
| Engine | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Turbo-Diesel | 3.0L V6 Twin-Turbo EcoBoost |
| Towing | | | | | |
| Maximum Braked Towing Capacity (kg) ³⁸ | 3,500 | 3,500 | 3,500 | 3,500 | 2,500 |
| Pro Trailer Backup Assist™ ³⁹ | S | P | S | S | S |
| Tow Bar Receiver | S | - | - | - | S |
| Tow Bar Receiver with Tow Hitch | - | S | S | S | - |
| Integrated Trailer Brake Controller ⁴⁰ | S | S | S | S | S |
| Trailer Light Check ⁴¹ | S | S | S | S | S |
| Towing Vehicle Integration with Towing Checklist | S | S | S | S | S |
| Tow/Haul Mode (part of Selectable Drive Modes) ³⁹ | S | S | S | S | - |
| Off-Road | | | | | |
| Off-Road Screen ³⁹ | S | S | S | S | S |
| Hill Descent Control ³⁹ | S | S | S | S | S |
| Trail Control ³⁹ | - | S | - | - | - |
| Trail Turn Assist ³⁹ | - | S | - | - | - |
| Front Recovery Points | 2 | 2 | 2 | 2 | 2 |
| Rear Recovery Points | - | - | - | - | 2 |
| Ford Factory Fitted Options | | | | | |
| Prestige Paint | O | O | O | O | O |
| 20" Alloy Wheels with All-Season Tyres and 20" Alloy Spare Wheel | - | - | O | - | - |
| Auxiliary Switch Bank | - | - | O | - | - |
| Touring Pack - Cargo Management System and Pro Trailer Backup Assist | - | O | - | - | - |
| Cargo Management System | - | P | O | - | - |
| Power Roller Shutter ⁴² | - | - | - | - | O |
| Delete Painted Black Roof | - | - | - | NCO | - |
| Flexible Rack System ⁴³ | - | O | O | - | - |
| Stylish Canopy (Dual Lift) ⁴⁴ | - | - | O | - | - |
| Stylish Canopy (Lift & Slide) ⁴⁴ | - | - | O | - | - |
| Commercial Canopy ⁴⁴ | - | - | O | - | - |

S = Standard **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO** = No Cost Option

Disclaimer:

38. Maximum towing capacity-braked using a Genuine Ford tow pack. Standard on XLT, Wolftrak, Tremor, Wildtrak, Platinum, and Raptor models. Available as part of a pack at additional cost on XL, XLS, Black Edition. The standard Genuine Ford tow pack on XLT, Wolftrak, and Raptor models do not include a tow hitch, which is available at an additional cost. Subject to State and Territory regulations. To comply with regulations and vehicle GCM and GVM limits, the weight of any load transported by the vehicle may need to be restricted. For further details regarding load weight restrictions, please consult your authorised Ford Dealer and refer to the Owner's Manual. **39.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. **40.** Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. **41.** Trailer Light Check requires a Genuine Ford Tow Bar to be fitted and can be used via SYNC, or via Ford App app as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a Ford App account (terms apply) and have fully activated the vehicle's modem to use this feature via the app. **42.** Drop-in bedliner in lieu of spray-in bedliner and Load Box Access Caps not included when Power Roller Shutter option selected on Raptor. **43.** Flexible Rack System has a maximum load limit 80kg (dynamic) and 250kg (static). Manual set-up required. Removal of antenna mast recommended when cargo positioned over antenna. Removal may affect availability of radio, satellite and connected services. **44.** Load Rest (XL), Sports Bar (XLT), Sports Hoop/Sailplane, Aluminium Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. Drop in bedliner may be trimmed to accommodate mounting brackets.

Discover more at ford.com.au

Contact us

If you have any questions or concerns, please contact our Customer Relationship Centre on 13 FORD (13 36 73) or email foacust1@ford.com

Running a fleet?

Our Ford Fleet team is here to assist you in any way we can. Please email askfleet@ford.com

1. Subject to availability. Participating dealers only. Other dealer conditions or requirements may apply.
2. Pick Up and Drop Off available for a general service or warranty repair only subject to dealer capacity and vehicle roadworthiness and driveability. Participating dealers only. Other dealer conditions or requirements may apply.
3. When a 90-minute Express Service is booked. 90 minutes from key handover to service completion for a General Service only, as set out in your vehicle's Service Portfolio. Does not include other work or repairs that may be required. Participating dealers only.
4. Available to Retail Customer or a Blue Business Fleet Customer only. Customer must comply with schedule service intervals at participating dealers to be eligible for 12 months Ford National Roadside assistance. see <https://www.ford.com.au/owners/service/t-and-c/> for full terms.
5. Some insurance companies may use repairers that could use non genuine parts to repair your vehicle. If your claim is accepted the insurer will use Genuine Parts when available. If not available, the insurer may use genuine reconditioned or recycled parts or ADR certified new, recycled or reconditioned parts. Refer to the Ford Insure PDS for full details.
6. When purchasing your vehicle from a dealership, accessories included on the purchase invoice are included in cover, without the need to list them on your schedule. Refer to the Ford Insure PDS for full details.
7. If Your Vehicle is damaged while it is being driven on a beach or off any public road, coverage may be available. Any claim will be subject to any applicable excess being doubled and the PDS terms and conditions. Refer to the Ford Insure PDS for full details.
8. Automatic removal of your standard excess on glass damage means the Standard Excess will not apply if you sustain a loss where the only damage to your Vehicle was glass damage. Refer to the Ford Insure PDS for full details.

Find out more



Issue Date: 23 April 2026



Important information:

This brochure is designed to provide you with a general introduction to the Ford products (including available optional equipment) referred to and should be read in conjunction with the latest specification sheet. Features, designs, materials, colours and other specifications may vary from those depicted. Because of changes in conditions and circumstances Ford reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice, to discontinue or change the features, designs, materials, colours and other specifications and the prices of its products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchaser or purchasers. The latest specification sheet should be referred to for information on the availability, ordering and use of features and optional equipment. Always consult an authorised Ford Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order.