

*Ford*



2026.50MY

# Ranger Super Duty

## Ranger Super Duty | 4x4 Single Cab, Super Cab, Double Cab Cab-Chassis and Double Cab Pick-up 2026.50MY Specifications

	4x4 Single Cab Cab-Chassis	4x4 Super Cab Cab-Chassis	4x4 Double Cab Cab-Chassis	4x4 Double Cab Pick-up
<b>Engine</b>	3.0L V6 Turbo-Diesel	3.0L V6 Turbo-Diesel	3.0L V6 Turbo-Diesel	3.0L V6 Turbo-Diesel
Engine Max Power	154kW @ 3250rpm	154kW @ 3250rpm	154kW @ 3250rpm	154kW @ 3250rpm
Engine Max Torque	600Nm @ 1750rpm	600Nm @ 1750rpm	600Nm @ 1750rpm	600Nm @ 1750rpm
Heavy Duty Truck Calibration (EU VI emissions)	S	S	S	S
<b>Transmission</b>				
10-Speed Automatic Transmission	S	S	S	S
<b>Driveline</b>				
Full-time 4WD	S	S	S	S
Selectable Drive Modes <sup>1</sup> :				
- Normal	S	S	S	S
- Eco	S	S	S	S
- Tow / Haul	S	S	S	S
- Slippery	S	S	S	S
- Mud / Ruts <sup>2</sup>	S	S	S	S
- Sand <sup>2</sup>	S	S	S	S
- Rock Crawl <sup>2</sup>	S	S	S	S
<b>Vehicle Masses (kg)</b>				
Gross Combined Mass (GCM) <sup>3</sup>	8000	8000	8000	8000
Gross Vehicle Mass (GVM) <sup>3</sup>	4500	4500	4500	4500
Front Gross Axle Weight Rating <sup>3</sup>	1900	1900	1900	1900
Rear Gross Axle Weight Rating <sup>3</sup>	2800	2800	2800	2800
Kerb Weight <sup>3</sup>	2518	2615	2675	2803
Payload (based on Kerb Weight) <sup>3</sup>	1982	1885	1825	1697
<b>Chassis and Suspension</b>				
Heavy-Duty Chassis and Suspension Architecture	S	S	S	S
Heavy-Duty Braking System	S	S	S	S
Heavy-Duty Front and Rear Differential	S	S	S	S
Locking Rear Differential <sup>2</sup>	S	S	S	S
Locking Front Differential (4L only) <sup>2</sup>	S	S	S	S
<b>Fuel</b>				
Fuel Tank Capacity (L)	130	130	130	130
Fuel Type	Diesel	Diesel	Diesel	Diesel
AdBlue Diesel Exhaust Fluid System <sup>4</sup>	S	S	S	S
Diesel Particulate Filter Regeneration Control	S	S	S	S
<b>Pick-up Box Dimensions (mm)<sup>5</sup></b>				
Height - at centreline of axle	-	-	-	513
Length - at floor	-	-	-	1453
Length - top of box	-	-	-	1471
Width - between wheelhouses	-	-	-	1217
Width - rear opening (top of box)	-	-	-	1416
Width - rear opening (base)	-	-	-	1220

	4x4 Single Cab Cab-Chassis	4x4 Super Cab Cab-Chassis	4x4 Double Cab Cab-Chassis	4x4 Double Cab Pick-up
<b>Exterior Dimensions (mm)<sup>6</sup></b>				
Length - without tongue <sup>7</sup>	5470	5470	5470	5447
Length - with tongue	5644	5644	5644	5621
Width - exterior mirrors extended	2197	2197	2197	2197
Width - exterior mirrors folded	2032	2032	2032	2035
Width - excluding mirrors	2032	2032	2032	2035
Height - to top of antenna base	1983	1977	1985	1975
Overhang - front	945	945	945	945
Overhang - rear	1255	1255	1255	1232
Track - front and rear	1710	1710	1710	1710
Wheelbase	3270	3270	3270	3270
Ground Clearance (unladen)	299	297	295	296
Wading Depth <sup>8</sup>	850	850	850	850
Approach Angle (unladen, degrees)	36.3	36.2	36.1	36.6
Departure Angle (unladen, degrees) <sup>9</sup>	29.3	29.0	28.6	27.8
Ramp Breakover Angle (unladen, degrees)	26.9	26.5	26.3	26.1
Turning Circle (meters)	13.6	13.6	13.6	13.6
<b>Interior Dimensions (mm)<sup>10</sup></b>				
Front Headroom	1024	1025	1024	1024
Front Legroom	1057	1057	1057	1057
Front Shoulder Room	1450	1450	1450	1450
2nd Row Headroom	-	935	989	989
2nd Row Legroom	-	759	879	879
2nd Row Shoulder Room	-	1392	1440	1440
<b>Wheels and Tyres</b>				
18" Steel Wheels	S	S	S	S
General Grabber A/T LT 275/70 R18 Tyres	S	S	S	S
8 Stud Wheel Hub	S	S	S	S
Spare Wheel - 18" Steel	S	S	S	S

**S** = Standard    **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost    **NCO** = No Cost Option

### Disclaimer:

1. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. 2. Intended for off-road use only. 3. Subject to State and Territory regulations. Kerb weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo with the standard combination of factory fit equipment. All Chassis Cab payloads and kerb weights exclude weights of tray bodies. Payload is calculated by deducting the vehicles Kerb Weight from its Gross Vehicle Mass (GVM). Payload is the maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross Axle Weight Ratings are not exceeded. All Chassis Cab payloads and kerb weights exclude weights of tray bodies. Subject to State and Territory regulations. Kerb weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo with the standard combination of factory fit equipment. Kerb Weight excludes tray. All Chassis Cab payloads and kerb weights exclude weights of tray bodies. Payload is calculated by deducting the vehicles Kerb Weight from its Gross Vehicle Mass (GVM). Payload is the maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross Axle Weight Ratings are not exceeded.4. AdBlue® diesel exhaust fluid is required. AdBlue® is a registered trademark of VDA Verband der Automobilindustrie e.V. 5. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All pick-up box dimensions take into account the drop-in bed liner. 6. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. 7. Vehicle length measured from front license plate bracket. 8. Maximum water wading 850mm maintaining steady speed of 7km/h or less. Always consult the Owner's Manual before off-road driving, know your terrain and trail difficulty, and use appropriate safety gear. Do not attempt a water crossing if you are unsure of the water depth. 9. Inclusive of tow bar where standard. Excluding hitch. 10. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All Pick-up box dimensions take into account the Drop-In Bedliner where standard.

**Ranger Super Duty | 4x4 Single Cab, Super Cab, Double Cab Cab-Chassis and Double Cab Pick-up 2026.50MY Specifications**

	4x4 Single Cab Cab-Chassis	4x4 Super Cab Cab-Chassis	4x4 Double Cab Cab-Chassis	4x4 Double Cab Pick-up
<b>Exterior Lighting</b>				
Headlamps - LED	S	S	S	S
Daytime Running Lamps - LED	S	S	S	S
Front Fog Lamps - LED	S	S	S	S
Taillamps - Halogen	S	S	S	-
Taillamps - LED	-	-	-	S
Tailgate Mounted Stop Light	-	-	-	S
Zone Lighting <sup>11</sup>	S	S	S	S
<b>Exterior</b>				
Sealed 'SUPER DUTY' Branded Snorkel	S	S	S	S
Composite Side Steps	S	S	S	S
Exterior Mirrors - Power Adjustable	S	S	S	S
Exterior Mirrors - Power Folding	S	S	S	S
Exterior Mirrors - Puddle Lamps	S	S	S	S
Exterior Mirrors - Heated	S	S	S	S
High-Strength Steel Underbody Protection	S	S	S	S
Frame-Mounted Steel Front Bumper	S	S	S	S
Rear Box Step	-	-	-	S
<b>Load Box Elements</b>				
Drop In Bedliner <sup>12</sup>	-	-	-	S
Pro Power Onboard™ - 400W (230V) Inverter - In Bedliner	-	-	-	S
Box Top Protective Capping with Load Box Access Caps <sup>12</sup>	-	-	-	S
Inner Tie Downs	-	-	-	S
Cargo Management System	-	-	-	S
Load Box Illuminations	-	-	-	S
Tailgate Cargo Clamps	-	-	-	S
Tailgate Cup Holders	-	-	-	S
Power Tailgate Lock	-	-	-	S
Tailgate with Lift Assistance	-	-	-	S
<b>Interior, Seating and Door Trim</b>				
Seating Capacity	2	4	5	5
Driver Seat - 8-Way Manual	S	S	S	S
Front Passenger Seat - 4-Way Manual	S	S	S	S
Steering Wheel Reach & Height Adjust	S	S	S	S

	4x4 Single Cab Cab-Chassis	4x4 Super Cab Cab-Chassis	4x4 Double Cab Cab-Chassis	4x4 Double Cab Pick-up
<b>Interior, Seating and Door Trim (continued)</b>				
Electric Park Brake	S	S	S	S
Seat Material - Cloth	S	S	S	S
Child Seat Upper Anchorage Points (x2)	-	-	S	S
Child Seat ISOFIX Anchorage Points (x2)	-	-	S	S
Floor Covering - Vinyl	S	S	S	S
Floor Covering - Carpet	-	-	O	O
<b>Comfort and Convenience</b>				
Charging:				
- Auxillary 12V Power Outlet - Inside Centre Console	S	S	S	S
- USB Port Behind Rearview Mirror (USB-A)	1	1	1	1
- USB Ports 1st row (USB-A & USB-C)	2	2	2	2
- USB Ports Rear of Centre Console (USB-A & USB-C)	2	2	2	2
- Wireless Charging <sup>13</sup>	S	S	S	S
- Pro Power Onboard™ - 400W (230V) Inverter - Rear of Console	S	S	S	S
Auxiliary Switch Bank (6x Switches)	S	S	S	S
Centre Console with Single Lid and 2 Cup Holders	S	S	S	S
Instrument Panel Cup Holders	S	S	S	S
Climate Control - Dual-Zone	S	S	S	S
Underseat Stowage (Rear)	-	S	S	S
Rear Air Vent Registers	-	-	S	S
Auto Headlamp On-Off	S	S	S	S
Front Power Windows	S	S	S	S
Rear Power Windows	-	-	S	S
Rain Sensing Windscreen Wipers	S	S	S	S
Electrochromatic Rear View Mirror	S	S	S	S

**S** = Standard    **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost    **NCO** = No Cost Option

**Disclaimer:**

11. Zone Lighting will not operate if battery charge is insufficient. The length of time that Zone Lighting will operate depends on the battery charge, the types of lights fitted to the vehicle (LED or Bulb) and other electrical loads connected to the vehicle. The system will automatically turn off after a period of time to preserve the battery's engine starting performance. Zone lighting excludes rear light unless fitted. 12. Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. Drop In Bedliner may be trimmed to accommodate mounting brackets. 13. Wireless Charging only available with compatible phones.

## Ranger Super Duty | 4x4 Single Cab, Super Cab, Double Cab Cab-Chassis and Double Cab Pick-up 2026.50MY Specifications

	4x4 Single Cab Cab-Chassis	4x4 Super Cab Cab-Chassis	4x4 Double Cab Cab-Chassis	4x4 Double Cab Pick-up
<b>Audio and Communication</b>				
Colour Digital Instrument Cluster with Configurable Display - 8-inch	S	S	S	S
Colour Multi-Function Touch Screen Display - 12-inch	S	S	S	S
Embedded Modem	S	S	S	S
Ford App Connectivity <sup>14</sup>	S	S	S	S
Speakers	2	6	6	6
DAB+/AM/FM Radio	S	S	S	S
Bluetooth® with Phone/Audio Streaming <sup>15</sup>	S	S	S	S
Built-In Satellite Navigation with one year of Connected Navigation Services included <sup>16</sup>	S	S	S	S
SYNC®4A with Voice-Activated Controls <sup>17</sup>	S	S	S	S
Wireless Apple CarPlay™ & Android Auto™ <sup>18</sup>	S	S	S	S
<b>Safety and Security</b>				
Perimeter Alarm System	S	S	S	S
Trailer Connection Alarm <sup>19</sup>	S	S	S	S
Emergency Assistance	S	S	S	S
Child Proof Rear Door Locks	-	-	S	S
Power Door Locks	S	S	S	S
Airbags x 9 - Front, Side & Knee (Driver & Passenger), Centre & Full Length Curtain	S	S	S	S
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S
<b>Driver Assistance<sup>20</sup></b>				
Smart Keyless Entry with Push Button Start	S	S	S	S
Intelligent Adaptive Cruise Control with Stop & Go, Speed Sign Recognition and Lane Centring <sup>21</sup>	S	S	S	S
Intelligent Speed Limit Assist <sup>22</sup>	S	S	S	S
Blind Spot Monitoring with Trailer Coverage <sup>23</sup>	S	S	S	S
Cross Traffic Alert	S	S	S	S
Dynamic Stability Control (DSC) Incorporating ABS, Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Load Adaptive Control, Roll Over Mitigation, Traction Control & Trailer Sway Control	S	S	S	S
Evasive Steer Assist <sup>24</sup>	S	S	S	S
Lane Keeping Aid with Road Edge Detection and Driver Alert System	S	S	S	S
Post Impact Braking <sup>25</sup>	S	S	S	S
Pre-Collision Assist with Autonomous Emergency Braking (AEB) <sup>26</sup>	S	S	S	S
Reverse Brake Assist <sup>27</sup>	S	S	S	S
Parking Sensors - Front	S	S	S	S
Parking Sensors - Rear	S	S	S	S

	4x4 Single Cab Cab-Chassis	4x4 Super Cab Cab-Chassis	4x4 Double Cab Cab-Chassis	4x4 Double Cab Pick-up
<b>Driver Assistance<sup>20</sup> (continued)</b>				
360-Degree Camera including Rear View Camera	S	S	S	S
Traffic Sign Recognition <sup>28</sup>	S	S	S	S
Tyre Pressure Monitoring System	S	S	S	S
<b>Towing and Hauling</b>				
Onboard Scales <sup>29</sup>	S	S	S	S
Smart Hitch	S	S	S	S
Maximum Braked Towing Capacity (kg) <sup>30</sup>	4500	4500	4500	4500
Pro Trailer Back-up Assist™	S	S	S	S
4.5T Compatible Tow Bar and 4.5T Compatible Hitch (excluding tow ball)	S	S	S	S
Integrated Trailer Brake Controller <sup>31</sup>	S	S	S	S
Trailer Light Check <sup>32</sup>	S	S	S	S
Towing Vehicle Integration with Towing Checklist	S	S	S	S
Tow/Haul Mode (part of Selectable Drive Modes)	S	S	S	S

**S** = Standard    **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost    **NCO** = No Cost Option

### Disclaimer:

14. Use of Ford app is subject to the Ford app Terms and User Guide and Ford app Privacy Collection Notice, which are available on <https://www.ford.com.au/privacy> and requires a compatible mobile device, internet access and software (including software updates from time to time). The Ford app functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the Ford app on your mobile device, including associated fees. The Ford app and the Vehicle's Modem can only work when both are connected to the telecommunications network. The Vehicle's Modem will only function on the telecommunications networks it could use at time of manufacture. When all compatible networks for the modem in your vehicle are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that the Ford app will be in fully operating condition at all times and the Ford app may be unavailable or particular Ford app services interrupted. If the Ford app is unavailable, the ability to lock or unlock your vehicle remotely could be limited, and a physical key might be needed. Always keep your key with you to ensure you can access your vehicle at all times even if the Ford app is unavailable. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. 15. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 16. Eligible vehicles receive Connected Navigation Services for 1 year from the Ford Express New Vehicle Warranty start date, after which time the Connected Navigation Services may cease to be available, or may be subject to a subscription fee. To use Connected Navigation Services, users must have created a Ford App account (terms apply), have fully activated the vehicle's connect modem and have SYNC Location set to 'on'. 17. Don't drive while distracted. Use voice-operated systems when possible; don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC 4A features are compatible with all phones. For compatibility, see [ford.com.au/sync](https://www.ford.com.au/sync). 18. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. 19. Drivers will need to create a profile of their trailers in SYNC to support this system 20. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. 21. Driver- assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. iACC uses various data to adjust the set speed of the vehicle to the speed limit detected by the system. The iACC system will not always detect the correct speed limit and may set a vehicle speed that is above or below the actual speed limit. If the system does this, it can be overridden by the driver applying the brake or accelerator. Customers should read the Owner's Manual for full details of the limitations of the iACC system before activating the system. 22. Intelligent Speed Assist (ISA) uses various data to limit the set speed of the vehicle to the speed limit detected by the system. The ISA system will not always detect the correct speed limit and may limit a vehicle speed above or below the actual speed limit. ISA can be temporarily overridden by the driver firmly pressing the accelerator. In some circumstances, ISA will use map data to limit the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. Customers should read the Owner's Manual for details of the limitations of the ISA system before activating. 23. Coverage system (requires a genuine factory fit tow bar) supports conventional trailer dimensions: up to 2.4m wide (measured at trailer front) and up to 10m long from the rear of your vehicle. Drivers will need to create a profile of their trailers in SYNC to support this system 24. Evasive Steer Assist does not control steering. 25. This feature will return control of the vehicle to the driver if, at any time after the impact, the driver actively operates the accelerator pedal or carries out emergency braking by themselves. If there is no such intervention from the driver, the system will brake the vehicle to a complete stop. 26. Pre-collision Assist with Automatic Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. It does not replace safe driving. See Owner's Manual for Limitations. 27. Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h. Please see the Owner's Manual for precautions and limitations. 28. Traffic Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. In some circumstances Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. 29. Onboard Scales is not intended for trade measurement usage. The vehicle payload and hitch load measurements that display on the screen are estimated values and subject to a tolerance of +/-100 kg of the actual weight 30. Maximum towing capacity braked using a Genuine Ford tow pack. Subject to State and Territory regulations. To comply with these limits, any load transported by the vehicle may need to be restricted to not exceed the GCM and GVM limits. For further details regarding load restrictions, please consult your authorised Ford Dealer and / or refer to the vehicle brochure. 31. Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. 32. Trailer Light Check can be used via SYNC, or via Ford app as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a Ford App account (terms apply) and have fully activated the vehicle's Connect modem to use this feature via the app.

## Ranger Super Duty | 4x4 Single Cab, Super Cab, Double Cab Cab-Chassis and Double Cab Pick-up 2026.50MY Specifications

	4x4 Single Cab Cab-Chassis	4x4 Super Cab Cab-Chassis	4x4 Double Cab Cab-Chassis	4x4 Double Cab Pick-up
<b>Off-Road</b>				
Off-Road Screen	S	S	S	S
Trail Control (with Hill Descent Control) <sup>33</sup>	S	S	S	S
Trail Turn Assist <sup>33</sup>	S	S	S	S
Mud / Ruts Mode (part of Selectable Drive Modes) <sup>33</sup>	S	S	S	S
Sand Mode (part of Selectable Drive Modes) <sup>33</sup>	S	S	S	S
Rock Crawl Mode (part of Selectable Drive Modes) <sup>33</sup>	S	S	S	S
High-Strength Steel Underbody Protection	S	S	S	S
Front Rated Recovery Points x2	S	S	S	S
Rear Rated Recovery Points x2	S	S	S	S
Locking Rear Differential <sup>33</sup>	S	S	S	S
Locking Front Differential (4L only) <sup>33</sup>	S	S	S	S
Tyre Pressure Monitoring System	S	S	S	S
<b>Ford Factory Fitted Options</b>				
Heavy-Duty Rock Sliders	O	O	O	O
Wheel Nut Indicators and Centre Wheel Cap	O	O	O	O
Super Duty Snorkel Removal	NCO	NCO	NCO	NCO
Dual Battery Kit	O	O	O	O
Floor Covering - Carpet	-	-	O	O
Prestige Paint	O	O	O	O
Rear Seat Removal	-	NCO	-	-
Stylish Canopy - Lift and Slide	-	-	-	O
Stylish Canopy - Dual Lift	-	-	-	O
Commercial Canopy	-	-	-	O
Digital Rear View Camera <sup>34</sup>	-	-	-	O
Aeroklas Twin In-Bed Drawer System <sup>34</sup>	-	-	-	O

**S** = Standard    **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost    **NCO** = No Cost Option

**Disclaimer:**

<sup>33</sup>. Intended for off-road use only. <sup>34</sup>. Requires a Canopy Option.

## Ranger Super Duty XLT | 4x4 Double Cab Cab-Chassis and Double Cab Pick-up 2026.50MY Specifications

	XLT 4x4 Double Cab Cab-Chassis	XLT 4x4 Double Cab Pick-up
<b>Engine</b>	<b>3.0L V6 Turbo-Diesel</b>	<b>3.0L V6 Turbo-Diesel</b>
Engine Max Power	154kW @ 3250rpm	154kW @ 3250rpm
Engine Max Torque	600Nm @ 1750rpm	600Nm @ 1750rpm
Heavy Duty Truck Calibration (EU VI emissions)	S	S
<b>Transmission</b>		
10-Speed Automatic Transmission	S	S
<b>Driveline</b>		
Full-time 4WD	S	S
Selectable Drive Modes <sup>1</sup> :		
- Normal	S	S
- Eco	S	S
- Tow / Haul	S	S
- Slippery	S	S
- Mud / Ruts <sup>2</sup>	S	S
- Sand <sup>2</sup>	S	S
- Rock Crawl <sup>2</sup>	S	S
<b>Vehicle Masses (kg)</b>		
Gross Combined Mass (GCM) <sup>3</sup>	8000	8000
Gross Vehicle Mass (GVM) <sup>3</sup>	4500	4500
Front Gross Axle Weight Rating <sup>3</sup>	1900	1900
Rear Gross Axle Weight Rating <sup>3</sup>	2800	2800
Kerb Weight <sup>3</sup>	2675	2803
Payload (based on Kerb Weight) <sup>3</sup>	1825	1697
<b>Chassis and Suspension</b>		
Heavy-Duty Chassis and Suspension Architecture	S	S
Heavy-Duty Braking System	S	S
Heavy-Duty Front and Rear Differential	S	S
Locking Rear Differential <sup>2</sup>	S	S
Locking Front Differential (4L only) <sup>2</sup>	S	S
<b>Fuel</b>		
Fuel Tank Capacity (L)	130	130
Fuel Type	Diesel	Diesel
AdBlue Diesel Exhaust Fluid System <sup>4</sup>	S	S
Diesel Particulate Filter Regeneration Control	S	S
<b>Pick-up Box Dimensions (mm)<sup>5</sup></b>		
Height - at centreline of axle	-	513
Length - at floor	-	1453
Length - top of box	-	1471
Width - between wheelhouses	-	1217
Width - rear opening (top of box)	-	1416
Width - rear opening (base)	-	1220

	XLT 4x4 Double Cab Cab-Chassis	XLT 4x4 Double Cab Pick-up
<b>Exterior Dimensions (mm)<sup>6</sup></b>		
Length - without tongue <sup>7</sup>	5470	5447
Length - with tongue	5644	5621
Width - exterior mirrors extended	2197	2197
Width - exterior mirrors folded	2032	2035
Width - excluding mirrors	2032	2035
Height - to top of antenna base	1985	1975
Overhang - front	945	945
Overhang - rear	1255	1232
Track - front and rear	1710	1710
Wheelbase	3270	3270
Ground Clearance (unladen)	295	296
Wading Depth <sup>8</sup>	850	850
Approach Angle (unladen, degrees)	36.1	36.6
Departure Angle (unladen, degrees) <sup>9</sup>	28.6	27.8
Ramp Breakover Angle (unladen, degrees)	26.3	26.1
Turning Circle (meters)	13.6	13.6
<b>Interior Dimensions (mm)<sup>10</sup></b>		
Front Headroom	1024	1024
Front Legroom	1057	1057
Front Shoulder Room	1450	1450
2nd Row Headroom	989	989
2nd Row Legroom	879	879
2nd Row Shoulder Room	1440	1440
<b>Wheels and Tyres</b>		
18" Alloy Wheels - 'SUPER DUTY' branded	S	S
General Grabber A/T LT 275/70 R18 Tyres	S	S
8 Stud Wheel Hub	S	S
Spare Wheel - 18" Steel	S	S

**S** = Standard    **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost    **NCO** = No Cost Option

### Disclaimer:

1. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. 2. Intended for off-road use only. 3. Subject to State and Territory regulations. Kerb weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo with the standard combination of factory fit equipment. All Chassis Cab payloads and kerb weights exclude weights of tray bodies. Payload is calculated by deducting the vehicles Kerb Weight from its Gross Vehicle Mass (GVM). Payload is the maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross Axle Weight Ratings are not exceeded. All Chassis Cab payloads and kerb weights exclude weights of tray bodies. Subject to State and Territory regulations. Kerb weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo with the standard combination of factory fit equipment. Kerb Weight excludes tray. All Chassis Cab payloads and kerb weights exclude weights of tray bodies. Payload is calculated by deducting the vehicles Kerb Weight from its Gross Vehicle Mass (GVM). Payload is the maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross Axle Weight Ratings are not exceeded.4. AdBlue® diesel exhaust fluid is required. AdBlue® is a registered trademark of VDA Verband der Automobilindustrie e.V. 5. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All pick-up box dimensions take into account the drop-in bed liner. 6. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. 7. Vehicle length measured from front license plate bracket. 8. Maximum water wading 850mm maintaining steady speed of 7km/h or less. Always consult the Owner's Manual before off-road driving, know your terrain and trail difficulty, and use appropriate safety gear. Do not attempt a water crossing if you are unsure of the water depth. 9. Inclusive of tow bar where standard. Excluding hitch. 10. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All Pick-up box dimensions take into account the Drop-In Bedliner where standard.

## Ranger Super Duty XLT | 4x4 Double Cab Cab-Chassis and Double Cab Pick-up 2026.50MY Specifications

	XLT 4x4 Double Cab Cab-Chassis	XLT 4x4 Double Cab Pick-up
<b>Exterior Lighting</b>		
Headlamps - LED	S	S
Daytime Running Lamps - LED	S	S
Front Fog Lamps - LED	S	S
Taillamps - Halogen	S	-
Taillamps - LED	-	S
Tailgate Mounted Stop Light	-	S
Zone Lighting <sup>11</sup>	S	S
<b>Exterior</b>		
Sealed 'SUPER DUTY' Branded Snorkel	S	S
Composite Side Steps	S	S
Exterior Mirrors - Power Adjustable	S	S
Exterior Mirrors - Power Folding	S	S
Exterior Mirrors - Puddle Lamps	S	S
Exterior Mirrors - Heated	S	S
High-Strength Steel Underbody Protection	S	S
Frame-Mounted Steel Front Bumper	S	S
Rear Box Step	-	S
<b>Load Box Elements</b>		
Drop In Bedliner <sup>12</sup>	-	S
Pro Power Onboard™ - 400W (230V) Inverter - In Bedliner	-	S
Box Top Protective Capping with Load Box Access Caps <sup>12</sup>	-	S
Inner Tie Downs	-	S
Cargo Management System	-	S
Load Box Illuminations	-	S
Tailgate Cargo Clamps	-	S
Tailgate Cup Holders	-	S
Power Tailgate Lock	-	S
Tailgate with Lift Assistance	-	S
<b>Interior, Seating and Door Trim</b>		
Seating Capacity	5	5
Heated & Ventilated Seats - Driver & Front Passenger	S	S
Driver Seat - 10-Way Power with Memory Setting	S	S
Front Passenger Seat - 8-Way Power	S	S
Steering Wheel Reach & Height Adjust	S	S

	XLT 4x4 Double Cab Cab-Chassis	XLT 4x4 Double Cab Pick-up
<b>Interior, Seating and Door Trim (continued)</b>		
Electric Park Brake	S	S
Seat Material - Leather Accented <sup>13</sup>	S	S
Child Seat Upper Anchorage Points (x2)	S	S
Child Seat ISOFIX Anchorage Points (x2)	S	S
Floor Covering - Carpet	S	S
All Weather Floor Mats - Driver & Front Passenger	S	S
<b>Comfort and Convenience</b>		
Charging:		
- Auxillary 12V Power Outlet - Inside Centre Console	S	S
- USB Port Behind Rearview Mirror (USB-A)	1	1
- USB Ports 1st row (USB-A & USB-C)	2	2
- USB Ports Rear of Centre Console (USB-A & USB-C)	2	2
- Wireless Charging <sup>14</sup>	S	S
- Pro Power Onboard™ - 400W (230V) Inverter - Rear of Console	S	S
Auxiliary Switch Bank (6x Switches)	S	S
Centre Console with Single Lid and 2 Cup Holders	S	S
Instrument Panel Cup Holders	S	S
Climate Control - Dual-Zone	S	S
Underseat Stowage (Rear)	S	S
Rear Air Vent Registers	S	S
Auto Headlamp On-Off	S	S
Front Power Windows	S	S
Rear Power Windows	S	S
Rain Sensing Windscreen Wipers	S	S
Electrochromatic Rear View Mirror	S	S

**S** = Standard    **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost    **NCO** = No Cost Option

### Disclaimer:

11. Zone Lighting will not operate if battery charge is insufficient. The length of time that Zone Lighting will operate depends on the battery charge, the types of lights fitted to the vehicle (LED or Bulb) and other electrical loads connected to the vehicle. The system will automatically turn off after a period of time to preserve the battery's engine starting performance. Zone lighting excludes rear light unless fitted. 12. Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. Drop In Bedliner may be trimmed to accommodate mounting brackets. 13. Leather accented refers to seats with a combination of real and artificial leather. No leather in 2nd row middle seat. 14. Wireless Charging only available with compatible phones.

## Ranger Super Duty XLT | 4x4 Double Cab Cab-Chassis and Double Cab Pick-up 2026.50MY Specifications

	XLT 4x4 Double Cab Cab-Chassis	XLT 4x4 Double Cab Pick-up
<b>Audio and Communication</b>		
Colour Digital Instrument Cluster with Configurable Display - 8-inch	S	S
Colour Multi-Function Touch Screen Display - 12-inch	S	S
Embedded Modem	S	S
Ford App Connectivity <sup>15</sup>	S	S
Speakers	6	6
DAB+/AM/FM Radio	S	S
Bluetooth® with Phone/Audio Streaming <sup>16</sup>	S	S
Built-In Satellite Navigation with one year of Connected Navigation Services included <sup>17</sup>	S	S
SYNC®4A with Voice-Activated Controls <sup>18</sup>	S	S
Wireless Apple CarPlay™ & Android Auto™ <sup>19</sup>	S	S
<b>Safety and Security</b>		
Perimeter Alarm System	S	S
Trailer Connection Alarm <sup>20</sup>	S	S
Emergency Assistance	S	S
Child Proof Rear Door Locks	S	S
Power Door Locks	S	S
Airbags x 9 - Front, Side & Knee (Driver & Passenger), Centre & Full Length Curtain	S	S
3 Point Lap Sash Seat Belt - All Positions	S	S
<b>Driver Assistance<sup>21</sup></b>		
Smart Keyless Entry with Push Button Start	S	S
Intelligent Adaptive Cruise Control with Stop & Go, Speed Sign Recognition and Lane Centring <sup>22</sup>	S	S
Intelligent Speed Assist <sup>23</sup>	S	S
Blind Spot Monitoring with Trailer Coverage <sup>24</sup>	S	S
Cross Traffic Alert	S	S
Dynamic Stability Control (DSC) Incorporating ABS, Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Load Adaptive Control, Roll Over Mitigation, Traction Control & Trailer Sway Control	S	S
Evasive Steer Assist <sup>25</sup>	S	S
Lane Keeping Aid with Road Edge Detection and Driver Alert System	S	S
Post Impact Braking <sup>26</sup>	S	S
Pre-Collision Assist with Autonomous Emergency Braking (AEB) <sup>27</sup>	S	S
Reverse Brake Assist <sup>28</sup>	S	S
Parking Sensors - Front	S	S
Parking Sensors - Rear	S	S

	XLT 4x4 Double Cab Cab-Chassis	XLT 4x4 Double Cab Pick-up
<b>Driver Assistance<sup>21</sup> (continued)</b>		
360-Degree Camera including Rear View Camera	S	S
Traffic Sign Recognition <sup>29</sup>	S	S
Tyre Pressure Monitoring System	S	S
<b>Towing &amp; Hauling</b>		
Onboard Scales <sup>30</sup>	S	S
Smart Hitch	S	S
Maximum Braked Towing Capacity (kg) <sup>31</sup>	4500	4500
Pro Trailer Back-up Assist™	S	S
4.5T Compatible Tow Bar and 4.5T Compatible Hitch (excluding tow ball)	S	S
Integrated Trailer Brake Controller <sup>32</sup>	S	S
Trailer Light Check <sup>33</sup>	S	S
Towing Vehicle Integration with Towing Checklist	S	S
Tow/Haul Mode (part of Selectable Drive Modes)	S	S

**S** = Standard    **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost    **NCO** = No Cost Option

### Disclaimer:

15. Use of Ford app is subject to the Ford app Terms and User Guide and Ford app Privacy Collection Notice, which are available on <https://www.ford.com.au/privacy> and requires a compatible mobile device, internet access and software (including software updates from time to time). The Ford app functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the Ford app on your mobile device, including associated fees. The Ford app and the Vehicle's Modem can only work when both are connected to the telecommunications network. The Vehicle's Modem will only function on the telecommunications networks it could use at time of manufacture. When all compatible networks for the modem in your vehicle are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that the Ford app will be in fully operating condition at all times and the Ford app may be unavailable or particular Ford app services interrupted. If the Ford app is unavailable, the ability to lock or unlock your vehicle remotely could be limited, and a physical key might be needed. Always keep your key with you to ensure you can access your vehicle at all times even if the Ford app is unavailable. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. 16. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 17. Eligible vehicles receive Connected Navigation Services for 1 year from the Ford Express New Vehicle Warranty start date, after which time the Connected Navigation Services may cease to be available, or may be subject to a subscription fee. To use Connected Navigation Services, users must have created a Ford App account (terms apply), have fully activated the vehicle's connect modem and have SYNC Location set to 'on'. 18. Don't drive while distracted. Use voice-operated systems when possible; don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC 4A features are compatible with all phones. For compatibility, see [ford.com.au/sync](https://ford.com.au/sync). 19. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. 20. Drivers will need to create a profile of their trailers in SYNC to support this system 21. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. 22. Driver- assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. iACC uses various data to adjust the set speed of the vehicle to the speed limit detected by the system. The iACC system will not always detect the correct speed limit and may set a vehicle speed that is above or below the actual speed limit. If the system does this, it can be overridden by the driver applying the brake or accelerator. Customers should read the Owner's Manual for full details of the limitations of the iACC system before activating the system. 23. Intelligent Speed Assist (ISA) uses various data to limit the set speed of the vehicle to the speed limit detected by the system. The ISA system will not always detect the correct speed limit and may limit a vehicle speed above or below the actual speed limit. ISA can be temporarily overridden by the driver firmly pressing the accelerator. In some circumstances, ISA will use map data to limit the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. Customers should read the Owner's Manual for details of the limitations of the ISA system before activating. 24. Coverage system (requires a genuine factory fit tow bar) supports conventional trailer dimensions: up to 2.4m wide (measured at trailer front) and up to 10m long from the rear of your vehicle. Drivers will need to create a profile of their trailers in SYNC to support this system 25. Evasive Steer Assist does not control steering. 26. This feature will return control of the vehicle to the driver if, at any time after the impact, the driver actively operates the accelerator pedal or carries out emergency braking by themselves. If there is no such intervention from the driver, the system will brake the vehicle to a complete stop. 27. Pre-collision Assist with Automatic Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. It does not replace safe driving. See Owner's Manual for Limitations. 28. Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h. Please see the Owner's Manual for precautions and limitations. 29. Traffic Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. In some circumstances Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. 30. Onboard Scales is not intended for trade measurement usage. The vehicle payload and hitch load measurements that display on the screen are estimated values and subject to a tolerance of +/-100 kg of the actual weight 31. Maximum towing capacity braked using a Genuine Ford tow pack. Subject to State and Territory regulations. To comply with these limits, any load transported by the vehicle may need to be restricted to not exceed the GCM and GVM limits. For further details regarding load restrictions, please consult your authorised Ford Dealer and / or refer to the vehicle brochure. 32. Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. 33. Trailer Light Check can be used via SYNC, or via Ford app as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a Ford App account (terms apply) and have fully activated the vehicle's Connect modem to use this feature via the app.

**Ranger Super Duty XLT | 4x4 Double Cab Cab-Chassis and Double Cab Pick-up 2026.50MY Specifications**

	<b>XLT 4x4 Double Cab Cab-Chassis</b>	<b>XLT 4x4 Double Cab Pick-up</b>
<b>Off-Road</b>		
Off-Road Screen	S	S
Trail Control (with Hill Descent Control) <sup>34</sup>	S	S
Trail Turn Assist <sup>34</sup>	S	S
Mud / Ruts Mode (part of Selectable Drive Modes) <sup>34</sup>	S	S
Sand Mode (part of Selectable Drive Modes) <sup>34</sup>	S	S
Rock Crawl Mode (part of Selectable Drive Modes) <sup>34</sup>	S	S
High-Strength Steel Underbody Protection	S	S
Front Rated Recovery Points x2	S	S
Rear Rated Recovery Points x2	S	S
Locking Rear Differential <sup>34</sup>	S	S
Locking Front Differential (4L only) <sup>34</sup>	S	S
Tyre Pressure Monitoring System	S	S
<b>Ford Factory Fitted Options</b>		
Heavy-Duty Rock Sliders	O	O
Super Duty Snorkel Removal	NCO	NCO
Dual Battery Kit	O	O
Floor Covering - Carpet	S	S
Prestige Paint	O	O
Stylish Canopy - Lift and Slide	-	O
Stylish Canopy - Dual Lift	-	O
Commercial Canopy	-	O
Digital Rear View Camera <sup>35</sup>	-	O
Aeroklas Twin In-Bed Drawer System <sup>35</sup>	-	O

**S** = Standard    **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost    **NCO** = No Cost Option

**Disclaimer:**

<sup>34</sup>. Intended for off-road use only. <sup>35</sup>. Requires a Canopy Option.

# Discover more at [ford.com.au](https://ford.com.au)

## Contact us

If you have any questions or concerns, please contact our Customer Relationship Centre on 13 FORD (13 36 73) or email [foacust1@ford.com](mailto:foacust1@ford.com)

## Running a fleet?

Our Ford Fleet team is here to assist you in any way we can. Please email [askfleet@ford.com](mailto:askfleet@ford.com)

1. While all reasonable skill and care has been taken in preparation of this it should not be construed or relied upon as a substitute for specific advice on your insurance needs. The advice is not based on your personal objectives, financial situation or needs. Accordingly, you should consider how appropriate the advice is to those objectives, financial situation and needs before acting on the advice and, before buying the product, you should read the current Product Disclosure Statement (PDS) and Target Market Determination (TMD) prepared by the insurer, HDI Global Specialty SE – Australia, ABN 58 129 395 544, AFSL 458776 (“HDI”). Both the PDS and the product TMD are available [wtwco.com/fordinsure](http://wtwco.com/fordinsure). WTW receives commission benefits from the insurer. These fees and commission are disclosed in the WTW FSG and relevant client documentation.

This insurance product is arranged by Ford Australia or your authorised dealer acting as a distributor of WTW for this product. In arranging this insurance, Ford Australia and your authorised dealer act on behalf of WTW and not as your agent. You should review and understand the WTW FSG. If you purchase this insurance Ford Australia and your Dealership will receive a commission from WTW. For further information or assistance please go to [www.ford.com.au/owners/Insurance](http://www.ford.com.au/owners/Insurance) or call us on 13 FORD (3673).

WTW are acting as agent of HDI Global Specialty SE- Australia under a binding authority agreement.

2. Some insurance companies may use repairers that could use non genuine parts to repair your vehicle. If your claim is accepted the insurer will use Genuine Parts when available. If not available, the insurer may use genuine reconditioned or recycled parts or ADR certified new, recycled or reconditioned parts. Refer to the Ford Insure PDS for full details.

3. When purchasing your vehicle from a dealership, accessories included on the purchase invoice are included in cover, without the need to list them on your schedule. Refer to the Ford Insure PDS for full details.

4. If Your Vehicle is damaged while it is being driven on a beach or off any public road, coverage may be available. Any claim will be subject to any applicable excess being doubled and the PDS terms and conditions. Refer to the Ford Insure PDS for full details.

5. Automatic removal of your standard excess on glass damage means the Standard Excess will not apply if you sustain a loss where the only damage to your Vehicle was glass damage. Refer to the Ford Insure PDS for full details.

6. Finance GAP Cover is only available in the event a vehicle is a total loss. Any payout is subject to a finance agreement with a finance company directly relating to the vehicle purchase and the financed amount exceeding the total loss payout, excluding any arrears. Refer to the Ford Insure PDS for full details.

Find out more



Issue Date: 10 April 2026

*Ford*

**Important information:**

This brochure is designed to provide you with a general introduction to the Ford products (including available optional equipment) referred to and should be read in conjunction with the latest specification sheet. Features, designs, materials, colours and other specifications may vary from those depicted. Because of changes in conditions and circumstances Ford reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice, to discontinue or change the features, designs, materials, colours and other specifications and the prices of its products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchaser or purchasers. The latest specification sheet should be referred to for information on the availability, ordering and use of features and optional equipment. Always consult an authorised Ford Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order.