

PV5

Model Year 2026



Movement that inspires

PV5 MY26 - Mechanical & Feature List

Drivetrain		Cargo S 4DR Long Range
Electric Motor Location		Front
Driven Wheels		Front Wheel Drive
Motor Type Front		Permanent Magnet Synchronous Motor
Maximum Power		120 kW
Maximum Torque		250 Nm
Maximum Speed		135 km/h
Transmission Type		1 Speed Automatic Transmission (Reduction Gear)
Final Gear Ratio (Constant)		12.16
Battery		Cargo S 4DR Long Range
Battery Type		Li-ion Battery
Energy (kWh)		71.2
Voltage (V)		402
Capacity (Ah)		177.01
Battery Weight (kg)		384.8
Battery Position		Under Floor
AC Normal Charging ¹		Cargo S 4DR Long Range
Charge Port Location		Front
Charge Port Type - AC		Type 2
On Board Charger (OBC) Maximum Capacity		10.5 kW
AC Charge 10-100% - with 11kW Charger		Approx. 6h 30m
DC Fast Charging ¹		Cargo S 4DR Long Range
Charge Port Location		Front
Charge Port Type - DC		CCS Type 2
Maximum Charging Power (DC)		128 kW
DC Fast Charge 10-80% (50kW Charger)		Approx. 61m
DC Fast Charge 10-80% (350kW Charger)		Approx. 30m
WLTP Range ²		Cargo S 4DR Long Range
Energy Consumption (Wh/km) - Combined		191
All Electric Range (AER) - Combined (km)		416
Exterior Dimensions		Cargo S 4DR Long Range
Overall Length (mm)		4,695
Overall Width (mm)		1,895
Overall Height (mm)		1,899
Wheelbase (mm)		2,995
Minimum Ground Clearance (mm)		143
Interior Dimensions		Cargo S 4DR Long Range
Rear Cargo Area - Maximum Internal Length (mm)**		2,255
Rear Cargo Area - Maximum Internal Width (mm)**		1,565
Rear Cargo Area - Maximum Internal Height (mm)**		1,520
Rear Cargo Area - Maximum Capacity (L, VDA)		4,420
Weight		Cargo S 4DR Long Range
Tare Weight (kg)		1,955
Kerb Weight (kg)		1,910
Maximum Payload (kg)		740
Gross Vehicle Mass (kg)		2,650
Roof Load (kg)		100
Towing Capacity ³		Cargo S 4DR Long Range
Towing Capacity Unbraked (kg)		750
Towing Capacity Braked (kg)		750
Maximum Towball Download (kg)		75
EV Specific Features		Cargo S 4DR Long Range
Charge Port Light		•
V2L - Vehicle to Load Interior Socket (AUS/NZ Type Socket)		•
V2L - Vehicle to Load Exterior Adaptor (Type 2 to AUS/NZ Type Socket)		•
Regenerative Braking Control via Paddle Shifters		•
Smart Regenerative Braking		•
i-Pedal - One Pedal Driving Function		•
Charge Management (Scheduled Charging)		•
Utility Mode Function		•
Steering, Brakes & Suspension		Cargo S 4DR Long Range
Power Steering System		Column Mounted MDPS ⁴ (Electric Power Steering)
Steering Wheel Turn (Lock To Lock)		3.3
DMS ⁵ System		Modes (Eco, Normal, Snow)
Tilt & Telescopic Adjustable Steering Column		•
Minimum Turning Circle Diameter (m)		11.0
Front Suspension Type		Double Wishbone

Steering, Brakes & Suspension		Cargo S 4DR Long Range
Rear Suspension Type		Coupled Torsion Beam Axle
Front Brakes		305mm Ventilated Disc
Rear Brakes		300mm Solid Disc
Electronic Parking Brake with Auto Hold Function		•
Wheels & Tyres		Cargo S 4DR Long Range
Wheel Size / Design		16" Steel Wheels (with Wheel Covers)
Tyres		215/65 R16
TPMS (Tyre Pressure Monitoring System)		•
Spare Wheel Type		Tyre Mobility Kit (TMK)
Safety ⁶		Cargo S 4DR Long Range
Active Safety		
ABS (Anti-lock Braking System) with EBD ⁷ & BA ⁸		•
ESC (Electronic Stability Control) with TCS ⁹		•
HAC (Hill-start Assist Control)		•
MCB (Multi-Collision Braking)		•
AEB (Autonomous Emergency Braking) - Car, Pedestrian, Cyclist & Junction Turning		•
LKA (Lane Keeping Assist)		•
LFA2 (Lane Following Assist 2)		•
HDA (Highway Driving Assist)		•
BCA (Blind Spot Collision Avoidance Assist) with RCCA (Rear Cross Traffic Collision Avoidance)		•
SEW (Safe Exit Warning)		•
DAW (Driver Attention Warning) with Lead Vehicle Departure Alert		•
ISLA (Intelligent Speed Limit Assist)		•
Haptic Steering Wheel Feedback		•
Parking Sensors with Dash Display (Front/Side/Rear)		•
Rear View Camera with Dynamic Parking Guidelines		•
SVM (Surround View Monitor) with 3D Mode		•
BVM (Blind Spot View Monitor)		•
Rear View Mirror		•
HBA (High Beam Assist)		•
Dusk-Sensing Automatic Head Lights		•
Front Wiper & Washer (Low/High and 5-Speed Intermittent)		•
Rain Sensing Wipers		•
Door Open Warning on Driver Display		•
Seatbelt Warning Indicator Light (All Positions)		•
Speed Sensing Auto Door Locks		•
Passive Safety		
Driver & Front Passenger SRS Airbags		•
Centre Side Airbag (Front)		•
Front Side SRS Airbags		•
Curtain SRS Airbags		•
3-Point ELR Seatbelts (All Positions)		•
Front Seatbelt Pre-Tensioners with Load Limiters		•
Security		Cargo S 4DR Long Range
Burglar Alarm		•
Anti-theft Immobiliser		•
Remote Central Locking		•
Smart Key Remote (x 2) with Remote Motor Start		•
Headlight Escort Function		•
Seating		Cargo S 4DR Long Range
Seat Capacity		2
Seat Trim		Cloth
6-Way Drivers Seat including Height Adjust (with 2-Way Lumbar Support)		•
6-Way Front Passenger Seat including Height Adjust (with 2-Way Lumbar Support)		•
Height Adjustable Front Headrests		•
Exterior Features		Cargo S 4DR Long Range
Wheel Arch Mouldings		Matte Black
Gloss Black Window Trim and A-Pillar		•
Gloss Black Outside Door Mirrors with Integrated Side Indicators		•
Electric Outside Door Mirrors (Adjust/Heated/Folding)		•
Door Handles (Body Coloured)		•
LED Daytime Running Lights		•
LED Head Lights (Reflector Type)		•
LED Tail Lights with Bulb Indicator		•
Rear Fog Light		•
High Mounted Stop Lamp (LED)		•
Aero Blade Wipers		•
Shark Fin Antenna		•

Exterior Features	Cargo S 4DR Long Range
Mud Guards (Front & Rear)	•
Dual Sliding Doors (Manual)	•
Twin Swing Rear Doors	•
Interior Features	Cargo S 4DR Long Range
Premium Steering Wheel	2-Spoke
Shift By Wire (ColumnType)	•
Steering Wheel Paddles (Brake Regen Control)	•
Driver Attention Monitoring (In-Cabin Camera)	•
SCC2 (Smart Cruise Control 2)	•
Multi-Function Trip Computer (Distance Travelled, Energy Consumption, Range)	•
User Selectable Options (Auto Door Lock/Unlock, Headlight Escort)	•
Digital Clock (within Audio Display)	•
Ambient Temperature Display (within Cluster)	•
Door Lock Controls (Driver)	•
Power Windows (Front)	•
Auto Up/Down Window with Safety Function (Driver)	•
Driver Armrest	•
Driver Foot Rest	•
Driver & Passenger Sun Visors with Sliding Function	•
Vanity Mirrors (Driver & Passenger)	•
2 x USB Chargers (Type C) in Front	•
1 x 12 Volt Power Outlet (in Front)	•
LED Interior Lighting (Cabin & Cargo Area)	•
Wireless Phone Charger (Qi) ⁷	•
Solid Partition (between Cabin and Rear Cargo Area)	•
8 x Tie Down Points (Rear Cargo Area)	•
Storage	Cargo S 4DR Long Range
2 x Cup Holders (Centre Console)	•
2 x Bottle Holders (Front Doors)	•
Glovebox with Illumination	•
Upper Storage Tray (Driver Side)	•
Front Storage Tray	•
Centre Console Tray with Storage	•
Under Floor Storage (Driver Side & Passenger Side)	•
Seat Side Storage (Driver Side & Passenger Side)	•
Infotainment & Driver Display	Cargo S 4DR Long Range
AM/FM Radio	•
DAB Digital Radio	•
2 x Speakers	•
7.5" Digital Driver Cluster + 12.9" Touch Screen Infotainment	•
Kia Connect ⁸ Telematics (eCall, Remote Control, Vehicle Status Monitoring)	•
OTA (Over the Air) Updates	•
Satellite Navigation	•
Bluetooth [®] Multi-Connection Functionality (Phone/Media Stream) ⁹	•
Steering Wheel Mounted Audio/Bluetooth [®] Controls	•
Wired and Wireless Android Auto™ ¹⁰ with Voice Recognition ¹⁰	•
Wired and Wireless Apple CarPlay™ ¹¹ with Voice Recognition ¹¹	•
Ventilation	Cargo S 4DR Long Range
Single-Zone Climate Control Air-Conditioning	•
Auto Windscreen Defog	•
Exterior Colours	Cargo S 4DR Long Range
Clear White (UD)	•
Interior Colours	Cargo S 4DR Long Range
Deep Navy (DDP) with Grey Cloth Headliner	•

• Standard - Not available

Specifications apply to 2026 Model Year PV5. Kia Australia reserves the right to discontinue or change the models, features, specifications, options, designs and prices of products referred to in this sheet without incurring any liability whatsoever to any purchaser or prospective purchaser of any such products. Some of the items herein are optional at additional cost. Consult your Kia dealer for the latest information on models, specifications, features, prices, options and availability. Until inspections are complete, all information and illustrations are based on data available at the time of publication and subject to change without notice. ¹Charging times are based on Kia HQ testing and actual charge times will be dependent on charging conditions, including home charging type and condition, battery temperature as well as ambient temperature. Before using this product at home, consult with a licensed electrician to ensure your home electrical system can support the use. ²Figures based on WLTP (Worldwide Harmonised Light-Duty Vehicles Test Procedure) static laboratory combined average city and highway cycle test, which measure, energy consumption, range and emissions in passenger vehicles, designed to provide figures closer to real-world driving behaviour. Real life driving results will vary depending on a combination of driving style, type of journey, vehicle configuration, battery age and condition, use of vehicle features (such as heating and air conditioning), as well as operating, environmental and climate conditions. ³Subject to State regulations and towbar design. ⁴MDPS - Motor Driven Power Steering. ⁵DMS - Drive Mode Select. ⁶Safety technologies are supplemental systems and do not replace the need for the driver to exercise care and attention. ⁷Wireless charging compatible with phones featuring Qi technology or adapter. ⁸Kia Connect is a connected car service, providing customers with remote vehicle control, vehicle status monitoring, real-time traffic updates and more. Not all phones will be compatible with the Kia Connect app. For more details on Kia Connect visit kia.com/au/kiacconnect. ⁹Not all mobile phones will be compatible with the vehicle's Bluetooth[®] system. Bluetooth[®] is a registered trademark of Bluetooth SIG. ¹⁰Android Auto™ connectivity requires compatible Android device. See android.com/intl/en_au/ for more details. Android Auto™ is a registered trademark of Google Inc. ¹¹Apple CarPlay™ connectivity requires compatible iOS device. See apple.com.au for more details. Apple CarPlay™ is a registered trademark of Apple Inc. ^{**}Internal Height/Length/Width measurements refer to the maximum internal cargo room height/length/width, not the door dimensions.