



MY2027

Everest

Ford Everest MY2027 Specifications | Active, Sport, Tremor and Platinum Specifications

	Active	Active	Sport	Sport	Tremor	Platinum
	4x4	4WD	4x4	4WD	4WD	4WD
Engine	2.0L Turbo Diesel¹	3.0L V6 Turbo Diesel¹	2.0L Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹
Number of cylinders	4	6	4	6	6	6
Maximum Power	125kW @ 3,500rpm	184kW @ 3,250rpm	125kW @ 3,500rpm	184kW @ 3,250rpm	184kW @ 3,250rpm	184kW @ 3,250rpm
Maximum Torque	405Nm @ 1,750 - 2,500rpm	600Nm @ 1,750 - 2,250rpm	405Nm @ 1,750 - 2,500rpm	600Nm @ 1,750 - 2,250rpm	600Nm @ 1,750 - 2,250rpm	600Nm @ 1,750 - 2,250rpm
Transmissions						
10-speed automatic transmission	S	S	S	S	S	S
Driveline						
Part-time 4x4	S	—	S	—	—	—
Full-time 4WD	—	S	—	S	S	S
Selectable Drive Modes						
- Normal	S	S	S	S	S	S
- Eco	S	S	S	S	S	S
- Tow / Haul	S	S	S	S	S	S
- Slippery	S	S	S	S	S	S
- Mud / Ruts²	S	S	S	S	S	S
- Sand²	S	S	S	S	S	S
- Rock Crawl²	—	—	—	—	S	—
Fuel						
Combined Fuel Economy (L/100km)³	7.1	8.5	7.1	8.5	9.3	8.5
CO₂ Emissions (g/km)³	188	224	188	224	244	224
Fuel Tank Capacity (L)	80	80	80	80	80	80
Fuel Type	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Renewable Diesel (HVO) Compatibility	S	S	S	S	S	S
Vehicle Masses (kg)						
Kerb Weight⁴	2245	2357	2304	2416	2480	2465
Payload (Based on Kerb Weight)⁵	855	793	796	734	760	685
Gross Vehicle Mass	3100	3150	3100	3150	3240	3150
Gross Combined Mass	6250	6250	6250	6250	6350	6250
Maximum Front Axle Load	1470	1470	1470	1470	1530	1470
Maximum Rear Axle Load	1770	1770	1770	1770	1770	1770
Exterior Dimensions⁶ (mm)						
Vehicle Length - Without Tow Reciever	4914	4914	4914	4914	4914	4914
Vehicle Length - With Tow Reciever	4978	4978	4978	4978	4978	4978
Vehicle Width (With Mirrors Extended)	2207	2207	2207	2207	2207	2207
Vehicle Width (With Mirrors Folded)	2015	2015	2015	2015	2015	2015
Vehicle Width (Without Mirrors)	1923	1923	1923	1923	1954	1923
Height (To The Top Of The Antenna Base)	1876	1876	1876	1876	1904	1876
Overhang - Front	871	871	871	871	871	871

Ford Everest MY2027 Specifications | Active, Sport, Tremor and Platinum Specifications

	Active	Active	Sport	Sport	Tremor	Platinum
	4x4	4WD	4x4	4WD	4WD	4WD
Engine	2.0L Turbo Diesel¹	3.0L V6 Turbo Diesel¹	2.0L Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹
Exterior Dimensions⁶ (mm) (continued)						
Overhang - Rear	1143	1143	1143	1143	1143	1143
Track - Front / Rear	1620	1620	1620	1620	1650	1620
Wheelbase	2900	2900	2900	2900	2900	2900
Ground Clearance (unladen)	229	229	226	226	255	226
Wading Depth⁷	800	800	800	800	800	800
Approach Angle	30.4	30.4	30.2	30.2	32	30.2
Departure Angle	25.3	25.3	25	25	26.8	25
Ramp Breakover Angle (degrees)	22.2	22.2	22.2	22.2	23.9	22.2
Turning Circle - Kerb to Kerb (m)	11.8	11.8	11.8	11.8	11.7	11.8
Interior Dimensions⁶ (mm)						
Front Headroom	1024	1024	1024	1024	1024	972
Front Legroom	1057	1057	1057	1057	1057	1057
Front Shoulder Room	1450	1450	1450	1450	1450	1450
2nd Row Headroom	992	992	992	992	992	953
2nd Row Legroom	912	912	912	912	912	912
2nd Row Shoulder Room	1443	1443	1443	1443	1443	1443
3rd Row Headroom⁸	925	925	925	925	925	923
3rd Row Legroom⁸	806	806	806	806	806	806
3rd Row Shoulder Room⁸	1328	1328	1328	1328	1328	1328
Cargo Dimensions (L)						
Behind first row to the roof including footwell storage (2-seat mode) (VDA)⁹	1823	1823	1823	1823	1823	1818
Behind second row to the roof including footwell storage (5-seat mode) (VDA)⁹	898	898	898	898	898	898
Cargo Volume behind third row to the roof including footwell storage (7-seat mode) (VDA)⁹	259	259	259	259	259	259

S = Standard

Disclaimer:

1.AdBlue® diesel exhaust fluid is required. AdBlue® is a registered trademark of VDA Verband der Automobilindustrie e.V. 2. Intended for off-road use only. 3. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, options and accessories, condition and use. 4. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and all standard equipment. Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross Axle Masses are not exceeded. 5. All payloads are calculated by deducting the vehicle's Kerb Weight from its Gross Vehicle Mass (GVM). Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross Axle Masses are not exceeded. 6. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. 7. Maximum water wading 800mm maintaining speed of 7km/h or less. Always consult the Owner's Manual before off-road driving, know your terrain and trail difficulty, and use appropriate safety gear. Do not attempt a water crossing if you are unsure of the water depth. 8. 3rd row seats optional at additional cost on Active. 9. Measured laden to roof, using VDA methodology. VDA is the method determined by filling the load space with 'litre' blocks, each measuring 200x100x50mm.

Ford Everest MY2027 Specifications | Active, Sport, Tremor and Platinum Specifications

	Active	Active	Sport	Sport	Tremor	Platinum
	4x4	4WD	4x4	4WD	4WD	4WD
Engine	2.0L Turbo Diesel¹	3.0L V6 Turbo Diesel¹	2.0L Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹
Chassis and Suspension						
Front and Rear Vented Discs With Electronic Brake Booster	S	S	S	S	S	S
Electrical Power Assisted Steering	S	S	S	S	S	S
Locking Rear Differential	S	S	S	S	S	S
Off-road Suspension with Bilstein™ Position-Sensitive Dampers	—	—	—	—	S	—
Wheels						
18" Alloy with All-Season Tyres	S	S	—	—	—	—
20" Alloy with All-Season Tyres	—	—	S	S	—	—
17" Alloy with General Grabber AT3 Tyres	—	—	—	—	S	—
21" Alloy with All-Season Tyres	—	—	—	—	—	S
Spare Wheel - 18" Alloy	S	S	—	—	—	—
Spare Wheel - 20" Alloy	—	—	S	S	—	—
Spare Wheel - 17" Alloy	—	—	—	—	S	—
Spare Wheel - 21" Alloy	—	—	—	—	—	S
Exterior Lighting						
Headlamps - LED	S	S	S	S	S	—
Headlamps - Matrix LED with Auto Leveling, Glare Free High Beam & Dynamic Bending	—	—	—	—	—	S
Auxiliary Grille LED Lamps	—	—	—	—	S	—
Daytime Running Lamps - LED	S	S	S	S	S	S
Front Fog Lamps - LED	S	S	S	S	S	S
Rear Fog Lamps	S	S	S	S	S	S
Taillamps - LED	S	S	S	S	S	S
Zone Lighting¹⁰	—	—	S	S	S	S
Exterior						
Acoustic Laminated Windscreen	S	S	S	S	S	S
Black Roof	—	—	—	—	—	S
Body Coloured Roof	S	S	S	S	S	NCO
Exterior Mirrors - Power Adjustable with Autofold	S	S	S	S	S	S
Exterior Mirrors - Puddle Lamps	—	—	S	S	S	S
Front Recovery Hooks	2	2	2	2	2	2
Front Recovery Hooks Cover	—	—	—	—	S	—
Liftgate - Manual	S	S	—	—	—	—
Liftgate - Power Push Button Operated	—	—	S	S	S	S
Mud Flaps (Front and Rear)	S	S	S	S	S	S
Panoramic Roof and Power Blind	—	—	—	—	—	S
Roof Rails - Black	S	S	—	—	—	—
Roof Rails - Black Stand-off	—	—	S	S	S	S
Steel Underbody Protection	S	S	S	S	S	S

Ford Everest MY2027 Specifications | Active, Sport, Tremor and Platinum Specifications

	Active	Active	Sport	Sport	Tremor	Platinum
	4x4	4WD	4x4	4WD	4WD	4WD
Engine	2.0L Turbo Diesel¹	3.0L V6 Turbo Diesel¹	2.0L Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹
Front Steel Bash Plate	—	—	—	—	S	—
Side Steps - Black	S	S	S	S	—	—
Heavy Duty Composite Side Steps	—	—	—	—	S	—
Side Steps - Finished Steel Inserts	—	—	—	—	—	S
Interior, Seating and Door Trim						
2nd Row 60/40 Split	S	S	S	S	S	S
3rd Row 50/50 Split Manual Fold	P	P	S	S	S	—
3rd Row 50/50 Split Power Fold	—	—	—	—	—	S
5 Seats	S	S	—	—	P	—
7 Seats	P	P	S	S	S	S
Vinyl Wrapped Steering Wheel	—	—	S	S	S	—
Leather Wrapped Steering Wheel - Heated	—	—	—	—	—	S
Steering Wheel - Height & Reach Adjust	S	S	S	S	S	S
Electronic Parking Brake	S	S	S	S	S	S
Mechanical Shifter	S	—	S	—	—	—
e-Shifter	—	S	—	S	S	S
Seat Material - Synthetic Leather	S	S	S	S	—	—
Seat Material - Leather Accented (excludes 3rd Row) with 'TREMOR' Embroidery on Front Seats¹¹	—	—	—	—	S	—
Seat Material - Leather Accented Quilted with 'PLATINUM' Debossed Front Seats¹²	—	—	—	—	—	S
Driver Seat - Heated & Ventilated	—	—	S	S	S	S
Driver Seat - 8-Way Manual	S	S	—	—	—	—
Driver Seat - 10-Way Power with Memory Setting & Easy Entry/Exit	—	—	S	S	S	S
Front Passenger Seat - Heated & Ventilated	—	—	S	S	S	S
Front Passenger Seat - 4-Way Manual	S	S	—	—	—	—
Front Passenger Seat - 8-Way Power	—	—	S	S	S	—
Front Passenger Seat - 10-Way Power	—	—	—	—	—	S
Heated Outboard Rear Seats	—	—	—	—	—	S
Child Seat Upper Anchorage Points	3	3	5	5	5	5
Child Seat ISOFIX Anchorage Points	2	2	2	2	2	2
Floor Mats - Driver	S	S	—	—	—	—
Floor Mats - Driver & Front Passenger	—	—	S	S	—	—
Floor Mats - Front & Rear All-Weather	—	—	—	—	S	—
Floor Mats - Front & Rear Premium	—	—	—	—	—	S

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost
NCO = Factory Option that can be ordered before a vehicle is manufactured at no additional cost

Disclaimer:

10. Zone Lighting will not operate if battery charge is insufficient. The length of time that Zone Lighting will operate depends on the battery charge, the types of lights fitted to the vehicle (LED or Bulb) and other electrical loads connected to the vehicle. The system will automatically turn off after a period of time to preserve the battery's engine starting performance. 11. Leather accented refers to seats with a combination of real and artificial leather. No leather in 2nd row middle seat or 3rd row seats. 12. Leather accented refers to seats with a combination of real and artificial leather. No leather in 2nd row middle seat.

Ford Everest MY2027 Specifications | Active, Sport, Tremor and Platinum Specifications

	Active	Active	Sport	Sport	Tremor	Platinum
	4x4	4WD	4x4	4WD	4WD	4WD
Engine	2.0L Turbo Diesel¹	3.0L V6 Turbo Diesel¹	2.0L Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹
Comfort and Convenience						
Rear Privacy Glass	S	S	S	S	S	S
Ambient Lighting	—	—	—	—	—	S
Centre Console Cup Holders	2	2	2	2	2	2
Instrument Panel Cup Holders	2	2	2	2	2	2
Charging						
- Auxillary 12V Power Outlet - Inside Centre Console	S	S	S	S	S	S
- Auxillary 12V Power Outlet - 3rd row	P	P	S	S	S	S
- Auxillary 12V Power Outlet - Rear Cargo	S	S	S	S	S	S
- USB Port Behind Rearview Mirror (USB-A)	—	—	1	1	1	1
- USB Ports 1st row (USB-A & USB-C)	2	2	2	2	2	2
- USB Ports 2nd row (USB-C)	2	2	2	2	2	2
- Wireless Charging¹³	S	S	S	S	S	S
- Pro Power Onboard™ - 400W (230V) Inverter - Rear of Console	—	—	S	S	S	S
Climate Control - Dual-Zone	S	S	S	S	S	S
3rd Row Air Vent Registers	P	P	S	S	S	S
Auto Headlamp On-Off	S	S	S	S	S	S
Front Power Windows	S	S	S	S	S	S
Rear Power Windows	S	S	S	S	S	S
Rain Sensing Windscreen Wipers	S	S	S	S	S	S
Sunglasses Holder Overhead Console¹⁴	S	S	S	S	S	S
Sunvisor - Driver and Passenger with Illuminated Mirror	S	S	S	S	S	S
Electrochromatic Rear View Mirror	S	S	S	S	S	S
Audio and Communication						
Embedded Modem	S	S	S	S	S	S
Ford App Connectivity¹⁵	S	S	S	S	S	S
Colour Digital Instrument Cluster with Configurable Display - 8-inch	S	S	S	S	S	—
Colour Digital Instrument Cluster with Configurable Display - 12.4-inch	—	—	—	—	—	S
Colour Multi-Function Touch Screen Display - 12-inch	S	S	S	S	S	S
Speakers	8	8	8	8	8	12
B&O Premium Audio System (With 12 Speakers)¹⁶	—	—	—	—	—	S
Digital Audio (DAB+)	S	S	S	S	S	S
Bluetooth® with Phone / Audio Streaming¹⁷	S	S	S	S	S	S
Built-In Satellite Navigation with one year of Connected Navigation Services included¹⁸	S	S	S	S	S	S
SYNC®4A with Voice-Activated Controls¹⁹	S	S	S	S	S	S
Steering Wheel Audio/Function Control	S	S	S	S	S	S
Wireless Apple CarPlay™ & Android Auto™²⁰	S	S	S	S	S	S

Ford Everest MY2027 Specifications | Active, Sport, Tremor and Platinum Specifications

	Active	Active	Sport	Sport	Tremor	Platinum
	4x4	4WD	4x4	4WD	4WD	4WD
Engine	2.0L Turbo Diesel¹	3.0L V6 Turbo Diesel¹	2.0L Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹
Safety and Security						
Perimeter Alarm System	S	S	S	S	S	S
Trailer Connection Alarm²¹	P	P	P	P	P	P
Airbags x 9 - Front, Side & Knee (Driver & Passenger), Centre & Full Length Curtain (For All Three Seating Rows)	S	S	S	S	S	S
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S	S	S
Child Proof Rear Door Locks	S	S	S	S	S	S
Rear Window Lock	S	S	S	S	S	S
Power Door Locks	S	S	S	S	S	S
Smart Keyless Entry with Push Button Start	S	S	S	S	S	S
Emergency Assistance²²	S	S	S	S	S	S

S = Standard P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost

Disclaimer:

13. Wireless Charging only available with compatible phones. 14. If the Rough Terrain Pack option is selected, the auxiliary switch panel replaces the sunglasses holder in overhead console. 15. Use of Ford app is subject to the Ford app Terms and User Guide and Ford app Privacy Collection Notice, which are available on <https://www.ford.com.au/privacy> and requires a compatible mobile device, internet access and software (including software updates from time to time). The Ford app functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the Ford app on your mobile device, including associated fees. The Ford app and the Vehicle's Modem can only work when both are connected to the telecommunications network. The Vehicle's Modem will only function on the telecommunications networks it could use at time of manufacture. When all compatible networks for the modem in your vehicle are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that the Ford app will be in fully operating condition at all times and the Ford app may be unavailable or particular Ford app services interrupted. If the Ford app is unavailable, the ability to lock or unlock your vehicle remotely could be limited, and a physical key might be needed. Always keep your key with you to ensure you can access your vehicle at all times even if the Ford app is unavailable. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. 16. BANG & OLUFSEN©2026 and B&O©2026. BANG & OLUFSEN™ and B&O™ are registered trademarks of Bang & Olufsen Group. Licensed by Harman Becker Automotive Systems Manufacturing Kft. All rights reserved. 17. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 18. Eligible vehicles receive Connected Navigation Services for 1 year from the Ford 7 Year New Vehicle Warranty start date, after which time the Connected Navigation Services may cease to be available, or may be subject to a subscription fee. To use Connected Navigation Services, users must have created a Ford app account (terms apply), have fully activated the vehicle's modem and have SYNC Location set to 'on'. 19. Don't drive while distracted. Use voice-operated systems when possible; don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC 4A features are compatible with all phones. For compatibility, see ford.com.au/sync. 20. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. 21. Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and Trailer Connection Alarm. To use the Trailer Brake Controller, drivers must set the gain on the Brake Controller unit. 22. Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off.

Ford Everest MY2027 Specifications | Active, Sport, Tremor and Platinum Specifications

	Active	Active	Sport	Sport	Tremor	Platinum
	4x4	4WD	4x4	4WD	4WD	4WD
Engine	2.0L Turbo Diesel¹	3.0L V6 Turbo Diesel¹	2.0L Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹
Driver Assistance²³						
Adaptive Cruise Control	S	S	—	—	—	—
Intelligent Adaptive Cruise Control with Stop & Go, Speed Sign Recognition and Lane Centring²⁴	—	—	S	S	S	S
Intelligent Speed Limit Assist²⁵	S	S	S	S	S	S
Blind Spot Monitoring²⁶	S	S	S	S	S	S
Blind Spot Monitoring with Trailer Coverage	P	P	P	P	P	P
Cross Traffic Alert	S	S	S	S	S	S
Dynamic Stability Control (DSC) incorporating ABS, Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Load Adaptive Control, Roll Over Mitigation, Traction Control & Trailer Sway Control	S	S	S	S	S	S
Evasive Steer Assist²⁷	S	S	S	S	S	S
Lane Keeping Aid with Road Edge Detection and Driver Alert System²⁸	S	S	S	S	S	S
Post Impact Braking	S	S	S	S	S	S
Pre-Collision Assist with Autonomous Emergency Braking (AEB) and Intersection Assist²⁹	S	S	S	S	S	S
Reverse Brake Assist³⁰	S	S	S	S	S	S
Parking Sensors - Front	S	S	S	S	S	S
Parking Sensors - Rear	S	S	S	S	S	S
Rear View Camera	S	S	S	S	S	S
360-Degree Camera System³¹	—	—	S	S	S	S
Traffic Sign Recognition³²	S	S	S	S	S	S
Tyre Pressure Monitoring System	S	S	S	S	S	S
Towing						
Maximum Braked Towing Capacity (kg)³³	3,500	3,500	3,500	3,500	3,500	3,500
Pro Trailer Backup Assist²³	—	—	P	P	P	P
Tow Bar with Integrated Trailer Brake Controller³⁴	P	P	P	P	P	P
Tow / Haul Mode (part of Selectable Drive Modes)	S	S	S	S	S	S
Off-Road						
Off-Road Screen	S	S	S	S	S	S
Hill Descent Control	S	S	S	S	S	S
Mud / Ruts Mode (part of Selectable Drive Modes)³⁵	S	S	S	S	S	S
Sand Mode (part of Selectable Drive Modes)³⁵	S	S	S	S	S	S
Rock Crawl Mode (part of Selectable Drive Modes)³⁵	—	—	—	—	S	—
Locking Rear Differential³⁵	S	S	S	S	S	S
Off-road Suspension with Bilstein™ Position-Sensitive Dampers	—	—	—	—	S	—

Ford Everest MY2027 Specifications | Active, Sport, Tremor and Platinum Specifications

	Active	Active	Sport	Sport	Tremor	Platinum
	4x4	4WD	4x4	4WD	4WD	4WD
Engine	2.0L Turbo Diesel¹	3.0L V6 Turbo Diesel¹	2.0L Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹	3.0L V6 Turbo Diesel¹
Off-Road (continued)						
Front Recovery Hooks	2	2	2	2	2	2
Front Recovery Hooks Cover	—	—	—	—	S	—
Steel Underbody Protection	S	S	S	S	S	S
Front Steel Bash Plate	—	—	—	—	S	—
Tyre Pressure Monitoring System	S	S	S	S	S	S
Factory Options						
Prestige Paint	O	O	O	O	O	O
18" Alloy Wheels with All-Terrain Tyres and 18" Alloy Spare Wheel	O	O	NCO	NCO	-	NCO
Body Colour Roof	—	—	—	—	—	NCO
Towing Pack - Tow Bar with Hitch, Integrated Trailer Brake Controller, Trailer Connection Alarm & Blind Spot Monitoring with Trailer Coverage³⁶	O	O	—	—	—	—
Premium Towing Pack - Tow Bar with Hitch, Integrated Trailer Brake Controller, Trailer Connection Alarm, Blind Spot Monitoring with Trailer Coverage & Pro Trailer Backup Assist³⁶	—	—	O	O	O	O
Rough Terrain Pack - Rough Terrain Bar, ARB Under Vehicle Armour (UVA) and Auxiliary Switch Bank³⁷	—	—	—	—	O	—
Third Row Seats with Child Seat Upper Anchorage Points (Including 3rd Row Air Vent Registers & 3rd Row 12V Outlet)	O	O	—	—	—	—
Third Row Seat Removal (Including Removal of 3rd Row Air Vent Registers & 3rd Row 12V Outlet)	—	—	—	—	NCO	—
Cloth Seats (5 Seat Configuration Only)	O	O	—	—	—	—

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost
NCO = Factory Option that can be ordered before a vehicle is manufactured at no additional cost

Disclaimer:

23. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. 24. Driver- assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. iACC uses various data to adjust the set speed of the vehicle to the speed limit detected by the system. The iACC system will not always detect the correct speed limit and may set a vehicle speed that is above or below the actual speed limit. If the system does this, it can be overridden by the driver applying the brake or accelerator. Customers should read the Owner's Manual for full details of the limitations of the iACC system before activating the system. 25. Intelligent Speed Assist (ISA) uses Speed Sign Recognition to limit the vehicle's speed to the maximum speed limit detected by the Speed Sign Recognition system. The ISA system is subject to limitations, and will not always detect the correct speed limit. This can occur in certain circumstances, including (but not limited to) unreadable speed signs due to obstruction or poor condition, severe weather, or travelling a distance without encountering a speed sign - which may cause the vehicle to be limited above or below the actual speed limit. ISA can be temporarily overridden by the driver firmly pressing the accelerator. 26. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. Trailer Coverage system supports conventional trailer dimensions: up to 2.4m wide (measured at trailer front) and up to 10m long from the rear of your vehicle. Drivers will need to create a profile of their trailers in SYNC to support this system. Only works with a genuine factory fit Ford Tow Bar. 27. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Evasive Steer Assist does not control steering. See Owner's Manual for details and limitations. 28. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. Designed for use on rural roads at speeds of 65 – 110km/h. The feature does not detect every edge and does require a level of contrast between the road surface and the edge. 29. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. Pre-collision Assist with Automatic Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. It does not replace safe driving. See Owner's Manual for Limitations. Intersection Assist does not detect all vehicles in intersection, pedestrians or cyclists. It does not replace safe driving. See Owner's Manual for Limitations. 30. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h. Please see the Owner's Manual for precautions and limitations. 31. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. Factoryrn Options can be ordered before a vehicle is manufactured at additional cost. 32. Drivers are responsible for maintaining the correct legal speed limit at all times and should not rely solely upon the Traffic Sign Recognition system. 33. Maximum towing capacity-braked using a Genuine Ford tow pack. Subject to State and Territory regulations. To comply with these limits, occupants and / or luggage may need to be restricted to not exceed the GCM and GVM limits. For further details regarding passenger and luggage restrictions, please consult your authorised Ford Dealer and / or refer to the Owner's Manual. 34. Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and Trailer Connection Alarm. To use the Trailer Brake Controller, drivers must set the gain on the Brake Controller unit. 35. Intended for off-road use only. 36. Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. Trailer coverage system supports conventional trailer dimensions: up to 2.4m wide (measured at trailer front) and up to 10m long from the rear of your vehicle. Drivers will need to create a profile of their trailers in SYNC to support this system. 37. When the Rough Terrain Bar is fitted, the vehicle is 'unrated' by ANCAP.

Discover more at ford.com.au

Contact us

If you have any questions or concerns, please contact our Customer Relationship Centre on 13 FORD (13 36 73) or email foacust1@ford.com

Running a fleet?

Our Ford Fleet team is here to assist you in any way we can. Please email askfleet@ford.com

Find out more



Issue Date: 29 September 2026



Important information:
This brochure is designed to provide you with a general introduction to the Ford products (including available optional equipment) referred to and should be read in conjunction with the latest specification sheet. Features, designs, materials, colours and other specifications may vary from those depicted. Because of changes in conditions and circumstances Ford reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice, to discontinue or change the features, designs, materials, colours and other specifications and the prices of its products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchaser or purchasers. The latest specification sheet should be referred to for information on the availability, ordering and use of features and optional equipment. Always consult an authorised Ford Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order.