

2027MY

Ranger

Ford Service

Don’t worry about service. That’s our job.



7 year warranty[1]

Exclusively service your vehicle on schedule with a Ford dealer and we’ll keep it covered for 7 years, no matter how many kilometres you do.

Service made easier

We have great offerings that make servicing more convenient, like loan cars[2], pick up and drop off[3], Express Service[4] and online booking.

Know what you’ll pay

When you buy a new Ford, you’ll know exactly how much each of your first four general car services will cost.

Roadside assistance[5]

When you purchase a new Ford vehicle, you receive Ford National Roadside assistance for 12 months. You also receive Ford National Roadside assistance for 12 months each time a general service is completed with a participating dealer, until your vehicle reaches 7 years of age.

For more information, visit
ford.com.au/owners/service

Ford Insure

Fit your Ford with insurance made for it.



New Genuine Ford Parts[6]

Look after the integrity of your vehicle, by using only New Genuine Parts, when possible.

Dealer fitted accessories[7]

Accessories which are fitted on your vehicle by a dealership are automatically included.

Automatic off-road cover[8]

Enjoy peace of mind with automatic off-road coverage included.

Removal of excess for glass damage[9]

The Standard Excess under your policy won’t be applied for windscreen, sunroof or window glass only claims.

For more information, visit
ford.com.au/owners/insurance

Finance

Clarity for the road ahead.



Whether you're upgrading, switching models, or buying your first Ford, Ford Finance is here to shorten the distance between you and your next vehicle. Talk to one of our dealers to understand the benefits of choosing Ford Finance.

Approved applicants only. Terms, conditions, fees and charges apply. Finance is provided by Angle Auto Finance Pty Ltd (trading as Ford Finance) ABN 16 161 130 696. Australian Credit Licence 530731. Ford™, the Ford Oval Device™ and Ford Finance™ are trademarks of Ford Motor Company and are used by Angle Auto Finance Pty Ltd pursuant to a licence.

For more information, visit
ford.com.au/ford-finance

Steps to get behind the wheel

Estimate repayments

Using the repayment estimator

Shop for vehicles

Explore the options

Finance with clarity

Get a personalised quote or apply for finance at your preferred Dealership.

Genuine & Licensed Accessories



Vehicle is fitted with optional accessories.

There's no better way to personalise your Ford than with the wide range of Ford accessories available for every model.

From seat covers and floor mats, to bull bars, you'll find lots of options to make your Ford uniquely your own at one of our nation-wide Dealers.

*For full details, please visit our Warranties page at https://www.ford.com.au/owners/warranties/

Genuine quality[10]

Every Ford Genuine Accessory is fully compatible with your vehicle for optimal integration and performance.

7 year warranty[1]

When fitted to your new vehicle by an authorised Ford Dealer prior to delivery, enjoy complete peace of mind with all Ford Genuine and Ford Licensed Accessories backed by our Ford Warranty of up to 7 years and unlimited kilometres when you service only with Ford dealerships.*

Australia wide

Our vast national network of Ford Dealers means there's a fitment centre conveniently located near you.

ARB
4X4 ACCESSORIES

Order your Ranger adventure-ready

Ford has joined forces with ARB to create an exciting range of 4WD accessories designed for the Ford Ranger. You can choose from a large selection of ARB Ford Licensed Accessories at your local participating Ford Dealer, backed by Ford's 7 year unlimited kilometre warranty when fitted to your new Ranger prior to delivery.

4x2 I XL, XLT Ranger 2027MY Specifications

	XL	XL	XL	XLT
	4x2 Single Cab-Chassis	4x2 Super Cab-Chassis	4x2 Double Cab Pick-Up	4x2 Double Cab Pick-Up
Engine	**2.0L Turbo**	**2.0L Turbo**	**2.0L Turbo**	**2.0L Turbo**
Engine Max Power	125kW @ 3,500rpm	125kW @ 3,500rpm	125kW @ 3,500rpm	125kW @ 3,500rpm
Engine Max Torque	405Nm @ 1,750-2,500rpm	405Nm @ 1,750-2,500rpm	405Nm @ 1,750-2,500rpm	405Nm @ 1,750-2,500rpm
Transmissions				
10-Speed Automatic Transmission	S	S	S	S
Driveline				
RWD	S	S	S	S
Selectable Drive Modes:[1]				
- Normal	—	—	—	S
- Eco	—	—	—	S
- Tow / Haul	—	—	—	S
- Slippery	—	—	—	S
Vehicle Masses (kg)[2]				
Gross Combined Mass (GCM)	6,200	6,200	6,200	6,200
Gross Vehicle Mass (GVM)	3,150	3,200	3,200	3,200
Front Gross Axle Weight Rating	1,400	1,400	1,400	1,400
Rear Gross Axle Weight Rating	1,959	1,959	1,959	1,959
Kerb Weight	1,728	1,850	2,036	2,104
Payload (based on Kerb Weight)	1,422	1,350	1,164	1,096
Chassis & Suspension				
Front Disc / Rear Drum Brakes	S	S	S	—
Front and Rear Ventilated Discs with Electronic Brake Booster	—	—	—	S
Electrical Power Steering	S	S	S	S
Heavy-Duty Suspension	S	S	S	—
Locking Rear Differential	—	—	—	S
Fuel				
Combined Fuel Economy (L/100km)[3]	6.8	6.8	6.8	6.8/7.0
CO_2 Emissions (g/km)[4]	179	179	179	179/184
Fuel Tank Capacity (L)	80	80	80	80
Fuel Type	Diesel	Diesel	Diesel	Diesel
Renewable Diesel (HVO) Compatibility	S	S	S	S
Exterior Dimensions (mm)[5]				
Length - with rear bumper (where fitted) without tow receiver[6]	5,410	5,410	5,370	5,370
Length - with rear bumper (where fitted) with tow receiver[6]	5,410	5,410	5,406	5,406
Width - exterior mirrors extended	2,208	2,208	2,208	2,208
Width - exterior mirrors folded	2,015	2,015	2,015	2,015
Width - excluding mirrors	1,910	1,910	1,910	1,918

4x2 I XL, XLT Ranger 2027MY Specifications

	XL	XL	XL	XLT
	4x2 Single Cab-Chassis	4x2 Super Cab-Chassis	4x2 Double Cab Pick-Up	4x2 Double Cab Pick-Up
Engine	**2.0L Turbo**	**2.0L Turbo**	**2.0L Turbo**	**2.0L Turbo**
Exterior Dimensions (mm)[5] (continued)				
Height - to top of antenna base	1,872	1,866	1,875	1,886
Overhang - front	865	865	865	865
Overhang - rear	1,255	1,255	1,255	1,215
Track - front and rear	1,620	1,620	1,620	1,620
Wheelbase	3,270	3,270	3,270	3,270
Ground Clearance (unladen)	224	224	224	224
Wading Depth[7]	800	800	800	800
Approach Angle (unladen, degrees)	29	29	29	30
Departure Angle (unladen, degrees)[8]	25	25	25	23
Ramp Breakover Angle (unladen, degrees)	21	20	20	21
Turning Circle (meters)	14	14	14	14
Pick-Up Box Dimensions (mm)[9]				
Height - at centreline of axle	—	—	529	525
Height - floor height to ground	—	—	816	831
Length - at floor	—	—	1,547	1,464
Length - top of box	—	—	1,471	1,468
Width - between wheelhouses	—	—	1,224	1,217
Width - pick-up box	—	—	1,584	1,520
Width - rear opening	—	—	1,413	1,393
Interior Dimensions (mm)[10]				
Front Headroom	1,024	1,024	1,024	1,024
Front Legroom	1,057	1,057	1,057	1,057
Front Shoulder Room	1,450	1,450	1,450	1,450
2nd Row Headroom	—	935	989	989
2nd Row Legroom	—	759	879	879
2nd Row Shoulder Room	—	1,392	1,440	1,440

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

1. Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. **2.** Kerb weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo with the lightest possible orderable combination of factory fit equipment. Maximum payload is calculated by deducting the vehicles Kerb Weight from its Gross Vehicle Mass (GVM). Payload is the maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). All Chassis Cab payload and kerb weights exclude weights of tray bodies. Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross Axle Weight Ratings are not exceeded. **3.** Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, options and accessories, condition and use. The figure 7.0 L/100 km applies to Ranger 4x2 XLT Double PU 2.0L Turbo with any of the following factory options: Stylish Dual Lift Canopy, Stylish Lift and Slide Canopy, or Commercial Canopy . The 6.8 L/100 km figure applies to the standard configuration. **4.** Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, options and accessories, condition and use. The figure 184 g/km applies to Ranger 4x2 XLT Double PU 2.0L Turbo with any of the following factory options: Stylish Dual Lift Canopy, Stylish Lift and Slide Canopy, or Commercial Canopy. The 179 g/km figure applies to the standard configuration. **5.** Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All Pick-up box dimensions take into account the Drop-In or Spray-In Bedliner where standard. **6.** Vehicle length measured from front license plate bracket. **7.** 800mm Water Wading achieved when maintaining a steady speed of 7 km/h. **8.** Inclusive of tow bar where standard. **9.** Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All Pick-up box dimensions take into account the Drop-In or Spray-In Bedliner where standard. **10.** Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value.

4x2 I XL, XLT Ranger 2027MY Specifications

	XL	XL	XL	XLT
	4x2 Single Cab-Chassis	4x2 Super Cab-Chassis	4x2 Double Cab Pick-Up	4x2 Double Cab Pick-Up
Engine	**2.0L Turbo**	**2.0L Turbo**	**2.0L Turbo**	**2.0L Turbo**
Wheels & Tyres				
16" Steel with All-Season Tyres	S	S	S	—
17" Alloy with All-Season Tyres	—	—	—	S
Spare Wheel - 16" Steel	S	S	S	—
Spare Wheel - 17" Steel	—	—	—	S
Exterior Lighting				
Headlamps - Halogen	S	S	S	—
Headlamps - LED	—	—	—	S
Daytime Running Lamps - Halogen	S	S	S	—
Daytime Running Lamps - LED	—	—	—	S
Front Fog Lamps - Halogen	—	—	—	S
Taillamps - Halogen	S	S	—	—
Taillamps - LED	—	—	S	S
Tailgate Mounted Stop Light	—	—	S	S
Exterior				
Exterior Mirrors - Power Adjustable	S	S	S	S
Exterior Mirrors - Power Folding	—	—	S	S
Side Steps	—	—	—	S
Rear Box Step	—	—	S	S
Sports Bar[10]	—	—	—	S
Load Box Elements				
Tailgate Ruler	—	—	S	—
Drop-In Bedliner (without Tailgate Ruler)[10]	—	—	—	S
Pro Power Onboard™ - 400W (230V) Inverter - In Bedliner[11]	—	—	—	S
Box Protective Capping with Load Box Access Caps[10]	—	—	S	S
Inner Tie Down Rails	—	—	S	S
Load Rest[10]	—	—	S	—
Load Box Illumination	—	—	S	S
Tailgate Cargo Clamps	—	—	S	S
Tailgate Cupholders	—	—	S	S
Power Tailgate Lock	—	—	—	S
Tailgate with Lift Assistance	—	—	S	S
Interior & Seating				
Seating Capacity	2	4	5	5
Driver Seat - 8-Way Manual	S	S	S	S
Front Passenger Seat - 4-Way Manual	S	S	S	S

4x2 I XL, XLT Ranger 2027MY Specifications

	XL	XL	XL	XLT
	4x2 Single Cab-Chassis	4x2 Super Cab-Chassis	4x2 Double Cab Pick-Up	4x2 Double Cab Pick-Up
Engine	**2.0L Turbo**	**2.0L Turbo**	**2.0L Turbo**	**2.0L Turbo**
Interior & Seating (continued)				
Seat Material - Cloth	S	S	S	—
Seat Material - Premium Cloth	—	—	—	S
Child Seat Upper Anchorage Points (x2)	—	—	S	S
Child Seat ISOFIX Anchorage Points (x2)	—	—	S	S
Steering Wheel Reach & Height Adjust	S	S	S	S
Electric Park Brake	—	—	—	S
Floor Covering - Vinyl	S	S	S	—
Floor Covering - Carpet	—	—	—	S
Floor Mats - Driver	—	—	—	S
Comfort & Convenience				
Centre Console with Single Lid and 2 Cupholders	S	S	S	S
Instrument Panel Cupholders	—	—	—	S
Charging:				
- Interior 12V Power Outlet - In Console Bin	S	S	S	S
- Total USB Ports	2	4	4	4
- Wireless Charging[12]	—	—	—	S
- Pro Power Onboard™ - 400W (230V) Inverter - Rear of Console[11]	—	S	S	S
- Pro Power Onboard™ - 400W (230V) Inverter - In Bedliner[11]	—	—	—	S
Climate Control - Dual-Zone	S	S	S	S
Rear Air Vent Registers	—	—	S	S
Underseat Stowage	—	S	S	S
Auto Headlamp On-Off	S	S	S	S
Front Power Windows	S	S	S	S
Rear Power Windows	—	—	S	S
Privacy Glass	—	—	—	S
Rear Window Defrost	S	S	S	S
Rain Sensing Windscreen Wipers	—	—	—	S
Electrochromatic Rear View Mirror	—	—	—	S

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

10. Load Rest (XL), Sports Bar (XLT), Sports Hoop/Sailplane, Aluminium Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. Drop in bedliner may be trimmed to accommodate mounting brackets. **11.** Power availability may be reduced when the vehicle is not engaged in park (P) or where more than one outlet is used. **12.** Wireless charging only available with compatible phones.

4x2 | XL, XLT Ranger 2027MY Specifications

	XL	XL	XL	XLT
	4x2 Single Cab-Chassis	4x2 Super Cab-Chassis	4x2 Double Cab Pick-Up	4x2 Double Cab Pick-Up
Engine	2.0L Turbo	2.0L Turbo	2.0L Turbo	2.0L Turbo
Audio & Communication				
Embedded Modem	S	S	S	S
Ford app Connectivity[13]	S	S	S	S
Colour Digital Instrument Cluster with Configurable Display - 8-inch	S	S	S	S
Colour Multi-Function Touch Screen Display - 12-inch	S	S	S	S
Speakers	2	4	4	6
DAB+/AM/FM Radio	—	—	—	S
Bluetooth® with Phone/Audio Streaming[14]	S	S	S	S
Built-In Satellite Navigation with One Year of Connected Navigation Services included[15]	—	—	—	S
SYNC®4A with Voice-Activated Controls[16]	S	S	S	S
Steering Wheel Audio/Function Control	S	S	S	S
Wireless Apple CarPlay™ & Android Auto™ [17]	S	S	S	S
Safety & Security				
Perimeter Alarm System	—	—	—	S
Trailer Connection Alarm[18]	—	—	—	S
Airbags x 9 - Front, Side, Knee & Full Length Curtain (Driver & Passenger) & Far Side Driver Front Airbag	S	S	S	S
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S
Child Proof Rear Door Locks	—	—	S	S
Emergency Assistance[19]	S	S	S	S
Power Door Locks	S	S	S	S
Smart Keyless Entry with Push Button Start	—	—	—	S
Driver Assistance				
Adaptive Cruise Control[20]	S	S	S	—
Intelligent Adaptive Cruise Control with Stop & Go and Lane Centring[21]	—	—	—	S
Traffic Sign Recognition[22]	S	S	S	S
Intelligent Speed Limit Assist[23]	S	S	S	S
Blind Spot Monitoring with Cross Traffic Assist[20]	S	S	S	S
Blind Spot Monitoring with Cross Traffic Assist and Trailer Coverage[24]	P	P	P	S
Dynamic Stability Control (DSC) incorporating ABS, Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Load Adaptive Control, Roll Over Mitigation, Traction Control and Trailer Sway Control[20]	S	S	S	S
Evasive Steer Assist[20]	S	S	S	S
Lane Keeping Aid with Road Edge Detection and Driver Alert System[25]	S	S	S	S
Post Impact Braking[20]	S	S	S	S
Pre-Collision Assist with Autonomous Emergency Braking (AEB)[26]	S	S	S	S
Reverse Brake Assist[27]	S	S	S	S

4x2 | XL, XLT Ranger 2027MY Specifications

	XL	XL	XL	XLT
	4x2 Single Cab-Chassis	4x2 Super Cab-Chassis	4x2 Double Cab Pick-Up	4x2 Double Cab Pick-Up
Engine	2.0L Turbo	2.0L Turbo	2.0L Turbo	2.0L Turbo
Driver Assistance (continued)				
Parking Sensors - Front[20]	S	S	S	S
Parking Sensors - Rear[20]	S	S	S	S
Rear View Camera[20]	S	S	S	S
Tyre Pressure Monitoring System	—	—	—	S

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

13. Use of Ford app is subject to the Ford app Terms and User Guide and Ford app Privacy Collection Notice which are available on https://www.ford.com.au/privacy and requires a compatible mobile device, internet access and software (including software updates from time to time). The Ford app functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the Ford app on your mobile device, including associated fees. The Ford app and the Vehicle's modem can only work when both are connected to the telecommunications network. The Vehicle's modem will only function on the telecommunications networks it could use at time of manufacture. When all compatible networks for the modem in your vehicle are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that Ford app will be in fully operating condition at all times and the Ford app may be unavailable or particular Ford app services interrupted. If the Ford app is unavailable, the ability to lock or unlock your vehicle remotely could be limited, and a physical key might be needed. Always keep your key with you to ensure you can access your vehicle at all times even if the Ford app is unavailable. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. **14.** Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. **15.** Eligible vehicles receive Connected Navigation Services for 1 year from the Ford Express New Vehicle Warranty start date, after which time the Connected Navigation Services may cease to be available, or may be subject to a subscription fee. To use Connected Navigation Services, users must have created a Ford app account (terms apply), have fully activated the vehicle's modem and have SYNC Location set to 'on'. **16.** Don't drive distracted. Use voice operated systems where possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates. **17.** Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay/Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. **18.** Drivers will need to create a profile of their trailers in SYNC to support this system. **19.** Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. **20.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. **21.** Driver- assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. iACC uses various data to adjust the set speed of the vehicle to the speed limit detected by the system. The iACC system will not always detect the correct speed limit and may set a vehicle speed that is above or below the actual speed limit. If the system does this, it can be overridden by the driver applying the brake or accelerator. Customers should read the Owner's Manual for full details of the limitations of the iACC system before activating the system. **22.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Speed Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. On Ranger models with Satellite Navigation, in some circumstances Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **23.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Intelligent Speed Limit Assist (ISLA) uses various data to limit the set speed of the vehicle to the speed limit detected by the system. The ISLA system will not always detect the correct speed limit and may limit a vehicle speed above or below the actual speed limit. ISLA can be temporarily overridden by the driver firmly pressing the accelerator. Customers should read the Owner's Manual for details of the limitations of the ISLA system before activating. On Ranger models with Satellite Navigation, in some circumstances, ISLA will use map data to limit the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **24.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Trailer Coverage system (requires a genuine factory fit tow bar) supports conventional trailer dimensions: up to 2.4m wide (measured at trailer front) and up to 10m long from the rear of your vehicle. Drivers will need to create a profile of their trailers in SYNC to support this system. **25.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Road Edge Detection designed for use on rural roads at speeds of 65 – 110km/h. The feature does not detect every edge and does require a level of contrast between the road surface and the edge. **26.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Pre-collision Assist with Automatic Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. It does not replace safe driving. See Owner's Manual for Limitations. **27.** Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Please see Owner's Manual for more information. Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h.

4x2 | XL, XLT Ranger 2027MY Specifications

	XL	XL	XL	XLT
	4x2 Single Cab-Chassis	**4x2 Super Cab-Chassis**	**4x2 Double Cab Pick-Up**	**4x2 Double Cab Pick-Up**
Engine	**2.0L Turbo**	**2.0L Turbo**	**2.0L Turbo**	**2.0L Turbo**
Towing				
Maximum Braked Towing Capacity (kg)[28]	3,500	3,500	3,500	3,500
Tow Bar Receiver	—	—	—	S
Tow Bar Receiver with Tow Hitch	P	P	P	—
Integrated Trailer Brake Controller[29]	P	P	P	S
Trailer Light Check[30]	P	P	P	S
Towing Vehicle Integration with Towing Checklist	S	S	S	S
Tow/Haul Mode (part of Selectable Drive Modes)[31]	—	—	—	S
Off-Road				
Front Recovery Point	1	1	1	1
Ford Factory Fitted Options				
Prestige Paint	O	O	O	O
Additional Wheel Centre Cap to suit Wheel Nut Indicator Fitment	O	O	O	—
Towing Pack - Tow Bar Receiver with Tow Hitch, Integrated Trailer Brake Controller and Trailer Light Check[32]	O	O	O	—
Auxiliary Switch Bank	O	O	O	O
Stylish Canopy (Dual Lift)[33]	—	—	O	O
Stylish Canopy (Lift & Slide)[33]	—	—	O	O
Commercial Canopy[33]	—	—	O	O

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

28. Maximum towing capacity-braked using a Genuine Ford tow pack. Standard on XLT, Wolftrak, Tremor, Wildtrak, Platinum, and Raptor models. Available as part of a pack at additional cost on XL, XLS, Black Edition. The standard Genuine Ford tow pack on XLT, Wolftrak, and Raptor models do not include a tow hitch, which is available at an additional cost. Subject to State and Territory regulations. To comply with regulations and vehicle GCM and GVM limits, the weight of any load transported by the vehicle may need to be restricted. For further details regarding load weight restrictions, please consult your authorised Ford Dealer and refer to the Owner's Manual. **29.** Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. **30.** Trailer Light Check requires a Genuine Ford Tow Bar to be fitted and can be used via SYNC, or via Ford app as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a Ford app account (terms apply) and have fully activated the vehicle's modem to use this feature via the app. **31.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. **32.** Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. - Trailer Light Check requires a Genuine Ford Tow Bar to be fitted and can be used via SYNC, or via Ford app as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a Ford app account (terms apply) and have fully activated the vehicle's modem to use this feature via the app. **33.** Load Rest (XL), Sports Bar (XLT), Sports Hoop/Sailplane, Aluminium Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. Drop in bedliner may be trimmed to accommodate mounting brackets.

4x4 | XL Ranger 2027MY Specifications

	XL	XL	XL	XL
	4x4 Single Cab-Chassis	4x4 Single Cab-Chassis	4x4 Super Cab-Chassis	4x4 Super Cab-Chassis
Engine	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**
Engine Max Power	125kW @ 3,500rpm	184kW @ 3,250rpm	125kW @ 3,500rpm	184kW @ 3,250rpm
Engine Max Torque	405Nm @ 1,750-2,500rpm	600Nm @ 1,750-2,250rpm	405Nm @ 1,750-2,500rpm	600Nm @ 1,750-2,250rpm
Transmission				
10-Speed Automatic Transmission	S	S	S	S
Driveline				
Part-time 4x4	S	—	S	—
Full-time 4WD	—	S	—	S
Selectable Drive Modes:[1]				
- Normal	—	S	—	S
- Eco	—	S	—	S
- Tow / Haul	—	S	—	S
- Slippery	—	S	—	S
Vehicle Masses (kg)[2]				
Gross Combined Mass (GCM)	6,200	6,400	6,200	6,400
Gross Vehicle Mass (GVM)	3,190	3,230	3,250	3,350
Front Gross Axle Weight Rating	1,490	1,490	1,490	1,490
Rear Gross Axle Weight Rating	1,959	1,959	1,959	1,959
Kerb Weight	1,824	1,925	1,946	2,034
Payload (based on Kerb Weight)	1,366	1,305	1,304	1,316
Chassis & Suspension				
Front Disc / Rear Drum Brakes	S	—	S	—
Front and Rear Ventialted Discs with Electronic Brake Booster	—	S	—	S
Electrical Power Steering	S	S	S	S
Heavy-Duty Suspension	S	S	S	S
Locking Rear Differential	S	S	S	S
Fuel				
Combined Fuel Economy (L/100km)[3]	7.1	8.3	7.1	8.3
CO_2 Emissions (g/km)[3]	187	218	187	218
Fuel Tank Capacity (L)	80	80	80	80
Fuel Type	Diesel	Diesel	Diesel	Diesel
Renewable Diesel (HVO) Compatibility	S	S	S	S
Exterior Dimensions (mm)[4]				
Length - with rear bumper (where fitted) without tow receiver[5]	5,410	5,410	5,410	5,410
Length - with rear bumper (where fitted) with tow receiver[5]	5,410	5,410	5,410	5,410
Width - exterior mirrors extended	2,208	2,208	2,208	2,208

4x4 | XL Ranger 2027MY Specifications

	XL	XL	XL	XL
	4x4 Single Cab-Chassis	4x4 Single Cab-Chassis	4x4 Super Cab-Chassis	4x4 Super Cab-Chassis
Engine	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**
Exterior Dimensions (mm)[4] (continued)				
Width - exterior mirrors folded	2,015	2,015	2,015	2,015
Width - excluding mirrors	1,910	1,910	1,910	1,910
Height - to top of antenna base	1,872	1,872	1,866	1,866
Overhang - front	865	865	865	865
Overhang - rear	1,255	1,255	1,255	1,255
Track - front and rear	1,620	1,620	1,620	1,620
Wheelbase	3,270	3,270	3,270	3,270
Ground Clearance (unladen)	224	224	224	224
Wading Depth[6]	800	800	800	800
Approach Angle (unladen, degrees)	29	29	29	29
Departure Angle (unladen, degrees)[7]	25	25	25	25
Ramp Breakover Angle (unladen, degrees)	21	21	20	20
Turning Circle (meters)	12.9	12.9	12.9	12.9
Interior Dimensions (mm)[8]				
Front Headroom	1,024	1,024	1,024	1,024
Front Legroom	1,057	1,057	1,057	1,057
Front Shoulder Room	1,450	1,450	1,450	1,450
2nd Row Headroom	—	—	935	935
2nd Row Legroom	—	—	759	759
2nd Row Shoulder Room	—	—	1,392	1,392
Wheels & Tyres				
16" Steel with All-Season Tyres	S	—	S	—
17" Steel with All-Terrain Tyres	O	S	O	S
Spare Wheel - 16" Steel	S	—	S	—
Spare Wheel - 17" Steel	O	S	O	S

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

1. Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. **2.** Kerb weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo with the lightest possible orderable combination of factory fit equipment. Maximum payload is calculated by deducting the vehicles Kerb Weight from its Gross Vehicle Mass (GVM). Payload is the maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). All Chassis Cab payload and kerb weights exclude weights of tray bodies. Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross Axle Weight Ratings are not exceeded. **3.** Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, options and accessories, condition and use. **4.** Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All Pick-up box dimensions take into account the Drop-In or Spray-In Bedliner where standard. **5.** Vehicle length measured from front license plate bracket. **6.** 800mm Water Wading achieved when maintaining a steady speed of 7 km/h. **7.** Inclusive of tow bar where standard. **8.** Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value.

4x4 | XL Ranger 2027MY Specifications

	XL	XL	XL	XL
	4x4 Single Cab-Chassis	4x4 Single Cab-Chassis	4x4 Super Cab-Chassis	4x4 Super Cab-Chassis
Engine	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**
Exterior Lighting				
Headlamps - Halogen	S	S	S	S
Daytime Running Lamps - Halogen	S	S	S	S
Taillamps - Halogen	S	S	S	S
Exterior				
Exterior Mirrors - Power Adjustable	S	S	S	S
Steel Underbody Protection	S	S	S	S
Interior & Seating				
Seating Capacity	2	2	4	4
Driver Seat - 8-Way Manual	S	S	S	S
Front Passenger Seat - 4-Way Manual	S	S	S	S
Seat Material - Cloth	S	S	S	S
Steering Wheel Reach & Height Adjust	S	S	S	S
Leather-Wrapped Gear Knob	—	S	—	S
Electric Park Brake	—	S	—	S
e-Shifter	—	S	—	S
Floor Covering - Vinyl	S	S	S	S
Comfort & Convenience				
Centre Console with Single Lid and 2 Cupholders	S	S	S	S
Charging:				
- Interior 12V Power Outlet - In Console Bin	S	S	S	S
- Total USB Ports	2	2	4	4
- Pro Power Onboard™ - 400W (230V) Inverter - Rear of Console[9]	—	—	S	S
Climate Control - Dual-Zone	S	S	S	S
Underseat Stowage	—	—	S	S
Auto Headlamp On-Off	S	S	S	S
Front Power Windows	S	S	S	S
Rear Window Defrost	S	S	S	S
Audio & Communication				
Embedded Modem	S	S	S	S
Ford app Connectivity[10]	S	S	S	S
Colour Digital Instrument Cluster with Configurable Display - 8-inch	S	S	S	S
Colour Multi-Function Touch Screen Display - 12-inch	S	S	S	S
Speakers	2	2	4	4
Bluetooth® with Phone/Audio Streaming[11]	S	S	S	S

4x4 | XL Ranger 2027MY Specifications

	XL	XL	XL	XL
	4x4 Single Cab-Chassis	4x4 Single Cab-Chassis	4x4 Super Cab-Chassis	4x4 Super Cab-Chassis
Engine	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**
Audio & Communication (continued)				
SYNC®4A with Voice-Activated Controls[12]	S	S	S	S
Steering Wheel Audio/Function Control	S	S	S	S
Wireless Apple CarPlay™ & Android Auto™ [13]	S	S	S	S
Safety & Security				
Airbags x 9 - Front, Side, Knee & Full Length Curtain (Driver & Passenger) & Far Side Driver Front Airbag	S	S	S	S
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S
Emergency Assistance[14]	S	S	S	S

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

9. Power availability may be reduced when the vehicle is not engaged in park (P) or where more than one outlet is used. **10.** Use of Ford app is subject to the Ford app Terms and User Guide and Ford app Privacy Collection Notice which are available on https://www.ford.com.au/privacy and requires a compatible mobile device, internet access and software (including software updates from time to time). The Ford app functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the Ford app on your mobile device, including associated fees. The Ford app and the Vehicle's modem can only work when both are connected to the telecommunications network. The Vehicle's modem will only function on the telecommunications networks it could use at time of manufacture. When all compatible networks for the modem in your vehicle are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that Ford app will be in fully operating condition at all times and the Ford app may be unavailable or particular Ford app services interrupted. If the Ford app is unavailable, the ability to lock or unlock your vehicle remotely could be limited, and a physical key might be needed. Always keep your key with you to ensure you can access your vehicle at all times even if the Ford app is unavailable. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. **11.** Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. **12.** Don't drive distracted. Use voice operated systems where possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates. **13.** Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay/ Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. **14.** Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off.

	XL	XL	XL	XL
	4x4 Single Cab-Chassis	4x4 Single Cab-Chassis	4x4 Super Cab-Chassis	4x4 Super Cab-Chassis
Engine	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**
Driver Assistance				
Adaptive Cruise Control[15]	S	S	S	S
Traffic Sign Recognition[16]	S	S	S	S
Intelligent Speed Limit Assist[17]	S	S	S	S
Blind Spot Monitoring with Cross Traffic Assist[15]	S	S	S	S
Blind Spot Monitoring with Cross Traffic Assist and Trailer Coverage[18]	P	P	P	P
Dynamic Stability Control (DSC) incorporating ABS, Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Load Adaptive Control, Roll Over Mitigation, Traction Control and Trailer Sway Control[15]	S	S	S	S
Evasive Steer Assist[15]	S	S	S	S
Lane Keeping Aid with Road Edge Detection and Driver Alert System[19]	S	S	S	S
Post Impact Braking[15]	S	S	S	S
Pre-Collision Assist with Autonomous Emergency Braking (AEB)[20]	S	S	S	S
Reverse Brake Assist[21]	S	S	S	S
Parking Sensors - Front[15]	S	S	S	S
Parking Sensors - Rear[15]	S	S	S	S
Rear View Camera[15]	S	S	S	S
Towing				
Maximum Braked Towing Capacity (kg)[22]	3,500	3,500	3,500	3,500
Tow Bar Receiver with Tow Hitch	P	P	P	P
Integrated Trailer Brake Controller[23]	P	P	P	P
Trailer Light Check[24]	P	P	P	P
Towing Vehicle Integration with Towing Checklist	S	S	S	S
Tow/Haul Mode (part of Selectable Drive Modes)[15]	—	S	—	S
Off-Road				
Hill Descent Control[15]	S	S	S	S
Front Recovery Point	1	1	1	1
Ford Factory Fitted Options				
Prestige Paint	O	O	O	O
17" Steel Wheels with All-Terrain Tyres with 17" Steel Spare Wheel	O	—	O	—
Additional Wheel Centre Cap to suit Wheel Nut Indicator Fitment	O	O	O	O
Towing Pack - Tow Bar Receiver with Tow Hitch, Integrated Trailer Brake Controller and Trailer Light Check[25]	O	O	O	O
Auxiliary Switch Bank	O	O	O	O

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

15. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information **16.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Speed Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. On Ranger models with Satellite Navigation, in some circumstances Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **17.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Intelligent Speed Limit Assist (ISLA) uses various data to limit the set speed of the vehicle to the speed limit detected by the system. The ISLA system will not always detect the correct speed limit and may limit a vehicle speed above or below the actual speed limit. ISLA can be temporarily overridden by the driver firmly pressing the accelerator. Customers should read the Owner's Manual for details of the limitations of the ISLA system before activating. On Ranger models with Satellite Navigation, in some circumstances, ISLA will use map data to limit the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **18.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Trailer Coverage system (requires a genuine factory fit tow bar) supports conventional trailer dimensions: up to 2.4m wide (measured at trailer front) and up to 10m long from the rear of your vehicle. Drivers will need to create a profile of their trailers in SYNC to support this system. **19.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Road Edge Detection designed for use on rural roads at speeds of 65 – 110km/h. The feature does not detect every edge and does require a level of contrast between the road surface and the edge. **20.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Pre-collision Assist with Automatic Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. It does not replace safe driving. See Owner's Manual for Limitations. **21** Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Please see Owner's Manual for more information. Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h. **22.** Maximum towing capacity-braked using a Genuine Ford tow pack. Standard on XLT, Wolftrak, Tremor, Wildtrak, Platinum, and Raptor models. Available as part of a pack at additional cost on XL, XLS, Black Edition. The standard Genuine Ford tow pack on XLT, Wolftrak, and Raptor models do not include a tow hitch, which is available at an additional cost. Subject to State and Territory regulations. To comply with regulations and vehicle GCM and GVM limits, the weight of any load transported by the vehicle may need to be restricted. For further details regarding load weight restrictions, please consult your authorised Ford Dealer and refer to the Owner's Manual. **23.** Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. **24.** Trailer Light Check requires a Genuine Ford Tow Bar to be fitted and can be used via SYNC, or via Ford app as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a Ford app account (terms apply) and have fully activated the vehicle's modem to use this feature via the app. **25.** Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. - Trailer Light Check requires a Genuine Ford Tow Bar to be fitted and can be used via SYNC, or via Ford app as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a Ford app account (terms apply) and have fully activated the vehicle's modem to use this feature via the app.

4x4 | XL Ranger 2027MY Specifications

	XL	XL	XL	XL
	4x4 Double Cab-Chassis	4x4 Double Cab-Chassis	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**
Engine Max Power	125kW @ 3,500rpm	184kW @ 3,250rpm	125kW @ 3,500rpm	184kW @ 3,250rpm
Engine Max Torque	405Nm @ 1,750-2,500rpm	600Nm @ 1,750-2,250rpm	405Nm @ 1,750-2,500rpm	600Nm @ 1,750-2,250rpm
Transmission				
10-Speed Automatic Transmission	S	S	S	S
Driveline				
Part-time 4x4	S	—	S	—
Full-time 4WD	—	S	—	S
Selectable Drive Modes:[1]				
- Normal	—	S	—	S
- Eco	—	S	—	S
- Tow / Haul	—	S	—	S
- Slippery	—	S	—	S
Vehicle Masses (kg)[2]				
Gross Combined Mass (GCM)	6,200	6,400	6,200	6,400
Gross Vehicle Mass (GVM)	3,250	3,350	3,250	3,350
Front Gross Axle Weight Rating	1,490	1,490	1,490	1,490
Rear Gross Axle Weight Rating	1,959	1,959	1,959	1,959
Kerb Weight	2,014	2,103	2,132	2,221
Payload (based on Kerb Weight)	1,236	1,247	1,118	1,129
Chassis & Suspension				
Front Disc / Rear Drum Brakes	S	—	S	—
Front and Rear Ventialted Discs with Electronic Brake Booster	—	S	—	S
Electrical Power Steering	S	S	S	S
Heavy-Duty Suspension	S	S	S	S
Locking Rear Differential	S	S	S	S
Fuel				
Combined Fuel Economy (L/100km)[3]	7.2	8.3	7.2	8.3
CO_2 Emissions (g/km)[3]	190	218	190	218
Fuel Tank Capacity (L)	80	80	80	80
Fuel Type	Diesel	Diesel	Diesel	Diesel
Renewable Diesel (HVO) Compatibility	S	S	S	S
Exterior Dimensions (mm)[4]				
Length - with rear bumper (where fitted) without tow receiver[5]	5,410	5,410	5,370	5,370
Length - with rear bumper (where fitted) with tow receiver[5]	5,410	5,410	5,406	5,406
Width - exterior mirrors extended	2,208	2,208	2,208	2,208
Width - exterior mirrors folded	2,015	2,015	2,015	2,015
Width - excluding mirrors	1,910	1,910	1,910	1,910

4x4 | XL Ranger 2027MY Specifications

	XL	XL	XL	XL
	4x4 Double Cab-Chassis	4x4 Double Cab-Chassis	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**
Exterior Dimensions (mm)[4] (continued)				
Height - to top of antenna base	1,875	1,875	1,875	1,875
Overhang - front	865	865	865	865
Overhang - rear	1,255	1,255	1,215	1,215
Track - front and rear	1,620	1,620	1,620	1,620
Wheelbase	3,270	3,270	3,270	3,270
Ground Clearance (unladen)	224	224	224	224
Wading Depth[6]	800	800	800	800
Approach Angle (unladen, degrees)	29	29	29	29
Departure Angle (unladen, degrees)[7]	25	25	25	25
Ramp Breakover Angle (unladen, degrees)	20	20	20	20
Turning Circle (meters)	12.9	12.9	12.9	12.9
Pick-Up Box Dimensions (mm)[4]				
Height - at centreline of axle	—	—	529	529
Height - floor height to ground	—	—	816	816
Length - at floor	—	—	1,547	1,547
Length - top of box	—	—	1,471	1,471
Width - between wheelhouses	—	—	1,224	1,224
Width - pick-up box	—	—	1,584	1,584
Width - rear opening	—	—	1,413	1,413
Interior Dimensions (mm)[4]				
Front Headroom	1,024	1,024	1,024	1,024
Front Legroom	1,057	1,057	1,057	1,057
Front Shoulder Room	1,450	1,450	1,450	1,450
2nd Row Headroom	989	989	989	989
2nd Row Legroom	879	879	879	879
2nd Row Shoulder Room	1,440	1,440	1,440	1,440

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

1. Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. **2.** Kerb weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo with the lightest possible orderable combination of factory fit equipment. Maximum payload is calculated by deducting the vehicles Kerb Weight from its Gross Vehicle Mass (GVM). Payload is the maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). All Chassis Cab payload and kerb weights exclude weights of tray bodies. Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross Axle Weight Ratings are not exceeded. **3.** Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, options and accessories, condition and use. **4.** Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All Pick-up box dimensions take into account the Drop-In or Spray-In Bedliner where standard. **5.** Vehicle length measured from front license plate bracket. **6.** 800mm Water Wading achieved when maintaining a steady speed of 7 km/h. **7.** Inclusive of tow bar where standard.

4x4 | XL Ranger 2027MY Specifications

	XL	XL	XL	XL
	4x4 Double Cab-Chassis	4x4 Double Cab-Chassis	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**
Wheels & Tyres				
16" Steel with All-Season Tyres	S	—	S	—
17" Steel with All-Terrain Tyres	O	S	O	S
Spare Wheel - 16" Steel	S	—	S	—
Spare Wheel - 17" Steel	O	S	O	S
Exterior Lighting				
Headlamps - Halogen	S	S	S	S
Daytime Running Lamps - Halogen	S	S	S	S
Taillamps - Halogen	S	S	—	—
Taillamps - LED	—	—	S	S
Tailgate Mounted Stop Light	—	—	S	S
Exterior				
Exterior Mirrors - Power Adjustable	S	S	S	S
Exterior Mirrors - Power Folding	—	—	S	S
Steel Underbody Protection	S	S	S	S
Rear Box Step	—	—	S	S
Load Box Elements				
Tailgate Ruler	—	—	S	S
Box Protective Capping with Load Box Access Caps[8]	—	—	S	S
Inner Tie Down Rails	—	—	S	S
Load Rest[8]	—	—	S	S
Load Box Illumination	—	—	S	S
Tailgate Cargo Clamps	—	—	S	S
Tailgate Cupholders	—	—	S	S
Tailgate with Lift Assistance	—	—	S	S
Interior & Seating				
Seating Capacity	5	5	5	5
Driver Seat - 8-Way Manual	S	S	S	S
Front Passenger Seat - 4-Way Manual	S	S	S	S
Seat Material - Cloth	S	S	S	S
Child Seat Upper Anchorage Points (x2)	S	S	S	S
Child Seat ISOFIX Anchorage Points (x2)	S	S	S	S
Steering Wheel Reach & Height Adjust	S	S	S	S
Leather-Wrapped Gear Knob	—	S	—	S
Electric Park Brake	—	S	—	S
e-Shifter	—	S	—	S
Floor Covering - Vinyl	S	S	S	S

4x4 | XL Ranger 2027MY Specifications

	XL	XL	XL	XL
	4x4 Double Cab-Chassis	4x4 Double Cab-Chassis	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**
Comfort & Convenience				
Centre Console with Single Lid and 2 Cupholders	S	S	S	S
Charging:				
- Interior 12V Power Outlet - In Console Bin	S	S	S	S
- Total USB Ports	4	4	4	4
- Pro Power Onboard™ - 400W (230V) Inverter - Rear of Console[9]	S	S	S	S
Climate Control - Dual-Zone	S	S	S	S
Rear Air Vent Registers	S	S	S	S
Underseat Stowage	S	S	S	S
Auto Headlamp On-Off	S	S	S	S
Front Power Windows	S	S	S	S
Rear Power Windows	S	S	S	S
Rear Window Defrost	S	S	S	S
Audio & Communication				
Embedded Modem	S	S	S	S
Ford app Connectivity[10]	S	S	S	S
Colour Digital Instrument Cluster with Configurable Display - 8-inch	S	S	S	S
Colour Multi-Function Touch Screen Display - 12-inch	S	S	S	S
Speakers	4	4	4	4
Bluetooth® with Phone/Audio Streaming[11]	S	S	S	S
SYNC®4A with Voice-Activated Controls[12]	S	S	S	S
Steering Wheel Audio/Function Control	S	S	S	S
Wireless Apple CarPlay™ & Android Auto™ [13]	S	S	S	S

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

8. Load Rest (XL), Sports Bar (XLT), Sports Hoop/Sailplane, Aluminium Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. Drop in bedliner may be trimmed to accommodate mounting brackets. **9.** Power availability may be reduced when the vehicle is not engaged in park (P) or where more than one outlet is used. **10.** Use of Ford app is subject to the Ford app Terms and User Guide and Ford app Privacy Collection Notice which are available on https://www.ford.com.au/privacy and requires a compatible mobile device, internet access and software (including software updates from time to time). The Ford app functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the Ford app on your mobile device, including associated fees. The Ford app and the Vehicle's modem can only work when both are connected to the telecommunications network. The Vehicle's modem will only function on the telecommunications networks it could use at time of manufacture. When all compatible networks for the modem in your vehicle are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that Ford app will be in fully operating condition at all times and the Ford app may be unavailable or particular Ford app services interrupted. If the Ford app is unavailable, the ability to lock or unlock your vehicle remotely could be limited, and a physical key might be needed. Always keep your key with you to ensure you can access your vehicle at all times even if the Ford app is unavailable. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. **11.** Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. **12.** Don't drive distracted. Use voice operated systems where possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates. **13.** Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay/Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions.

	XL	XL	XL	XL
	4x4 Double Cab-Chassis	4x4 Double Cab-Chassis	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**
Safety & Security				
Airbags x 9 - Front, Side, Knee & Full Length Curtain (Driver & Passenger) & Far Side Driver Front Airbag	S	S	S	S
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S
Child Proof Rear Door Locks	S	S	S	S
Emergency Assistance[14]	S	S	S	S
Driver Assistance				
Adaptive Cruise Control[15]	S	S	S	S
Traffic Sign Recognition[16]	S	S	S	S
Intelligent Speed Limit Assist[17]	S	S	S	S
Blind Spot Monitoring with Cross Traffic Assist[15]	S	S	S	S
Blind Spot Monitoring with Cross Traffic Assist and Trailer Coverage[18]	P	P	P	P
Dynamic Stability Control (DSC) incorporating ABS, Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Load Adaptive Control, Roll Over Mitigation, Traction Control and Trailer Sway Control[15]	S	S	S	S
Evasive Steer Assist[15]	S	S	S	S
Lane Keeping Aid with Road Edge Detection and Driver Alert System[19]	S	S	S	S
Post Impact Braking[15]	S	S	S	S
Pre-Collision Assist with Autonomous Emergency Braking (AEB)[20]	S	S	S	S
Reverse Brake Assist[21]	S	S	S	S
Parking Sensors - Front[15]	S	S	S	S
Parking Sensors - Rear[15]	S	S	S	S
Rear View Camera[15]	S	S	S	S
Towing				
Maximum Braked Towing Capacity (kg)[22]	3,500	3,500	3,500	3,500
Tow Bar Receiver with Tow Hitch	P	P	P	P
Integrated Trailer Brake Controller[23]	P	P	P	P
Trailer Light Check[24]	P	P	P	P
Towing Vehicle Integration with Towing Checklist	S	S	S	S
Tow/Haul Mode (part of Selectable Drive Modes)[15]	—	S	—	S
Off-Road				
Hill Descent Control[15]	S	S	S	S
Front Recovery Point	1	1	1	1
Ford Factory Fitted Options				
Prestige Paint	O	O	O	O
17" Steel Wheels with All-Terrain Tyres with 17" Steel Spare Wheel	O	—	O	—

4x4 | XL Ranger 2027MY Specifications

	XL	XL	XL	XL
	4x4 Double Cab-Chassis	4x4 Double Cab-Chassis	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**
Ford Factory Fitted Options (continued)				
Additional Wheel Centre Cap to suit Wheel Nut Indicator Fitment	O	O	O	O
Towing Pack - Tow Bar Receiver with Tow Hitch, Integrated Trailer Brake Controller and Trailer Light Check[25]	O	O	O	O
Auxiliary Switch Bank	O	O	O	O
Stylish Canopy (Dual Lift)[26]	—	—	O	O
Stylish Canopy (Lift & Slide)[26]	—	—	O	O
Commercial Canopy[26]	—	—	O	O

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

14. Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. **15.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. **16.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Speed Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. On Ranger models with Satellite Navigation, in some circumstances Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **17.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Intelligent Speed Limit Assist (ISLA) uses various data to limit the set speed of the vehicle to the speed limit detected by the system. The ISLA system will not always detect the correct speed limit and may limit a vehicle speed above or below the actual speed limit. ISLA can be temporarily overridden by the driver firmly pressing the accelerator. Customers should read the Owner's Manual for details of the limitations of the ISLA system before activating. On Ranger models with Satellite Navigation, in some circumstances, ISLA will use map data to limit the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **18.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Trailer Coverage system (requires a genuine factory fit tow bar) supports conventional trailer dimensions: up to 2.4m wide (measured at trailer front) and up to 10m long from the rear of your vehicle. Drivers will need to create a profile of their trailers in SYNC to support this system. **19.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Road Edge Detection designed for use on rural roads at speeds of 65 – 110km/h. The feature does not detect every edge and does require a level of contrast between the road surface and the edge. **20.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Pre-collision Assist with Automatic Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. It does not replace safe driving. See Owner's Manual for Limitations. **21.** Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Please see Owner's Manual for more information. Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h. **22.** Maximum towing capacity-braked using a Genuine Ford tow pack. Standard on XLT, Wolftrak, Tremor, Wildtrak, Platinum, and Raptor models. Available as part of a pack at additional cost on XL, XLS, Black Edition. The standard Genuine Ford tow pack on XLT, Wolftrak, and Raptor models do not include a tow hitch, which is available at an additional cost. Subject to State and Territory regulations. To comply with regulations and vehicle GCM and GVM limits, the weight of any load transported by the vehicle may need to be restricted. For further details regarding load weight restrictions, please consult your authorised Ford Dealer and refer to the Owner's Manual. **23.** Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. **24.** Trailer Light Check requires a Genuine Ford Tow Bar to be fitted and can be used via SYNC, or via Ford app as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a Ford app account (terms apply) and have fully activated the vehicle's modem to use this feature via the app. **25.** Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. - Trailer Light Check requires a Genuine Ford Tow Bar to be fitted and can be used via SYNC, or via Ford app as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a Ford app account (terms apply) and have fully activated the vehicle's modem to use this feature via the app. **26.** Load Rest (XL), Sports Bar (XLT), Sports Hoop/Sailplane, Aluminium Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. Drop in bedliner may be trimmed to accommodate mounting brackets.

4x4 | XLS, Black Edition Ranger 2027MY Specifications

	XLS	Black Edition	Black Edition
	4x4 Double Cab-Chassis	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	**3.0L V6 Turbo-Diesel**	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**
Engine Max Power	184kW @ 3,250rpm	125kW @ 3,500rpm	184kW @ 3,250rpm
Engine Max Torque	600Nm @ 1,750-2,250rpm	405Nm @ 1,750-2,500rpm	600Nm @ 1,750-2,250rpm
Transmission			
10-Speed Automatic Transmission	S	S	S
Driveline			
Part-time 4x4	—	S	—
Full-time 4WD	S	—	S
Selectable Drive Modes:[1]			
- Normal	S	—	S
- Eco	S	—	S
- Tow / Haul	S	—	S
- Slippery	S	—	S
Vehicle Masses (kg)[2]			
Gross Combined Mass (GCM)	6,400	6,200	6,400
Gross Vehicle Mass (GVM)	3,350	3,250	3,350
Front Gross Axle Weight Rating	1,490	1,490	1,490
Rear Gross Axle Weight Rating	1,959	1,959	1,959
Kerb Weight	2,107	2,188	2,252
Payload (based on Kerb Weight)	1,243	1,062	1,098
Chassis & Suspension			
Front Disc / Rear Drum Brakes	—	S	—
Front and Rear Ventialted Discs with Electronic Brake Booster	S	—	S
Electrical Power Steering	S	S	S
Heavy-Duty Suspension	S	S	S
Locking Rear Differential	S	S	S
Fuel			
Combined Fuel Economy (L/100km)[3]	8.3	7.2	8.3
CO_2 Emissions (g/km)[3]	218	190	218
Fuel Tank Capacity (L)	80	80	80
Fuel Type	Diesel	Diesel	Diesel
Renewable Diesel (HVO) Compatibility	S	S	S
Exterior Dimensions (mm)[4]			
Length - with rear bumper (where fitted) without tow receiver[5]	5,410	5,370	5,370
Length - with rear bumper (where fitted) with tow receiver[5]	5,410	5,406	5,406
Width - exterior mirrors extended	2,208	2,208	2,208
Width - exterior mirrors folded	2,015	2,015	2,015
Width - excluding mirrors	1,918	1,918	1,918

4x4 | XLS, Black Edition Ranger 2027MY Specifications

	XLS	Black Edition	Black Edition
	4x4 Double Cab-Chassis	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	**3.0L V6 Turbo-Diesel**	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**
Exterior Dimensions (mm)[4] (continued)			
Height - to top of antenna base	1,975	1,875	1,875
Overhang - front	865	865	865
Overhang - rear	1,255	1,215	1,215
Track - front and rear	1,620	1,620	1,620
Wheelbase	3,270	3,270	3,270
Ground Clearance (unladen)	224	224	224
Wading Depth[6]	800	800	800
Approach Angle (unladen, degrees)	29	29	29
Departure Angle (unladen, degrees)[7]	25	25	25
Ramp Breakover Angle (unladen, degrees)	20	20	20
Turning Circle (meters)	12.9	12.9	12.9
Pick-Up Box Dimensions (mm)[4]			
Height - at centreline of axle	—	529	529
Height - floor height to ground	—	816	816
Length - at floor	—	1,547	1,547
Length - top of box	—	1,471	1,471
Width - between wheelhouses	—	1,224	1,224
Width - pick-up box	—	1,584	1,584
Width - rear opening	—	1,413	1,413
Interior Dimensions (mm)[4]			
Front Headroom	1,024	1,024	1,024
Front Legroom	1,057	1,057	1,057
Front Shoulder Room	1,450	1,450	1,450
2nd Row Headroom	989	989	989
2nd Row Legroom	879	879	879
2nd Row Shoulder Room	1,440	1,440	1,440

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

1. Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. **2.** Kerb weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo with the lightest possible orderable combination of factory fit equipment. Maximum payload is calculated by deducting the vehicles Kerb Weight from its Gross Vehicle Mass (GVM). Payload is the maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). All Chassis Cab payload and kerb weights exclude weights of tray bodies. Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross Axle Weight Ratings are not exceeded. **3.** Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, options and accessories, condition and use. **4.** Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All Pick-up box dimensions take into account the Drop-In or Spray-In Bedliner where standard. **5.** Vehicle length measured from front license plate bracket. **6.** 800mm Water Wading achieved when maintaining a steady speed of 7 km/h. **7.** Inclusive of tow bar where standard.

4x4 | XLS, Black Edition Ranger 2027MY Specifications

	XLS	Black Edition	Black Edition
	4x4 Double Cab-Chassis	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	**3.0L V6 Turbo-Diesel**	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**
Wheels & Tyres			
17" Alloy with All-Terrain Tyres	S	S	S
Spare Wheel - 17" Steel	S	S	S
Exterior Lighting			
Headlamps - Halogen	S	S	S
Daytime Running Lamps - Halogen	S	S	S
Taillamps - Halogen	S		
Taillamps - LED	—	S	S
Tailgate Mounted Stop Light	—	S	S
Exterior			
Exterior Mirrors - Power Adjustable	S	S	S
Exterior Mirrors - Power Folding	—	S	S
Steel Underbody Protection	S	S	S
Side Steps	S	S	S
Rear Box Step	—	S	S
Sports Bar	—	S	S
Load Box Elements			
Drop In Bedliner (without Tailgate Ruler)	—	S	S
Box Protective Capping with Load Box Access Caps	—	S	S
Inner Tie Down Rails	—	S	S
Cargo Management System	—	S	S
Load Box Illumination	—	S	S
Tailgate Cargo Clamps	—	S	S
Tailgate Cupholders	—	S	S
Tailgate with Lift Assistance	—	S	S
Interior & Seating			
Seating Capacity	5	5	5
Driver Seat - 8-Way Manual	S	S	S
Front Passenger Seat - 4-Way Manual	S	S	S
Seat Material - Cloth	S	S	S
Child Seat Upper Anchorage Points (x2)	S	S	S
Child Seat ISOFIX Anchorage Points (x2)	S	S	S
Steering Wheel Reach & Height Adjust	S	S	S
Leather-Wrapped Gear Knob	S	—	S
Electric Park Brake	S	—	S
e-Shifter	S	—	S
Floor Covering - Carpet	S	S	S
Floor Mats - Driver	S	S	S

4x4 | XLS, Black Edition Ranger 2027MY Specifications

	XLS	Black Edition	Black Edition
	4x4 Double Cab-Chassis	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	**3.0L V6 Turbo-Diesel**	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**
Comfort & Convenience			
Centre Console with Single Lid and 2 Cupholders	S	S	S
Charging:			
- Interior 12V Power Outlet - In Console Bin	S	S	S
- Total USB Ports	4	4	4
- Pro Power Onboard™ - 400W (230V) Inverter - Rear of Console[8]	S	S	S
Climate Control - Dual-Zone	S	S	S
Rear Air Vent Registers	S	S	S
Underseat Stowage	S	S	S
Auto Headlamp On-Off	S	S	S
Front Power Windows	S	S	S
Rear Power Windows	S	S	S
Rear Window Defrost	S	S	S
Audio & Communication			
Embedded Modem	S	S	S
Ford app Connectivity[9]	S	S	S
Colour Digital Instrument Cluster with Configurable Display - 8-inch	S	S	S
Colour Multi-Function Touch Screen Display - 12-inch	S	S	S
Speakers	4	4	4
Bluetooth® with Phone/Audio Streaming[10]	S	S	S
SYNC®4A with Voice-Activated Controls[11]	S	S	S
Steering Wheel Audio/Function Control	S	S	S
Wireless Apple CarPlay™ & Android Auto™ [12]	S	S	S

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

8. Power availability may be reduced when the vehicle is not engaged in park (P) or where more than one outlet is used. **9.** Use of Ford app is subject to the Ford app Terms and User Guide and Ford app Privacy Collection Notice which are available on https://www.ford.com.au/privacy and requires a compatible mobile device, internet access and software (including software updates from time to time). The Ford app functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the Ford app on your mobile device, including associated fees. The Ford app and the Vehicle's modem can only work when both are connected to the telecommunications network. The Vehicle's modem will only function on the telecommunications networks it could use at time of manufacture. When all compatible networks for the modem in your vehicle are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that Ford app will be in fully operating condition at all times and the Ford app may be unavailable or particular Ford app services interrupted. If the Ford app is unavailable, the ability to lock or unlock your vehicle remotely could be limited, and a physical key might be needed. Always keep your key with you to ensure you can access your vehicle at all times even if the Ford app is unavailable. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. **10.** Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. **11.** Don't drive distracted. Use voice operated systems where possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates. **12.** Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay/ Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions.

4x4 | XLS, Black Edition Ranger 2027MY Specifications

	XLS	Black Edition	Black Edition
	4x4 Double Cab-Chassis	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	**3.0L V6 Turbo-Diesel**	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**
Safety & Security			
Airbags x 9 - Front, Side, Knee & Full Length Curtain (Driver & Passenger) & Far Side Driver Front Airbag	S	S	S
3 Point Lap Sash Seat Belt - All Positions	S	S	S
Child Proof Rear Door Locks	S	S	S
Emergency Assistance[13]	S	S	S
Driver Assistance			
Adaptive Cruise Control[14]	S	S	S
Traffic Sign Recognition[15]	S	S	S
Intelligent Speed Limit Assist[16]	S	S	S
Blind Spot Monitoring with Cross Traffic Assist[14]	S	S	S
Blind Spot Monitoring with Cross Traffic Assist and Trailer Coverage[17]	P	P	P
Dynamic Stability Control (DSC) incorporating ABS, Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Load Adaptive Control, Roll Over Mitigation, Traction Control and Trailer Sway Control[14]	S	S	S
Evasive Steer Assist[14]	S	S	S
Lane Keeping Aid with Road Edge Detection and Driver Alert System[18]	S	S	S
Post Impact Braking[14]	S	S	S
Pre-Collision Assist with Autonomous Emergency Braking (AEB)[19]	S	S	S
Reverse Brake Assist[20]	S	S	S
Parking Sensors - Front[14]	S	S	S
Parking Sensors - Rear[13]	S	S	S
Rear View Camera[14]	S	S	S
Towing			
Maximum Braked Towing Capacity (kg)[21]	3,500	3,500	3,500
Tow Bar Receiver with Tow Hitch	P	P	P
Integrated Trailer Brake Controller[22]	P	P	P
Trailer Light Check[23]	P	P	P
Towing Vehicle Integration with Towing Checklist	S	S	S
Tow/Haul Mode (part of Selectable Drive Modes)[14]	S	—	S
Off-Road			
Hill Descent Control[14]	S	S	S
Front Recovery Point	1	1	1
Ford Factory Fitted Options			
Prestige Paint	O	O	O
Towing Pack - Tow Bar Receiver with Tow Hitch, Integrated Trailer Brake Controller and Trailer Light Check[24]	O	O	O
Auxiliary Switch Bank	O	O	O

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

13. Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. **14.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. **15.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Speed Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. On Ranger models with Satellite Navigation, in some circumstances Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **16.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Intelligent Speed Limit Assist (ISLA) uses various data to limit the set speed of the vehicle to the speed limit detected by the system. The ISLA system will not always detect the correct speed limit and may limit a vehicle speed above or below the actual speed limit. ISLA can be temporarily overridden by the driver firmly pressing the accelerator. Customers should read the Owner's Manual for details of the limitations of the ISLA system before activating. On Ranger models with Satellite Navigation, in some circumstances, ISLA will use map data to limit the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **17.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Trailer Coverage system (requires a genuine factory fit tow bar) supports conventional trailer dimensions: up to 2.4m wide (measured at trailer front) and up to 10m long from the rear of your vehicle. Drivers will need to create a profile of their trailers in SYNC to support this system. **18.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Road Edge Detection designed for use on rural roads at speeds of 65 – 110km/h. The feature does not detect every edge and does require a level of contrast between the road surface and the edge. **19.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Pre-collision Assist with Automatic Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. It does not replace safe driving. See Owner's Manual for Limitations. **20.** Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Please see Owner's Manual for more information. Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h. **21.** Maximum towing capacity-braked using a Genuine Ford tow pack. Standard on XLT, Wolftrak, Tremor, Wildtrak, Platinum, and Raptor models. Available as part of a pack at additional cost on XL, XLS, Black Edition. The standard Genuine Ford tow pack on XLT, Wolftrak, and Raptor models do not include a tow hitch, which is available at an additional cost. Subject to State and Territory regulations. To comply with regulations and vehicle GCM and GVM limits, the weight of any load transported by the vehicle may need to be restricted. For further details regarding load weight restrictions, please consult your authorised Ford Dealer and refer to the Owner's Manual. **22.** Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. **23.** Trailer Light Check requires a Genuine Ford Tow Bar to be fitted and can be used via SYNC, or via Ford app as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a Ford app account (terms apply) and have fully activated the vehicle's modem to use this feature via the app. **24.** Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. - Trailer Light Check requires a Genuine Ford Tow Bar to be fitted and can be used via SYNC, or via Ford app as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a Ford app account (terms apply) and have fully activated the vehicle's modem to use this feature via the app.

4x4 | XLT Ranger 2027MY Specifications

	XLT	XLT	XLT	XLT
	4x4 Super Cab Pick-Up	4x4 Double Cab-Chassis	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	**3.0L V6 Turbo-Diesel**	**3.0L V6 Turbo-Diesel**	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**
Engine Max Power	184kW @ 3,250rpm	184kW @ 3,250rpm	125kW @ 3,500rpm	184kW @ 3,250rpm
Engine Max Torque	600Nm @ 1,750-2,250rpm	600Nm @ 1,750-2,250rpm	405Nm @ 1,750-2,500rpm	600Nm @ 1,750-2,250rpm
Transmission				
10-Speed Automatic Transmission	S	S	S	S
Driveline				
Part-time 4x4	—	—	S	—
Full-time 4WD	S	S	—	S
Selectable Drive Modes:[1]				
- Normal	S	S	S	S
- Eco	S	S	S	S
- Tow / Haul	S	S	S	S
- Slippery	S	S	S	S
- Mud / Ruts[2]	P	P	—	P
- Sand[3]	P	P	—	P
Vehicle Masses (kg)[4]				
Gross Combined Mass (GCM)	6,400	6,400	6,200	6,400
Gross Vehicle Mass (GVM)	3,350	3,350	3,250	3,350
Front Gross Axle Weight Rating	1,490	1,490	1,490	1,490
Rear Gross Axle Weight Rating	1,959	1,959	1,959	1,959
Kerb Weight	2,215	2,124	2,201	2,251
Payload (based on Kerb Weight)	1,135	1,226	1,049	1,099
Chassis & Suspension				
Front and Rear Ventialted Discs with Electronic Brake Booster	S	S	S	S
Electrical Power Steering	S	S	S	S
Heavy-Duty Suspension	—	S	—	—
Locking Rear Differential	S	S	S	S
Fuel				
Combined Fuel Economy (L/100km)[5]	8.3	8.3	7.2	8.3
CO_2 Emissions (g/km)[5]	218	218	190	218
Fuel Tank Capacity (L)	80	80	80	80
Fuel Type	Diesel	Diesel	Diesel	Diesel
Renewable Diesel (HVO) Compatibility	S	S	S	S
Exterior Dimensions (mm)[6]				
Length - with rear bumper (where fitted) without tow receiver[7]	5,370	5,410	5,370	5,370
Length - with rear bumper (where fitted) with tow receiver[7]	5,406	5,410	5,406	5,406
Width - exterior mirrors extended	2,208	2,208	2,208	2,208
Width - exterior mirrors folded	2,015	2,015	2,015	2,015
Width - excluding mirrors	1,918	1,918	1,918	1,918

4x4 | XLT Ranger 2027MY Specifications

	XLT	XLT	XLT	XLT
	4x4 Super Cab Pick-Up	4x4 Double Cab-Chassis	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	**3.0L V6 Turbo-Diesel**	**3.0L V6 Turbo-Diesel**	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**
Exterior Dimensions (mm)[6] (continued)				
Height - to top of antenna base	1,877	1,886	1,886	1,886
Overhang - front	865	865	865	865
Overhang - rear	1,215	1,255	1,215	1,215
Track - front and rear	1,620	1,620	1,620	1,620
Wheelbase	3,270	3,270	3,270	3,270
Ground Clearance (unladen)	234	234	234	234
Wading Depth[8]	800	800	800	800
Approach Angle (unladen, degrees)	30	30	30	30
Departure Angle (unladen, degrees)[9]	23	25	23	23
Ramp Breakover Angle (unladen, degrees)	21	21	21	21
Turning Circle (meters)	12.9	12.9	12.9	12.9
Pick-Up Box Dimensions (mm)[6]				
Height - at centreline of axle	526	—	525	525
Height - floor height to ground	830	—	831	831
Length - at floor	1,839	—	1,464	1,464
Length - top of box	1,766	—	1,468	1,468
Width - between wheelhouses	1,218	—	1,217	1,217
Width - pick-up box	1,578	—	1,520	1,520
Width - rear opening	1,407	—	1,393	1,393
Interior Dimensions (mm)[6]				
Front Headroom	1,024	1,024	1,024	1,024
Front Legroom	1,057	1,057	1,057	1,057
Front Shoulder Room	1,450	1,450	1,450	1,450
2nd Row Headroom	935	989	989	989
2nd Row Legroom	759	879	879	879
2nd Row Shoulder Room	1,392	1,440	1,440	1,440

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

1. Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. **2.** Mud/Rut Mode intended for off-road use only. **3.** Sand Mode intended for off-road use only. **4.** Kerb weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo with the lightest possible orderable combination of factory fit equipment. Maximum payload is calculated by deducting the vehicles Kerb Weight from its Gross Vehicle Mass (GVM). Payload is the maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). All Chassis Cab payload and kerb weights exclude weights of tray bodies. Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross Axle Weight Ratings are not exceeded. **5.** Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, options and accessories, condition and use. **6.** Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All Pick-up box dimensions take into account the Drop-In or Spray-In Bedliner where standard. **7.** Vehicle length measured from front license plate bracket. **8.** 800mm Water Wading achieved when maintaining a steady speed of 7 km/h **9.** Inclusive of tow bar where standard.

	XLT	XLT	XLT	XLT
	4x4 Super Cab Pick-Up	4x4 Double Cab-Chassis	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	**3.0L V6 Turbo-Diesel**	**3.0L V6 Turbo-Diesel**	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**
Wheels & Tyres				
17" Alloy with All-Season Tyres	—	—	S	—
17" Alloy with All-Terrain Tyres	S	S	O	S
Spare Wheel - 17" Steel	S	S	S	S
Exterior Lighting				
Headlamps - LED	S	S	S	S
Daytime Running Lamps - LED	S	S	S	S
Front Fog Lamps - Halogen	S	S	S	S
Front Fog Lamps - LED	S	S	—	S
Taillamps - Halogen	—	S	—	—
Taillamps - LED	S	—	S	S
Tailgate Mounted Stop Light	S	—	S	S
Zone Lighting[10]	P	—	—	P
Exterior				
Exterior Mirrors - Power Adjustable	S	S	S	S
Exterior Mirrors - Power Folding	S	S	S	S
Exterior Mirrors - Puddle Lamps	P	P	—	P
Steel Underbody Protection	S	S	S	S
Side Steps	S	S	S	S
Rear Box Step	S	—	S	S
Sports Bar[11]	S	—	S	S
Load Box Elements				
Drop-In Bedliner (without Tailgate Ruler)[11]	—	—	S	S
Tough Bed™ Spray-In Bedliner (incl. Tailgate Ruler)	S	—	—	—
Pro Power Onboard™ - 400W (230V) Inverter - In Bedliner[11]	S	—	S	S
Box Protective Capping with Load Box Access Caps[12]	S	—	S	S
Inner Tie Down Rails	S	—	S	S
Cargo Management System	P	—	—	P
Load Box Illumination	S	—	S	S
Tailgate Cargo Clamps	S	—	S	S
Tailgate Cupholders	S	—	S	S
Power Tailgate Lock	S	—	S	S
Tailgate with Lift Assistance	S	—	S	S
Interior & Seating				
Seating Capacity	4	5	5	5
Driver Seat - 8-Way Manual	S	S	S	S
Front Passenger Seat - 4-Way Manual	S	S	S	S
Seat Material - Premium Cloth	S	S	S	S

4x4 | XLT Ranger 2027MY Specifications

	XLT	XLT	XLT	XLT
	4x4 Super Cab Pick-Up	4x4 Double Cab-Chassis	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	**3.0L V6 Turbo-Diesel**	**3.0L V6 Turbo-Diesel**	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**
Interior & Seating (continued)				
Child Seat Upper Anchorage Points (x2)	—	S	S	S
Child Seat ISOFIX Anchorage Points (x2)	—	S	S	S
Steering Wheel Reach & Height Adjust	S	S	S	S
Leather-Wrapped Gear Knob	S	S	S	S
Electric Park Brake	S	S	S	S
e-Shifter	S	S	—	S
Floor Covering - Carpet	S	S	S	S
Floor Mats - Driver	S	S	S	S
Comfort & Convenience				
Centre Console with Single Lid and 2 Cupholders	S	S	S	S
Instrument Panel Cupholders	S	S	S	S
Charging:				
- Interior 12V Power Outlet - In Console Bin	S	S	S	S
- Total USB Ports	4	4	4	4
- Wireless Charging[12]	S	S	S	S
- Pro Power Onboard™ - 400W (230V) Inverter - Rear of Console[11]	S	S	S	S
- Pro Power Onboard™ - 400W (230V) Inverter - In Bedliner[11]	S	—	S	S
Climate Control - Dual-Zone	S	S	S	S
Rear Air Vent Registers	S	S	S	S
Underseat Stowage	S	S	S	S
Auto Headlamp On-Off	S	S	S	S
Front Power Windows	S	S	S	S
Rear Power Windows	—	S	S	S
Privacy Glass	S	S	S	S
Rear Window Defrost	S	S	S	S
Rain Sensing Windscreen Wipers	S	S	S	S
Electrochromatic Rear View Mirror	S	S	S	S

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

10. Zone Lighting will not operate if battery charge is insufficient. The length of time that Zone Lighting will operate depends on the battery charge, the types of lights fitted to the vehicle (LED or Bulb) and other electrical loads connected to the vehicle. The system will automatically turn off after a period of time to preserve the battery's engine starting performance. **11.** Power availability may be reduced when the vehicle is not engaged in park (P) or where more than one outlet is used. **12.** Load Rest (XL), Sports Bar (XLT), Sports Hoop/Sailplane, Aluminium Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. Drop in bedliner may be trimmed to accommodate mounting brackets. **13.** Wireless charging only available with compatible phones.

	XLT	XLT	XLT	XLT
	4x4 Super Cab Pick-Up	4x4 Double Cab-Chassis	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	**3.0L V6 Turbo-Diesel**	**3.0L V6 Turbo-Diesel**	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**
Audio & Communication				
Embedded Modem	S	S	S	S
Ford app Connectivity[14]	S	S	S	S
Colour Digital Instrument Cluster with Configurable Display - 8-inch	S	S	S	S
Colour Multi-Function Touch Screen Display - 12-inch	S	S	S	S
Speakers	6	6	6	6
DAB+/AM/FM Radio	S	S	S	S
Bluetooth® with Phone/Audio Streaming[15]	S	S	S	S
Built-In Satellite Navigation with One Year of Connected Navigation Services included[16]	S	S	S	S
SYNC®4A with Voice-Activated Controls[17]	S	S	S	S
Steering Wheel Audio/Function Control	S	S	S	S
Wireless Apple CarPlay™ & Android Auto™ [18]	S	S	S	S
Safety & Security				
Perimeter Alarm System	S	S	S	S
Trailer Connection Alarm[19]	S	S	S	S
Airbags x 9 - Front, Side, Knee & Full Length Curtain (Driver & Passenger) & Far Side Driver Front Airbag	S	S	S	S
3 Point Lap Sash Seat Belt - All Positions	—	S	S	S
Child Proof Rear Door Locks	—	S	S	S
Emergency Assistance[20]	S	S	S	S
Power Door Locks	S	S	S	S
Smart Keyless Entry with Push Button Start	S	S	S	S
Driver Assistance				
Intelligent Adaptive Cruise Control with Stop & Go and Lane Centring[21]	S	S	S	S
Traffic Sign Recognition[22]	S	S	S	S
Intelligent Speed Limit Assist[23]	S	S	S	S
Blind Spot Monitoring with Cross Traffic Assist and Trailer Coverage[24]	S	S	S	S
Dynamic Stability Control (DSC) incorporating ABS, Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Load Adaptive Control, Roll Over Mitigation, Traction Control and Trailer Sway Control[25]	S	S	S	S
Evasive Steer Assist[25]	S	S	S	S
Lane Keeping Aid with Road Edge Detection and Driver Alert System[26]	S	S	S	S
Post Impact Braking[25]	S	S	S	S
Pre-Collision Assist with Autonomous Emergency Braking (AEB)[27]	S	S	S	S
Reverse Brake Assist[28]	S	S	S	S
Parking Sensors - Front[25]	S	S	S	S

4x4 | XLT Ranger 2027MY Specifications

	XLT	XLT	XLT	XLT
	4x4 Super Cab Pick-Up	4x4 Double Cab-Chassis	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	**3.0L V6 Turbo-Diesel**	**3.0L V6 Turbo-Diesel**	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**
Driver Assistance (continued)				
Parking Sensors - Rear[25]	S	S	S	S
Rear View Camera[25]	S	S	S	S
360-Degree Camera[25]	P	P	—	P
Tyre Pressure Monitoring System	S	S	S	S

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

14. Use of Ford app is subject to the Ford app Terms and User Guide and Ford app Privacy Collection Notice which are available on https://www.ford.com.au/privacy and requires a compatible mobile device, internet access and software (including software updates from time to time). The Ford app functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the Ford app on your mobile device, including associated fees. The Ford app and the Vehicle's modem can only work when both are connected to the telecommunications network. The Vehicle's modem will only function on the telecommunications networks it could use at time of manufacture. When all compatible networks for the modem in your vehicle are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that Ford app will be in fully operating condition at all times and the Ford app may be unavailable or particular Ford app services interrupted. If the Ford app is unavailable, the ability to lock or unlock your vehicle remotely could be limited, and a physical key might be needed. Always keep your key with you to ensure you can access your vehicle at all times even if the Ford app is unavailable. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. **15.** Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. **16.** Eligible vehicles receive Connected Navigation Services for 1 year from the Ford Express New Vehicle Warranty start date, after which time the Connected Navigation Services may cease to be available, or may be subject to a subscription fee. To use Connected Navigation Services, users must have created a Ford app account (terms apply), have fully activated the vehicle's modem and have SYNC Location set to 'on'. **17.** Don't drive distracted. Use voice operated systems where possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates. **18.** Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay/Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. **19.** Drivers will need to create a profile of their trailers in SYNC to support this system. **20.** Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. **21.** Driver- assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. iACC uses various data to adjust the set speed of the vehicle to the speed limit detected by the system. The iACC system will not always detect the correct speed limit and may set a vehicle speed that is above or below the actual speed limit. If the system does this, it can be overridden by the driver applying the brake or accelerator. Customers should read the Owner's Manual for full details of the limitations of the iACC system before activating the system. **22.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Speed Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. On Ranger models with Satellite Navigation, in some circumstances Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **23.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Intelligent Speed Limit Assist (ISLA) uses various data to limit the set speed of the vehicle to the speed limit detected by the system. The ISLA system will not always detect the correct speed limit and may limit a vehicle speed above or below the actual speed limit. ISLA can be temporarily overridden by the driver firmly pressing the accelerator. Customers should read the Owner's Manual for details of the limitations of the ISLA system before activating. On Ranger models with Satellite Navigation, in some circumstances, ISLA will use map data to limit the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **24.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Trailer Coverage system (requires a genuine factory fit tow bar) supports conventional trailer dimensions: up to 2.4m wide (measured at trailer front) and up to 10m long from the rear of your vehicle. Drivers will need to create a profile of their trailers in SYNC to support this system. **25.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. **26.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Road Edge Detection designed for use on rural roads at speeds of 65 – 110km/h. The feature does not detect every edge and does require a level of contrast between the road surface and the edge. **27.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Pre-collision Assist with Automatic Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. It does not replace safe driving. See Owner's Manual for Limitations. **28.** Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Please see Owner's Manual for more information. Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h.

	XLT	XLT	XLT	XLT
	4x4 Super Cab Pick-Up	4x4 Double Cab-Chassis	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	**3.0L V6 Turbo-Diesel**	**3.0L V6 Turbo-Diesel**	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**
Towing				
Maximum Braked Towing Capacity (kg)[29]	3,500	3,500	3,500	3,500
Pro Trailer Backup Assist™ [30]	P	—	—	P
Tow Bar Receiver	S	S	S	S
Integrated Trailer Brake Controller[31]	S	S	S	S
Trailer Light Check[32]	S	S	S	S
Towing Vehicle Integration with Towing Checklist	S	S	S	S
Tow/Haul Mode (part of Selectable Drive Modes)[30]	S	S	S	S
Off-Road				
Off-Road Screen[30]	P	P	—	P
Hill Descent Control[30]	S	S	S	S
Front Recovery Point	1	1	1	1
Ford Factory Fitted Options				
Prestige Paint	O	O	O	O
Auxiliary Switch Bank	O	O	O	O
17" Alloy Wheels with All-Terrain Tyres with 17" Steel Spare Wheel	—	—	O	-
Touring Pack – Intelligent Speed Sign Recognition, 360-Degree Camera, Puddle Lamps, Off-Road Screen and Additional Drive Modes: Mud/Rut, Sand	—	O	—	—
Touring Pack - Cargo Management System, Pro Trailer Backup Assist™, Intelligent Speed Sign Recognition, 360-Degree Camera, Puddle Lamps, Zone Lighting, Off-Road Screen and Additional Drive Modes: Mud/Rut, Sand	O	—	—	O
Cargo Management System	P	—	—	P
Stylish Canopy (Dual Lift)[33]	—	—	O	O
Stylish Canopy (Lift & Slide)[33]	—	—	O	O
Commercial Canopy[33]	—	—	O	O

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

29. Maximum towing capacity-braked using a Genuine Ford tow pack. Standard on XLT, Wolftrak, Tremor, Wildtrak, Platinum, and Raptor models. Available as part of a pack at additional cost on XL, XLS, Black Edition. The standard Genuine Ford tow pack on XLT, Wolftrak, and Raptor models do not include a tow hitch, which is available at an additional cost. Subject to State and Territory regulations. To comply with regulations and vehicle GCM and GVM limits, the weight of any load transported by the vehicle may need to be restricted. For further details regarding load weight restrictions, please consult your authorised Ford Dealer and refer to the Owner's Manual. **30.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. **31.** Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. **32.** Trailer Light Check requires a Genuine Ford Tow Bar to be fitted and can be used via SYNC, or via Ford app as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a Ford app account (terms apply) and have fully activated the vehicle's modem to use this feature via the app. **33.** Load Rest (XL), Sports Bar (XLT), Sports Hoop/Sailplane, Aluminium Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. Drop in bedliner may be trimmed to accommodate mounting brackets.

4x4 | Wildtrak, Platinum, Raptor Ranger 2027MY Specifications

	Wildtrak	Wildtrak	Platinum	Raptor
	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**	**3.0L V6 Turbo-Diesel**	**3.0L V6 Twin-Turbo EcoBoost**
Engine Max Power	125kW @ 3,500rpm	184kW @ 3,250rpm	184kW @ 3,250rpm	292kW @ 5,650rpm
Engine Max Torque	405Nm @ 1,750-2,500rpm	600Nm @ 1,750-2,250rpm	600Nm @ 1,750-2,250rpm	583Nm @ 3,500rpm
Transmission				
10-Speed Automatic Transmission	S	S	S	S
Driveline				
Part-time 4x4	S	—	—	—
Full-time 4WD	—	S	S	S
Selectable Drive Modes:[1]				
- Normal	S	S	S	S
- Eco	S	S	S	—
- Tow / Haul	S	S	S	—
- Slippery	S	S	S	S
- Mud / Ruts[2]	S	S	S	S
- Sand[3]	S	S	S	S
- Sport	—	—	—	S
- Baja[4]	—	—	—	S
- Rock Crawl[5]	—	—	—	S
Vehicle Masses (kg)[6]				
Gross Combined Mass (GCM)	6,200	6,400	6,400	5,400
Gross Vehicle Mass (GVM)	3,250	3,350	3,350	3,160
Front Gross Axle Weight Rating	1,490	1,490	1,490	1,520
Rear Gross Axle Weight Rating	1,959	1,959	1,959	1,700
Kerb Weight	2,272	2,331	2,369	2,413
Payload (based on Kerb Weight)	978	1,019	981	747
Chassis & Suspension				
Front and Rear Ventialted Discs with Electronic Brake Booster	S	S	S	S
Electrical Power Steering	S	S	S	S
Locking Rear Differential	S	S	S	S
Locking Front Differential	—	—	—	S
Fuel				
Combined Fuel Economy (L/100km)[7]	7.2	8.3/8.4	8.4	11.5
CO_2 Emissions (g/km)[8]	190	218/222	222	262
Fuel Tank Capacity (L)	80	80	80	80
Fuel Type	Diesel	Diesel	Diesel	Diesel
Renewable Diesel (HVO) Compatibility	S	S	S	—
Exterior Dimensions (mm)[9]				
Length - with rear bumper (where fitted) without tow receiver[10]	5,370	5,370	5,370	5,380

4x4 | Wildtrak, Platinum, Raptor Ranger 2027MY Specifications

	Wildtrak	Wildtrak	Platinum	Raptor
	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**	**3.0L V6 Turbo-Diesel**	**3.0L V6 Twin-Turbo EcoBoost**
Exterior Dimensions (mm)[9] (continued)				
Length - with rear bumper (where fitted) with tow receiver[10]	5,406	5,406	5,406	5,425
Width - exterior mirrors extended	2,208	2,208	2,208	2,208
Width - exterior mirrors folded	2,015	2,015	2,015	2,028
Width - excluding mirrors	1,918	1,918	1,918	2,028
Height - to top of antenna base	1,886	1,886	—	1,926
Height - to top of flexible rack system	—	—	1,920	—
Overhang - front	865	865	865	865
Overhang - rear	1,215	1,215	1,215	1,225
Track - front and rear	1,620	1,620	1,620	1,710
Wheelbase	3,270	3,270	3,270	3,270
Ground Clearance (unladen)	234	234	234	272
Wading Depth[11]	800	800	800	850
Approach Angle (unladen, degrees)	30	30	30	32
Departure Angle (unladen, degrees)[12]	23	23	23	25
Ramp Breakover Angle (unladen, degrees)	21	21	21	24
Turning Circle (meters)	12.9	12.9	12.9	13.2
Pick-Up Box Dimensions (mm)[13]				
Height - at centreline of axle	525	525	525	526
Height - floor height to ground	831	831	831	870
Length - at floor	1,464	1,464	1,464	1,541
Length - top of box	1,468	1,468	1,468	1,468
Width - between wheelhouses	1,217	1,217	1,217	1,218
Width - pick-up box	1,520	1,520	1,520	1,578
Width - rear opening	1,393	1,393	1,393	1,407

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

1. Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. **2.** Mud/Rut Mode intended for off-road use only. **3.** Sand Mode intended for off-road use only. **4.** Baja Mode intended for off-road use only. **5.** Rock Crawl Mode intended for off-road use only. **6.** Kerb weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo with the lightest possible orderable combination of factory fit equipment. Maximum payload is calculated by deducting the vehicles Kerb Weight from its Gross Vehicle Mass (GVM). Payload is the maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). All Chassis Cab payload and kerb weights exclude weights of tray bodies. Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross Axle Weight Ratings are not exceeded. **7.** Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, options and accessories, condition and use. The figure 8.4 L/100 km applies to Ranger 4WD Wildtrak Double PU 3.0L V6 with any of the following factory options: Flexible Rack System, Stylish Dual Lift Canopy, Stylish Lift and Slide Canopy, or Commercial Canopy . The 8.3 L/100 km figure applies to the standard configuration. **8.** Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, options and accessories, condition and use. The figure 222 g/km applies to Ranger 4WD Wildtrak Double PU 3.0L V6 with any of the following factory options: Flexible Rack System, Stylish Dual Lift Canopy, Stylish Lift and Slide Canopy, or Commercial Canopy. The 218 g/km figure applies to the standard configuration. **9.** Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All Pick-up box dimensions take into account the Drop-In or Spray-In Bedliner where standard. **10.** Vehicle length measured from front license plate bracket **11.** 800mm Water Wading achieved when maintaining a steady speed of 7 km/h **12.** Inclusive of tow bar where standard **13.** Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All Pick-up box dimensions take into account the Drop-In or Spray-In Bedliner where standard.

	Wildtrak	Wildtrak	Platinum	Raptor
	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**	**3.0L V6 Turbo-Diesel**	**3.0L V6 Twin-Turbo EcoBoost**
Interior Dimensions (mm)[14]				
Front Headroom	1,024	1,024	1,024	1,024
Front Legroom	1,057	1,057	1,057	1,057
Front Shoulder Room	1,450	1,450	1,450	1,450
2nd Row Headroom	989	989	989	989
2nd Row Legroom	879	879	879	879
2nd Row Shoulder Room	1,440	1,440	1,440	1,440
Wheels & Tyres				
17" Alloy with All-Terrain General Grabber AT3 Tyres	—	—	—	—
LT285/70R17 BF Goodrich KO2 All-Terrain Tyres	—	—	—	S
18" Alloy with All-Terrain Tyres	S	S	—	—
20" Alloy with All-Season Tyres	O	O	S	—
Spare Wheel - 17" Alloy	—	—	—	S
Spare Wheel - 18" Steel	S	S	—	—
Spare Wheel - 20" Alloy	O	O	S	—
Exterior Lighting				
Headlamps - Matrix LED with Auto Leveling, Glare Free High Beam & Dynamic Bending	S	S	S	S
Daytime Running Lamps - LED	S	S	S	S
Front Fog Lamps - LED	S	S	S	S
Taillamps - LED	S	S	S	S
Tailgate Mounted Stop Light	S	S	S	S
Zone Lighting[15]	S	S	S	S
Exterior				
Exterior Mirrors - Power Adjustable	S	S	S	S
Exterior Mirrors - Power Folding	S	S	S	S
Exterior Mirrors - Puddle Lamps	S	S	S	S
Steel Underbody Protection	S	S	S	S
Side Steps	S	S	S	—
Heavy Duty Side Steps	—	—	—	S
Rear Box Step	S	S	S	—
Roof Rails	S	S	—	—
Roof Rails with Folding Roof Racks	O	O	S	—
Sports Hoop/Sailplane[16]	S	S	—	—
Flexible Rack System[17]	O	O	S	—

4x4 | Wildtrak, Platinum, Raptor Ranger 2027MY Specifications

	Wildtrak	Wildtrak	Platinum	Raptor
	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**	**3.0L V6 Turbo-Diesel**	**3.0L V6 Twin-Turbo EcoBoost**
Load Box Elements				
Drop-In Bedliner (without Tailgate Ruler)[16]	S	S	S	S
Pro Power Onboard™ - 400W (230V) Inverter - In Bedliner[18]	S	S	S	S
Box Protective Capping with Load Box Access Caps[16]	—	—	—	S
Aluminium Tie Down Rails[16]	S	S	—	—
Inner Tie Down Rails	S	S	S	S
Cargo Management System	O	O	S	—
Load Box Illumination	S	S	S	S
Tailgate Cargo Clamps	S	S	S	S
Tailgate Cupholders	S	S	S	S
Power Tailgate Lock	S	S	S	S
Tailgate with Lift Assistance	S	S	—	S
Damped Tailgate with Lift Assistance	—	—	S	—
Power Roller Shutter[19]	S	S	S	O
Flexible Rack System	O	O	S	—

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

14. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. **15.** Zone Lighting will not operate if battery charge is insufficient. The length of time that Zone Lighting will operate depends on the battery charge, the types of lights fitted to the vehicle (LED or Bulb) and other electrical loads connected to the vehicle. The system will automatically turn off after a period of time to preserve the battery's engine starting performance. **16.** Load Rest (XL), Sports Bar (XLT), Sports Hoop/Sailplane, Aluminium Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. Drop in bedliner may be trimmed to accommodate mounting brackets. **17.** Flexible Rack System has a maximum load limit 80kg (dynamic) and 250kg (static). Manual set-up required. Removal of antenna mast recommended when cargo positioned over antenna. Removal may affect availability of radio, satellite and connected services. **18.** Power availability may be reduced when the vehicle is not engaged in park (P) or where more than one outlet is used. **19.** Load Rest (XL), Sports Bar (XLT), Sports Hoop/Sailplane, Aluminium Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. Drop in bedliner may be trimmed to accommodate mounting brackets. Load Box Access Caps not included when Power Roller Shutter option selected on Raptor.

	Wildtrak	Wildtrak	Platinum	Raptor
	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**	**3.0L V6 Turbo-Diesel**	**3.0L V6 Twin-Turbo EcoBoost**
Interior & Seating				
Seating Capacity	5	5	5	5
Driver Seat - 8-Way Power	S	S	—	—
Driver Seat - 10-Way Power	—	—	—	S
Driver Seat - 10-Way Power with Memory Setting & Easy Entry/Exit	—	—	S	—
Front Passenger Seat - 6-Way Manual	S	S	—	—
Front Passenger Seat - 8-Way Power	O	O	—	S
Front Passenger Seat - 10-Way Power	—	—	S	—
Heated Seats - Driver & Front Passenger	S	S	—	S
Heated & Ventilated Seats - Driver & Front Passenger	—	—	S	—
Seat Material - Synthetic Leather	S	S	—	—
Seat Material - Leather-Accented (excluding 2nd row middle seat)[20]	—	—	S	S
Child Seat Upper Anchorage Points (x2)	S	S	S	S
Child Seat ISOFIX Anchorage Points (x2)	S	S	S	S
Steering Wheel Reach & Height Adjust	S	S	S	S
Heated Steering Wheel	—	—	S	—
Leather-Wrapped Steering Wheel	—	—	S	S
Leather-Wrapped Gear Knob	S	S	S	S
Electric Park Brake	S	S	S	S
e-Shifter	—	S	S	S
Floor Covering - Carpet	S	S	S	S
Floor Mats - Driver & Front Passenger	S	S	S	S
Comfort & Convenience				
Ambient Lighting	S	S	S	S
Auxiliary Switch Bank (6x Switches)	O	O	S	S
Centre Console with Single Lid and 2 Cupholders	S	S	S	S
Instrument Panel Cupholders	S	S	S	S
Charging:				
- Interior 12V Power Outlet - In Console Bin	S	S	S	S
- Total USB Ports	5	5	5	5
- Wireless Charging[21]	S	S	S	S
- Pro Power Onboard™ - 400W (230V) Inverter - Rear of Console[22]	S	S	S	S
- Pro Power Onboard™ - 400W (230V) Inverter - In Bedliner[22]	S	S	S	S
Climate Control - Dual-Zone	S	S	S	S
Rear Air Vent Registers	S	S	S	S
Underseat Stowage	S	S	S	S
Auto Headlamp On-Off	S	S	S	S

4x4 | Wildtrak, Platinum, Raptor Ranger 2027MY Specifications

	Wildtrak	Wildtrak	Platinum	Raptor
	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**	**3.0L V6 Turbo-Diesel**	**3.0L V6 Twin-Turbo EcoBoost**
Comfort & Convenience (continued)				
Auto High Beam	S	S	S	S
Front Power Windows	S	S	S	S
Rear Power Windows	S	S	S	S
Privacy Glass	S	S	S	S
Rear Window Defrost	S	S	S	S
Rain Sensing Windscreen Wipers	S	S	S	S
Electrochromatic Rear View Mirror	S	S	S	S

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

20. Leather-accented refers to seats with a combination of real and artificial leather. No leather in 2nd row middle seat. **21.** Wireless charging only available with compatible phones. **22.** Power availability may be reduced when the vehicle is not engaged in park (P) or where more than one outlet is used.

	Wildtrak	Wildtrak	Platinum	Raptor
	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**	**3.0L V6 Turbo-Diesel**	**3.0L V6 Twin-Turbo EcoBoost**
Audio & Communication				
Embedded Modem	S	S	S	S
Ford app Connectivity[23]	S	S	S	S
Colour Digital Instrument Cluster with Configurable Display - 8-inch	S	S	—	—
Colour Digital Instrument Cluster with Configurable Display - 12.4-inch	—	—	S	S
Colour Multi-Function Touch Screen Display - 12-inch	S	S	S	S
Speakers	10	10	10	10
B&O Premium Audio System[24]	S	S	S	S
DAB+/AM/FM Radio	S	S	S	S
Bluetooth® with Phone/Audio Streaming[25]	S	S	S	S
Built-In Satellite Navigation with One Year of Connected Navigation Services included[26]	S	S	S	S
SYNC®4A with Voice-Activated Controls[27]	S	S	S	S
Steering Wheel Audio/Function Control	S	S	S	S
Wireless Apple CarPlay™ & Android Auto™ [28]	S	S	S	S
Safety & Security				
Perimeter Alarm System	S	S	S	S
Trailer Connection Alarm[29]	S	S	S	S
Airbags x 9 - Front, Side, Knee & Full Length Curtain (Driver & Passenger) & Far Side Driver Front Airbag	S	S	S	S
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S
Child Proof Rear Door Locks	S	S	S	S
Emergency Assistance[30]	S	S	S	S
Power Door Locks	S	S	S	S
Smart Keyless Entry with Push Button Start	S	S	S	S
Driver Assistance				
Intelligent Adaptive Cruise Control with Stop & Go, Intelligent Speed Sign Recognition and Lane Centring[31]	S	S	S	S
Traffic Sign Recognition[32]	S	S	S	S
Intelligent Speed Limit Assist[33]	S	S	S	S
Blind Spot Monitoring with Cross Traffic Assist and Trailer Coverage[34]	S	S	S	S
Dynamic Stability Control (DSC) incorporating ABS, Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Load Adaptive Control, Roll Over Mitigation, Traction Control and Trailer Sway Control[35]	S	S	S	S
Evasive Steer Assist[35]	S	S	S	S
Lane Keeping Aid with Road Edge Detection and Driver Alert System[36]	S	S	S	S
Post Impact Braking[35]	S	S	S	S
Pre-Collision Assist with Autonomous Emergency Braking (AEB)[37]	S	S	S	S

4x4 | Wildtrak, Platinum, Raptor Ranger 2027MY Specifications

	Wildtrak	Wildtrak	Platinum	Raptor
	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**	**3.0L V6 Turbo-Diesel**	**3.0L V6 Twin-Turbo EcoBoost**
Driver Assistance (continued)				
Reverse Brake Assist[38]	S	S	S	S
Parking Sensors - Front[35]	S	S	S	S
Parking Sensors - Rear[35]	S	S	S	S
Rear View Camera[35]	S	S	S	S
360-Degree Camera[35]	S	S	S	S
Tyre Pressure Monitoring System	S	S	S	S

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

23. Use of Ford app is subject to the Ford app Terms and User Guide and Ford app Privacy Collection Notice which are available on https://www.ford.com.au/privacy and requires a compatible mobile device, internet access and software (including software updates from time to time). The Ford app functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the Ford app on your mobile device, including associated fees. The Ford app and the Vehicle's modem can only work when both are connected to the telecommunications network. The Vehicle's modem will only function on the telecommunications networks it could use at time of manufacture. When all compatible networks for the modem in your vehicle are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that Ford app will be in fully operating condition at all times and the Ford app may be unavailable or particular Ford app services interrupted. If the Ford app is unavailable, the ability to lock or unlock your vehicle remotely could be limited, and a physical key might be needed. Always keep your key with you to ensure you can access your vehicle at all times even if the Ford app is unavailable. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. **24.** BANG & OLUFSEN© 2024 and B&O© 2024. BANG & OLUFSEN™ and B&O™ are registered trademarks of Bang & Olufsen Group. Licensed by Harman Becker Automotive System Manufacturing Kft. All rights reserved. **25.** Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. **26.** Eligible vehicles receive Connected Navigation Services for 1 year from the Ford Express New Vehicle Warranty start date, after which time the Connected Navigation Services may cease to be available, or may be subject to a subscription fee. To use Connected Navigation Services, users must have created a Ford app account (terms apply), have fully activated the vehicle's modem and have SYNC Location set to 'on'. **27.** Don't drive distracted. Use voice operated systems where possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates. **28.** Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay/Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. **29.** Drivers will need to create a profile of their trailers in SYNC to support this system. **30.** Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. **31.** Driver- assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. iACC uses various data to adjust the set speed of the vehicle to the speed limit detected by the system. The iACC system will not always detect the correct speed limit and may set a vehicle speed that is above or below the actual speed limit. If the system does this, it can be overridden by the driver applying the brake or accelerator. Customers should read the Owner's Manual for full details of the limitations of the iACC system before activating the system. **32.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Speed Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. On Ranger models with Satellite Navigation, in some circumstances Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **33.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Intelligent Speed Limit Assist (ISLA) uses various data to limit the set speed of the vehicle to the speed limit detected by the system. The ISLA system will not always detect the correct speed limit and may limit a vehicle speed above or below the actual speed limit. ISLA can be temporarily overridden by the driver firmly pressing the accelerator. Customers should read the Owner's Manual for details of the limitations of the ISLA system before activating. On Ranger models with Satellite Navigation, in some circumstances, ISLA will use map data to limit the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **34.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Trailer Coverage system (requires a genuine factory fit tow bar) supports conventional trailer dimensions: up to 2.4m wide (measured at trailer front) and up to 10m long from the rear of your vehicle. Drivers will need to create a profile of their trailers in SYNC to support this system. **35.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. **36.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Road Edge Detection designed for use on rural roads at speeds of 65 – 110km/h. The feature does not detect every edge and does require a level of contrast between the road surface and the edge. **37.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Pre-collision Assist with Automatic Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. It does not replace safe driving. See Owner's Manual for Limitations. **38.** Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Please see Owner's Manual for more information. Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h.

4x4 | Wildtrak, Platinum, Raptor Ranger 2027MY Specifications

	Wildtrak	Wildtrak	Platinum	Raptor
	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	**2.0L Turbo**	**3.0L V6 Turbo-Diesel**	**3.0L V6 Turbo-Diesel**	**3.0L V6 Twin-Turbo EcoBoost**
Towing				
Maximum Braked Towing Capacity (kg)[39]	3,500	3,500	3,500	2,500
Pro Trailer Backup Assist™ [40]	S	S	S	S
Tow Bar Receiver	—	—	—	S
Tow Bar Receiver with Tow Hitch	S	S	S	—
Integrated Trailer Brake Controller[41]	S	S	S	S
Trailer Light Check[42]	S	S	S	S
Towing Vehicle Integration with Towing Checklist	S	S	S	S
Tow/Haul Mode (part of Selectable Drive Modes)[40]	S	S	S	—
Off-Road				
Off-Road Screen[40]	S	S	S	S
Hill Descent Control[40]	S	S	S	S
Front Recovery Points	2	2	2	2
Rear Recovery Points	—	—	—	2
Ford Factory Fitted Options				
Prestige Paint	O	O	O	O
20" Alloy Wheels with All-Season Tyres and 20" Alloy Spare Wheel	O	O	—	—
Auxiliary Switch Bank	—	O	—	—
8-way Power Adjust Front Passenger Seat	O	O	—	—
Cargo Management System	O	O	—	—
Power Roller Shutter[43]	—	—	—	O
Delete Painted Black Roof	—	—	NCO	—
Flexible Rack System[44]	O	O	—	—
Tough Bed™ Spray-In Bedliner (incl. Tailgate Ruler)[45]	—	—	—	O
Stylish Canopy (Dual Lift)[46]	O	O	—	—
Stylish Canopy (Lift & Slide)[46]	O	O	—	—
Commercial Canopy[46]	O	O	—	—

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

39. Maximum towing capacity-braked using a Genuine Ford tow pack. Standard on XLT, Wolftrak, Tremor, Wildtrak, Platinum, and Raptor models. Available as part of a pack at additional cost on XL, XLS, Black Edition. The standard Genuine Ford tow pack on XLT, Wolftrak, and Raptor models do not include a tow hitch, which is available at an additional cost. Subject to State and Territory regulations. To comply with regulations and vehicle GCM and GVM limits, the weight of any load transported by the vehicle may need to be restricted. For further details regarding load weight restrictions, please consult your authorised Ford Dealer and refer to the Owner's Manual. **40.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. **41.** Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. **42.** Trailer Light Check requires a Genuine Ford Tow Bar to be fitted and can be used via SYNC, or via Ford app as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a Ford app account (terms apply) and have fully activated the vehicle's modem to use this feature via the app. **43.** Tough Bed Spray-In Bedliner option not compatible when Power Roller Shutter is optioned on Raptor. **44.** Flexible Rack System has a maximum load limit 80kg (dynamic) and 250kg (static). Manual set-up required. Removal of antenna mast recommended when cargo positioned over antenna. Removal may affect availability of radio, satellite and connected services. **45.** Power Roller Shutter option not compatible when Tough Bed Spray-In Bedliner is optioned on Raptor. **46.** Load Rest (XL), Sports Bar (XLT), Sports Hoop/ Sailplane, Aluminium Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. Drop in bedliner may be trimmed to accommodate mounting brackets.

Discover more at ford.com.au

Contact us

If you have any questions or concerns, please contact our Customer Relationship Centre on 13 FORD (13 36 73) or email foacust1@ford.com

Running a fleet?

Our Ford Fleet team is here to assist you in any way we can. Please email askfleet@ford.com

1. Conditional Warranty applies to new and demonstrator vehicles with a Warranty Commencement Date on or after 1 September 2026. All services must be completed at a Ford dealer within servicing intervals. Warranty exclusions and conditions apply and can be viewed here. Our goods come with consumer guarantees that cannot be excluded under the Australian Consumer Law. This warranty does not limit and may not exceed your rights under the consumer guarantees.

2. Subject to availability. Participating dealers only. Other dealer conditions or requirements may apply.

3. Pick Up and Drop Off available for a general service or warranty repair only subject to dealer capacity and vehicle roadworthiness and driveability. Participating dealers only. Other dealer conditions or requirements may apply.

4. When a 90-minute Express Service is booked. 90 minutes from key handover to service completion for a General Service only, as set out in your vehicle's Service Portfolio. Does not include other work or repairs that may be required. Participating dealers only.

5. Available to Retail Customer or a Blue Business Fleet Customer only. Customer must comply with schedule service intervals at participating dealers to be eligible for 12 months Ford National Roadside assistance. see https://www.ford.com.au/owners/service/t-and-c/ for full terms.

6. Some insurance companies may use repairers that could use non genuine parts to repair your vehicle. If your claim is accepted the insurer will use Genuine Parts when available. If not available, the insurer may use genuine reconditioned or recycled parts or ADR certified new, recycled or reconditioned parts. Refer to the Ford Insure PDS for full details.

7. When purchasing your vehicle from a dealership, accessories included on the purchase invoice are included in cover, without the need to list them on your schedule. Refer to the Ford Insure PDS for full details.

8. If Your Vehicle is damaged while it is being driven on a beach or off any public road, coverage may be available. Any claim will be subject to any applicable excess being doubled and the PDS terms and conditions. Refer to the Ford Insure PDS for full details.

9. Automatic removal of your standard excess on glass damage means the Standard Excess will not apply if you sustain a loss where the only damage to your Vehicle was glass damage. Refer to the Ford Insure PDS for full details.

10. Ford dealers use new genuine manufacturer parts where possible. If new genuine is not available we will use genuine reconditioned or recycled manufacturer parts for Australian Design Rules certified new, recycled or reconditioned parts.

Find out more

Issue Date: 28 October 2026



Important information:

This brochure is designed to provide you with a general introduction to the Ford products (including available optional equipment) referred to and should be read in conjunction with the latest specification sheet. Features, designs, materials, colours and other specifications may vary from those depicted. Because of changes in conditions and circumstances Ford reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice, to discontinue or change the features, designs, materials, colours and other specifications and the prices of its products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchaser or purchasers. The latest specification sheet should be referred to for information on the availability, ordering and use of features and optional equipment. Always consult an authorised Ford Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order.