

2027MY

Ranger Super Duty

Ford Service

Don’t worry about service. That’s our job.



7 year warranty[1]

Exclusively service your vehicle on schedule with a Ford dealer and we’ll keep it covered for 7 years, no matter how many kilometres you do.

Service made easier

We have great offerings that make servicing more convenient, like loan cars[2], pick up and drop off[3], Express Service[4] and online booking.

Know what you’ll pay

When you buy a new Ford, you’ll know exactly how much each of your first four general car services will cost.

Roadside assistance[5]

When you purchase a new Ford vehicle, you receive Ford National Roadside assistance for 12 months. You also receive Ford National Roadside assistance for 12 months each time a general service is completed with a participating dealer, until your vehicle reaches 7 years of age.

For more information, visit
ford.com.au/owners/service

Ford Insure

Fit your Ford with insurance made for it.



New Genuine Ford Parts[6]

Look after the integrity of your vehicle, by using only New Genuine Parts, when possible.

Dealer fitted accessories[7]

Accessories which are fitted on your vehicle by a dealership are automatically included.

Automatic off-road cover[8]

Enjoy peace of mind with automatic off-road coverage included.

Removal of excess for glass damage[9]

The Standard Excess under your policy won’t be applied for windscreen, sunroof or window glass only claims.

For more information, visit
ford.com.au/owners/insurance

Finance

Clarity for the road ahead.



Whether you're upgrading, switching models, or buying your first Ford, Ford Finance is here to shorten the distance between you and your next vehicle. Talk to one of our dealers to understand the benefits of choosing Ford Finance.

Approved applicants only. Terms, conditions, fees and charges apply. Finance is provided by Angle Auto Finance Pty Ltd (trading as Ford Finance) ABN 16 161 130 696. Australian Credit Licence 530731. Ford™, the Ford Oval Device™ and Ford Finance™ are trademarks of Ford Motor Company and are used by Angle Auto Finance Pty Ltd pursuant to a licence.

For more information, visit **ford.com.au/ford-finance**

Steps to get behind the wheel

Estimate repayments

Using the repayment estimator

Shop for vehicles

Explore the options

Finance with clarity

Get a personalised quote or apply for finance at your preferred Dealership.

Genuine & Licensed Accessories



There's no better way to personalise your Ford than with the wide range of Ford accessories available for every model.

From seat covers and floor mats, to bull bars, you'll find lots of options to make your Ford uniquely your own at one of our nation-wide Dealers.

*For full details, please visit our Warranties page at https://www.ford.com.au/owners/warranties/

Genuine quality[10]

Every Ford Genuine Accessory is fully compatible with your vehicle for optimal integration and performance.

7 year warranty[1]

When fitted to your new vehicle by an authorised Ford Dealer prior to delivery, enjoy complete peace of mind with all Ford Genuine and Ford Licensed Accessories backed by our Ford Warranty of up to 7 years and unlimited kilometres when you service only with Ford dealerships.*

Australia wide

Our vast national network of Ford Dealers means there's a fitment centre conveniently located near you.

ARB 4X4 ACCESSORIES

Order your Ranger Super Duty adventure-ready

Ford has joined forces with ARB to create an exciting range of 4WD accessories designed for the Ford Ranger Super Duty. You can choose from a large selection of ARB Ford Licensed Accessories at your local participating Ford Dealer, backed by Ford's 7 year unlimited kilometre warranty when fitted to your new Ranger Super Duty prior to delivery.

Ranger Super Duty I Single Cab, Super Cab, Double Cab Cab-Chassis and Double Cab Pick-up 2027MY Specifications

	Single Cab Cab-Chassis	Super Cab Cab-Chassis	Double Cab Cab-Chassis	Double Cab Pick-up
Engine	**3.0L V6 Turbo-Diesel**	**3.0L V6 Turbo-Diesel**	**3.0L V6 Turbo-Diesel**	**3.0L V6 Turbo-Diesel**
Engine Max Power	154kW @ 3250rpm	154kW @ 3250rpm	154kW @ 3250rpm	154kW @ 3250rpm
Engine Max Torque	600Nm @ 1750rpm	600Nm @ 1750rpm	600Nm @ 1750rpm	600Nm @ 1750rpm
Heavy Duty Truck Calibration (EU VI emissions)	S	S	S	S
Transmission				
10-Speed Automatic Transmission	S	S	S	S
Driveline				
Full-time 4WD	S	S	S	S
Selectable Drive Modes[1]:				
- Normal	S	S	S	S
- Eco	S	S	S	S
- Tow / Haul	S	S	S	S
- Slippery	S	S	S	S
- Mud / Ruts[2]	S	S	S	S
- Sand[2]	S	S	S	S
- Rock Crawl[2]	S	S	S	S
Vehicle Masses (kg)				
Gross Combined Mass (GCM)[3]	8000	8000	8000	8000
Gross Vehicle Mass (GVM)[3]	4500	4500	4500	4500
Front Gross Axle Weight Rating[3]	1900	1900	1900	1900
Rear Gross Axle Weight Rating[3]	2800	2800	2800	2800
Kerb Weight[3]	2518	2615	2675	2803
Payload (based on Kerb Weight)[3]	1982	1885	1825	1697
Chassis & Suspension				
Heavy-Duty Chassis and Suspension Architecture	S	S	S	S
Heavy-Duty Braking System	S	S	S	S
Heavy-Duty Front and Rear Differential	S	S	S	S
Locking Rear Differential[2]	S	S	S	S
Locking Front Differential (4L only)[2]	S	S	S	S
Fuel				
Fuel Tank Capacity (L)	130	130	130	130
Fuel Type	Diesel	Diesel	Diesel	Diesel
Renewable Diesel (HVO) Compatibility	S	S	S	S
AdBlue Diesel Exhaust Fluid System[4]	S	S	S	S
Diesel Particulate Filter Regeneration Control	S	S	S	S
Pick-up Box Dimensions (mm)[5]				
Height - at centreline of axle	—	—	—	513
Length - at floor	—	—	—	1453
Length - top of box	—	—	—	1471
Width - between wheelhouses	—	—	—	1217
Width - rear opening (top of box)	—	—	—	1416
Width - rear opening (base)	—	—	—	1220

	Single Cab Cab-Chassis	Super Cab Cab-Chassis	Double Cab Cab-Chassis	Double Cab Pick-up
Exterior Dimensions (mm)[6]				
Length - without tongue[7]	5470	5470	5470	5447
Length - with tongue	5644	5644	5644	5621
Width - exterior mirrors extended	2197	2197	2197	2197
Width - exterior mirrors folded	2032	2032	2032	2035
Width - excluding mirrors	2032	2032	2032	2035
Height - to top of antenna base	1983	1977	1985	1975
Overhang - front	945	945	945	945
Overhang - rear	1255	1255	1255	1232
Track - front and rear	1710	1710	1710	1710
Wheelbase	3270	3270	3270	3270
Ground Clearance (unladen)	299	297	295	296
Wading Depth[8]	850	850	850	850
Approach Angle (unladen, degrees)	36.3	36.2	36.1	36.6
Departure Angle (unladen, degrees)[9]	29.3	29.0	28.6	27.8
Ramp Breakover Angle (unladen, degrees)	26.9	26.5	26.3	26.1
Turning Circle (meters)	13.6	13.6	13.6	13.6
Interior Dimensions (mm)[10]				
Front Headroom	1024	1025	1024	1024
Front Legroom	1057	1057	1057	1057
Front Shoulder Room	1450	1450	1450	1450
2nd Row Headroom	—	935	989	989
2nd Row Legroom	—	759	879	879
2nd Row Shoulder Room	—	1392	1440	1440
Wheels & Tyres				
18" Steel Wheels	S	S	S	S
General Grabber A/T LT 275/70 R18 Tyres	S	S	S	S
8 Stud Wheel Hub	S	S	S	S
Spare Wheel - 18" Steel	S	S	S	S

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

1. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. 2. Intended for off-road use only. 3. Subject to State and Territory regulations. Kerb weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo with the standard combination of factory fit equipment. All Chassis Cab payload and kerb weights exclude weights of tray bodies. Payload is calculated by deducting the vehicles Kerb Weight from its Gross Vehicle Mass (GVM). Payload is the maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross Axle Weight Ratings are not exceeded. 4. AdBlue® diesel exhaust fluid is required. AdBlue® is a registered trademark of VDA Verband der Automobilindustrie e.V. 5. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All pick-up box dimensions take into account the drop-in bed liner. 6. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. 7. Vehicle length measured from front license plate bracket. 8. Maximum water wading 850mm maintaining steady speed of 7km/h or less. Always consult the Owner's Manual before off-road driving, know your terrain and trail difficulty, and use appropriate safety gear. Do not attempt a water crossing if you are unsure of the water depth. 9. Inclusive of tow bar where standard. Excluding hitch. 10. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All Pick-up box dimensions take into account the Drop-In Bedliner where standard.

Ranger Super Duty I Single Cab, Super Cab, Double Cab Cab-Chassis and Double Cab Pick-up 2027MY Specifications

	Single Cab Cab-Chassis	Super Cab Cab-Chassis	Double Cab Cab-Chassis	Double Cab Pick-up
Exterior Lighting				
Headlamps - LED	S	S	S	S
Daytime Running Lamps - LED	S	S	S	S
Front Fog Lamps - LED	S	S	S	S
Taillamps - Halogen	S	S	S	—
Taillamps - LED	—	—	—	S
Tailgate Mounted Stop Light	—	—	—	S
Zone Lighting[11]	S	S	S	S
Exterior				
Sealed 'SUPER DUTY' Branded Snorkel	S	S	S	S
Composite Side Steps	S	S	S	S
Exterior Mirrors - Power Adjustable	S	S	S	S
Exterior Mirrors - Power Folding	S	S	S	S
Exterior Mirrors - Puddle Lamps	S	S	S	S
Exterior Mirrors - Heated	S	S	S	S
High-Strength Steel Underbody Protection	S	S	S	S
Frame-Mounted Steel Front Bumper	S	S	S	S
Rear Box Step	—	—	—	S
Load Box Elements				
Drop In Bedliner[12]	—	—	—	S
Pro Power Onboard™ - 400W (230V) Inverter - In Bedliner[13]	—	—	—	S
Box Top Protective Capping with Load Box Access Caps[12]	—	—	—	S
Inner Tie Downs	—	—	—	S
Cargo Management System	—	—	—	S
Load Box Illuminations	—	—	—	S
Tailgate Cargo Clamps	—	—	—	S
Tailgate Cup Holders	—	—	—	S
Power Tailgate Lock	—	—	—	S
Tailgate with Lift Assistance	—	—	—	S
Interior, Seating & Door Trim				
Seating Capacity	2	4	5	5
Driver Seat - 8-Way Manual	S	S	S	S
Front Passenger Seat - 4-Way Manual	S	S	S	S
Steering Wheel Reach & Height Adjust	S	S	S	S
Electric Park Brake	S	S	S	S

	Single Cab Cab-Chassis	Super Cab Cab-Chassis	Double Cab Cab-Chassis	Double Cab Pick-up
Interior, Seating & Door Trim (continued)				
Seat Material - Cloth	S	S	S	S
Child Seat Upper Anchorage Points (x2)	—	—	S	S
Child Seat ISOFIX Anchorage Points (x2)	—	—	S	S
Floor Covering - Vinyl	S	S	S	S
Floor Covering - Carpet	O	O	O	O
Comfort & Convenience				
Charging:				
- Auxillary 12V Power Outlet - Inside Centre Console	S	S	S	S
- USB Port Behind Rearview Mirror (USB-A)	1	1	1	1
- USB Ports 1st row (USB-A & USB-C)	2	2	2	2
- USB Ports Rear of Centre Console (USB-C)	2	2	2	2
- Wireless Charging[14]	S	S	S	S
- Pro Power Onboard™ - 400W (230V) Inverter - Rear of Console[13]	S	S	S	S
Auxiliary Switch Bank (6x Switches)	S	S	S	S
Centre Console with Single Lid and 2 Cup Holders	S	S	S	S
Instrument Panel Cup Holders	S	S	S	S
Climate Control - Dual-Zone	S	S	S	S
Underseat Stowage (Rear)	—	S	S	S
Rear Air Vent Registers	—	—	S	S
Auto Headlamp On-Off	S	S	S	S
Front Power Windows	S	S	S	S
Rear Power Windows	—	—	S	S
Rain Sensing Windscreen Wipers	S	S	S	S
Electrochromatic Rear View Mirror	S	S	S	S

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

11. Zone Lighting will not operate if battery charge is insufficient. The length of time that Zone Lighting will operate depends on the battery charge, the types of lights fitted to the vehicle (LED or Bulb) and other electrical loads connected to the vehicle. The system will automatically turn off after a period of time to preserve the battery's engine starting performance. Zone lighting excludes rear light unless fitted. **12.** Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. Drop In Bedliner may be trimmed to accommodate mounting brackets. **13.** Power availability may be reduced when the vehicle is not engaged in park (P) or where more than one outlet is used. **14.** Wireless Charging only available with compatible phones.

Ranger Super Duty I Single Cab, Super Cab, Double Cab Cab-Chassis and Double Cab Pick-up 2027MY Specifications

	Single Cab Cab-Chassis	Super Cab Cab-Chassis	Double Cab Cab-Chassis	Double Cab Pick-up
Audio & Communication				
Colour Digital Instrument Cluster with Configurable Display - 8-inch	S	S	S	S
Colour Multi-Function Touch Screen Display - 12-inch	S	S	S	S
Embedded Modem	S	S	S	S
Ford App Connectivity[15]	S	S	S	S
Speakers	2	6	6	6
DAB+/AM/FM Radio	S	S	S	S
Bluetooth® with Phone/Audio Streaming[16]	S	S	S	S
Built-In Satellite Navigation with one year of Connected Navigation Services included[17]	S	S	S	S
SYNC®4A with Voice-Activated Controls[18]	S	S	S	S
Wireless Apple CarPlay™ & Android Auto™ [19]	S	S	S	S
Safety & Security				
Perimeter Alarm System	S	S	S	S
Trailer Connection Alarm	S	S	S	S
Emergency Assistance	S	S	S	S
Child Proof Rear Door Locks	—	—	S	S
Power Door Locks	S	S	S	S
Airbags x 9 - Front, Side & Knee (Driver & Passenger), Centre & Full Length Curtain	S	S	S	S
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S
Driver Assistance[20]				
Smart Keyless Entry with Push Button Start	S	S	S	S
Intelligent Adaptive Cruise Control with Stop & Go, Speed Sign Recognition and Lane Centring[21]	S	S	S	S
Intelligent Speed Limit Assist[22]	S	S	S	S
Blind Spot Monitoring with Trailer Coverage[23]	S	S	S	S
Cross Traffic Alert	S	S	S	S
Dynamic Stability Control (DSC) Incorporating ABS, Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Load Adaptive Control, Roll Over Mitigation, Traction Control & Trailer Sway Control	S	S	S	S
Evasive Steer Assist[24]	S	S	S	S
Lane Keeping Aid with Road Edge Detection and Driver Alert System	S	S	S	S
Post Impact Braking[25]	S	S	S	S
Pre-Collision Assist with Autonomous Emergency Braking (AEB)[26]	S	S	S	S
Reverse Brake Assist[27]	S	S	S	S
Parking Sensors - Front	S	S	S	S
Parking Sensors - Rear	S	S	S	S

	Single Cab Cab-Chassis	Super Cab Cab-Chassis	Double Cab Cab-Chassis	Double Cab Pick-up
Driver Assistance[20] (continued)				
360-Degree Camera including Rear View Camera	S	S	S	S
Traffic Sign Recognition[28]	S	S	S	S
Tyre Pressure Monitoring System	S	S	S	S
Towing & Hauling				
Onboard Scales[29]	S	S	S	S
Smart Hitch	S	S	S	S
Maximum Braked Towing Capacity (kg)[30]	4500	4500	4500	4500
Pro Trailer Backup Assist™	S	S	S	S
4.5T Compatible Tow Bar and 4.5T Tow Hitch (excluding tow ball)	S	S	S	S
3.5T Tow Hitch (replacing the standard 4.5T Tow Hitch)	O	O	O	O
Integrated Trailer Brake Controller[31]	S	S	S	S
Trailer Light Check[32]	S	S	S	S
Towing Vehicle Integration with Towing Checklist	S	S	S	S
Tow/Haul Mode (part of Selectable Drive Modes)	S	S	S	S

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

15. Use of Ford app is subject to the Ford app Terms and User Guide and Ford app Privacy Collection Notice, which are available on https://www.ford.com.au/privacy and requires a compatible mobile device, internet access and software (including software updates from time to time). The Ford app functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the Ford app on your mobile device, including associated fees. The Ford app and the Vehicle's Modem can only work when both are connected to the telecommunications network. The Vehicle's Modem will only function on the telecommunications networks it could use at time of manufacture. When all compatible networks for the modem in your vehicle are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that the Ford app will be in fully operating condition at all times and the Ford app may be unavailable or particular Ford app services interrupted. If the Ford app is unavailable, the ability to lock or unlock your vehicle remotely could be limited, and a physical key might be needed. Always keep your key with you to ensure you can access your vehicle at all times even if the Ford app is unavailable. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. **16.** Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. **17.** Connected Navigation Services are included on eligible vehicles for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. To use Connected Navigation Services, users must have created a Ford App account (terms apply), have fully activated the vehicle's connect modem and have SYNC Location set to 'on'. **18.** Don't drive while distracted. Use voice-operated systems when possible; don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC 4A features are compatible with all phones. For compatibility, see ford.com.au/sync. **19.** Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. **20.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. **21.** Driver- assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. iACC uses various data to adjust the set speed of the vehicle to the speed limit detected by the system. The iACC system will not always detect the correct speed limit and may set a vehicle speed that is above or below the actual speed limit. If the system does this, it can be overridden by the driver applying the brake or accelerator. Customers should read the Owner's Manual for full details of the limitations of the iACC system before activating the system. **22.** Intelligent Speed Assist (ISA) uses various data to limit the set speed of the vehicle to the speed limit detected by the system. The ISA system will not always detect the correct speed limit and may limit a vehicle speed above or below the actual speed limit. ISA can be temporarily over-ridden by the driver firmly pressing the accelerator. In some circumstances, ISA will use map data to limit the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. Customers should read the Owner's Manual for details of the limitations of the ISA system before activating. **23.** Coverage system (requires a genuine factory fit tow bar) supports conventional trailer dimensions: up to 2.4m wide (measured at trailer front) and up to 10m long from the rear of your vehicle. Drivers will need to create a profile of their trailers in SYNC to support this system. **24.** Evasive Steer Assist does not control steering. **25.** This feature will return control of the vehicle to the driver if, at any time after the impact, the driver actively operates the accelerator pedal or carries out emergency braking by themself. If there is no such intervention from the driver, the system will brake the vehicle to a complete stop. **26.** Pre-collision Assist with Autonomous Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. It does not replace safe driving. See Owner's Manual for Limitations. **27.** Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h. Please see the Owner's Manual for precautions and limitations. **28.** Traffic Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. In some circumstances Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **29.** Onboard Scales is not intended for trade measurement usage. The vehicle payload and hitch load measurements that display on the screen are estimated values and subject to a tolerance of +/-100 kg of the actual weight. **30.** Maximum towing capacity braked using a Genuine Ford tow pack. Subject to State and Territory regulations. To comply with these limits, any load transported by the vehicle may need to be restricted to not exceed the GCM and GVM limits. For further details regarding load restrictions, please consult your authorised Ford Dealer and / or refer to the vehicle brochure. **31.** Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. **32.** Trailer Light Check can be used via SYNC, or via Ford app as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a Ford App account (terms apply) and have fully activated the vehicle's Connect modem to use this feature via the app.

Ranger Super Duty I Single Cab, Super Cab, Double Cab Cab-Chassis and Double Cab Pick-up 2027MY Specifications

	Single Cab Cab-Chassis	Super Cab Cab-Chassis	Double Cab Cab-Chassis	Double Cab Pick-up
Off-Road				
Off-Road Screen	S	S	S	S
Trail Control (with Hill Descent Control)[33]	S	S	S	S
Trail Turn Assist[33]	S	S	S	S
Mud / Ruts Mode (part of Selectable Drive Modes)[33]	S	S	S	S
Sand Mode (part of Selectable Drive Modes)[33]	S	S	S	S
Rock Crawl Mode (part of Selectable Drive Modes)[33]	S	S	S	S
High-Strength Steel Underbody Protection	S	S	S	S
Front Rated Recovery Points x2	S	S	S	S
Rear Rated Recovery Points x2	S	S	S	S
Locking Rear Differential[33]	S	S	S	S
Locking Front Differential (4L only)[33]	S	S	S	S
Tyre Pressure Monitoring System	S	S	S	S
Ford Factory Fitted Options				
Prestige Paint	O	O	O	O
Heavy-Duty Rock Sliders	O	O	O	O
Wheel Nut Indicators and Centre Wheel Cap	O	O	O	O
Super Duty Snorkel Removal	NCO	NCO	NCO	NCO
Dual Battery Kit - Second Battery, DC Charger, Wiring Harness, Battery Tray, and Shield	O	O	O	O
Floor Covering - Carpet	O	O	O	O
3.5T Tow Hitch (replacing the standard 4.5T Tow Hitch)	O	O	O	O
Rear Seat Removal	—	NCO	—	—
Stylish Canopy - Lift and Slide	—	—	—	O
Stylish Canopy - Dual Lift	—	—	—	O
Commercial Canopy	—	—	—	O
Digital Rear View Camera[34]	—	—	—	O
Aeroklas Twin In-Bed Drawer System[34]	—	—	—	O

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:
33. Intended for off-road use only. **34.** Requires a Canopy Option.

Ranger Super Duty XLT I Single Cab, Super Cab, Double Cab Cab-Chassis and Double Cab Pick-up 2027MY Specifications

	XLT Single Cab Cab-Chassis	XLT Super Cab Cab-Chassis	XLT Double Cab Cab-Chassis	XLT Double Cab Pick-up
Engine	**3.0L V6 Turbo-Diesel**	**3.0L V6 Turbo-Diesel**	**3.0L V6 Turbo-Diesel**	**3.0L V6 Turbo-Diesel**
Engine Max Power	154kW @ 3250rpm	154kW @ 3250rpm	154kW @ 3250rpm	154kW @ 3250rpm
Engine Max Torque	600Nm @ 1750rpm	600Nm @ 1750rpm	600Nm @ 1750rpm	600Nm @ 1750rpm
Heavy Duty Truck Calibration (EU VI emissions)	S	S	S	S
Transmission				
10-Speed Automatic Transmission	S	S	S	S
Driveline				
Full-time 4WD	S	S	S	S
Selectable Drive Modes[1]:				
- Normal	S	S	S	S
- Eco	S	S	S	S
- Tow / Haul	S	S	S	S
- Slippery	S	S	S	S
- Mud / Ruts[2]	S	S	S	S
- Sand[2]	S	S	S	S
- Rock Crawl[2]	S	S	S	S
Vehicle Masses (kg)				
Gross Combined Mass (GCM)[3]	8000	8000	8000	8000
Gross Vehicle Mass (GVM)[3]	4500	4500	4500	4500
Front Gross Axle Weight Rating[3]	1900	1900	1900	1900
Rear Gross Axle Weight Rating[3]	2800	2800	2800	2800
Kerb Weight[3]	2518	2604	2675	2803
Payload (based on Kerb Weight)[3]	1982	1896	1825	1697
Chassis & Suspension				
Heavy-Duty Chassis and Suspension Architecture	S	S	S	S
Heavy-Duty Braking System	S	S	S	S
Heavy-Duty Front and Rear Differential	S	S	S	S
Locking Rear Differential[2]	S	S	S	S
Locking Front Differential (4L only)[2]	S	S	S	S
Fuel				
Fuel Tank Capacity (L)	130	130	130	130
Fuel Type	Diesel	Diesel	Diesel	Diesel
Renewable Diesel (HVO) Compatibility	S	S	S	S
AdBlue Diesel Exhaust Fluid System[4]	S	S	S	S
Diesel Particulate Filter Regeneration Control	S	S	S	S
Pick-up Box Dimensions (mm)[5]				
Height - at centreline of axle	—	—	—	513
Length - at floor	—	—	—	1453
Length - top of box	—	—	—	1471
Width - between wheelhouses	—	—	—	1217
Width - rear opening (top of box)	—	—	—	1416
Width - rear opening (base)	—	—	—	1220

	XLT Single Cab Cab-Chassis	XLT Super Cab Cab-Chassis	XLT Double Cab Cab-Chassis	XLT Double Cab Pick-up
Exterior Dimensions (mm)[6]				
Length - without tongue[7]	5470	5470	5470	5447
Length - with tongue	5644	5644	5644	5621
Width - exterior mirrors extended	2197	2197	2197	2197
Width - exterior mirrors folded	2032	2032	2032	2035
Width - excluding mirrors	2032	2032	2032	2035
Height - to top of antenna base	1983	1977	1985	1975
Overhang - front	945	945	945	945
Overhang - rear	1255	1255	1255	1232
Track - front and rear	1710	1710	1710	1710
Wheelbase	3270	3270	3270	3270
Ground Clearance (unladen)	299	297	295	296
Wading Depth[8]	850	850	850	850
Approach Angle (unladen, degrees)	36.3	36.2	36.1	36.6
Departure Angle (unladen, degrees)[9]	29.3	29.0	28.6	27.8
Ramp Breakover Angle (unladen, degrees)	26.9	26.5	26.3	26.1
Turning Circle (meters)	13.6	13.6	13.6	13.6
Interior Dimensions (mm)[10]				
Front Headroom	1024	1025	1024	1024
Front Legroom	1057	1057	1057	1057
Front Shoulder Room	1450	1450	1450	1450
2nd Row Headroom	—	—	989	989
2nd Row Legroom	—	—	879	879
2nd Row Shoulder Room	—	—	1440	1440
Wheels & Tyres				
18" Alloy Wheels - 'SUPER DUTY' branded	S	S	S	S
General Grabber A/T LT 275/70 R18 Tyres	S	S	S	S
8 Stud Wheel Hub	S	S	S	S
Spare Wheel - 18" Steel	S	S	S	S

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

1. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. 2. Intended for off-road use only. 3. Subject to State and Territory regulations. Kerb weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo with the standard combination of factory fit equipment. All Chassis Cab payload and kerb weights exclude weights of tray bodies. Payload is calculated by deducting the vehicles Kerb Weight from its Gross Vehicle Mass (GVM). Payload is the maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross Axle Weight Ratings are not exceeded. 4. AdBlue® diesel exhaust fluid is required. AdBlue® is a registered trademark of VDA Verband der Automobilindustrie e.V. 5. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All pick-up box dimensions take into account the drop-in bed liner. 6. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. 7. Vehicle length measured from front license plate bracket. 8. Maximum water wading 850mm maintaining steady speed of 7km/h or less. Always consult the Owner's Manual before off-road driving, know your terrain and trail difficulty, and use appropriate safety gear. Do not attempt a water crossing if you are unsure of the water depth. 9. Inclusive of tow bar where standard. Excluding hitch. 10. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All Pick-up box dimensions take into account the Drop-In Bedliner where standard.

Ranger Super Duty XLT I Single Cab, Super Cab, Double Cab Cab-Chassis and Double Cab Pick-up 2027MY Specifications

	XLT Single Cab Cab-Chassis	XLT Super Cab Cab-Chassis	XLT Double Cab Cab-Chassis	XLT Double Cab Pick-up
Exterior Lighting				
Headlamps - LED	S	S	S	S
Daytime Running Lamps - LED	S	S	S	S
Front Fog Lamps - LED	S	S	S	S
Taillamps - Halogen	S	S	S	—
Taillamps - LED	—	—	—	S
Tailgate Mounted Stop Light	—	—	—	S
Zone Lighting[11]	S	S	S	S
Exterior				
Sealed 'SUPER DUTY' Branded Snorkel	S	S	S	S
Composite Side Steps	S	S	S	S
Exterior Mirrors - Power Adjustable	S	S	S	S
Exterior Mirrors - Power Folding	S	S	S	S
Exterior Mirrors - Puddle Lamps	S	S	S	S
Exterior Mirrors - Heated	S	S	S	S
High-Strength Steel Underbody Protection	S	S	S	S
Frame-Mounted Steel Front Bumper	S	S	S	S
Rear Box Step	—	—	—	S
Load Box Elements				
Drop In Bedliner[12]	—	—	—	S
Pro Power Onboard™ - 400W (230V) Inverter - In Bedliner[13]	—	—	—	S
Box Top Protective Capping with Load Box Access Caps[12]	—	—	—	S
Inner Tie Downs	—	—	—	S
Cargo Management System	—	—	—	S
Load Box Illuminations	—	—	—	S
Tailgate Cargo Clamps	—	—	—	S
Tailgate Cup Holders	—	—	—	S
Power Tailgate Lock	—	—	—	S
Tailgate with Lift Assistance	—	—	—	S
Interior, Seating & Door Trim				
Seating Capacity	2	2	5	5
Heated & Ventilated Seats - Driver & Front Passenger	S	S	S	S
Driver Seat - 10-Way Power with Memory Setting & Easy Entry/Exit	S	S	S	S
Front Passenger Seat - 8-Way Power	S	S	S	S
Steering Wheel Reach & Height Adjust	S	S	S	S
Electric Park Brake	S	S	S	S
Seat Material - Synthetic Leather	S	S	S	S

	XLT Single Cab Cab-Chassis	XLT Super Cab Cab-Chassis	XLT Double Cab Cab-Chassis	XLT Double Cab Pick-up
Interior, Seating & Door Trim (continued)				
Child Seat Upper Anchorage Points (x2)	—	—	S	S
Child Seat ISOFIX Anchorage Points (x2)	—	—	S	S
Floor Covering - Carpet	S	S	S	S
All Weather Floor Mats - Driver & Front Passenger	S	S	S	S
Comfort & Convenience				
Charging:				
- Auxillary 12V Power Outlet - Inside Centre Console	S	S	S	S
- USB Port Behind Rearview Mirror (USB-A)	1	1	1	1
- USB Ports 1st row (USB-A & USB-C)	2	2	2	2
- USB Ports Rear of Centre Console (USB-C)	2	2	2	2
- Wireless Charging[14]	S	S	S	S
- Pro Power Onboard™ - 400W (230V) Inverter - Rear of Console[13]	S	S	S	S
Auxiliary Switch Bank (6x Switches)	S	S	S	S
Centre Console with Single Lid and 2 Cup Holders	S	S	S	S
Instrument Panel Cup Holders	S	S	S	S
Climate Control - Dual-Zone	S	S	S	S
Underseat Stowage (Rear)	—	S	S	S
Rear Air Vent Registers	—	—	S	S
Auto Headlamp On-Off	S	S	S	S
Front Power Windows	S	S	S	S
Rear Power Windows	—	—	S	S
Rain Sensing Windscreen Wipers	S	S	S	S
Electrochromatic Rear View Mirror	S	S	S	S

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

11. Zone Lighting will not operate if battery charge is insufficient. The length of time that Zone Lighting will operate depends on the battery charge, the types of lights fitted to the vehicle (LED or Bulb) and other electrical loads connected to the vehicle. The system will automatically turn off after a period of time to preserve the battery's engine starting performance. Zone lighting excludes rear light unless fitted. **12.** Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. Drop In Bedliner may be trimmed to accommodate mounting brackets. **13.** Power availability may be reduced when the vehicle is not engaged in park (P) or where more than one outlet is used. **14.** Wireless Charging only available with compatible phones.

Ranger Super Duty XLT I Single Cab, Super Cab, Double Cab Cab-Chassis and Double Cab Pick-up 2027MY Specifications

	XLT Single Cab Cab-Chassis	XLT Super Cab Cab-Chassis	XLT Double Cab Cab-Chassis	XLT Double Cab Pick-up
Audio & Communication				
Colour Digital Instrument Cluster with Configurable Display - 8-inch	S	S	S	S
Colour Multi-Function Touch Screen Display - 12-inch	S	S	S	S
Embedded Modem	S	S	S	S
Ford App Connectivity[15]	S	S	S	S
Speakers	2	6	6	6
DAB+/AM/FM Radio	S	S	S	S
Bluetooth® with Phone/Audio Streaming[16]	S	S	S	S
Built-In Satellite Navigation with one year of Connected Navigation Services included[17]	S	S	S	S
SYNC®4A with Voice-Activated Controls[18]	S	S	S	S
Wireless Apple CarPlay™ & Android Auto™ [19]	S	S	S	S
Safety & Security				
Perimeter Alarm System	S	S	S	S
Trailer Connection Alarm	S	S	S	S
Emergency Assistance	S	S	S	S
Child Proof Rear Door Locks	—	—	S	S
Power Door Locks	S	S	S	S
Airbags x 9 - Front, Side & Knee (Driver & Passenger), Centre & Full Length Curtain	S	S	S	S
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S
Driver Assistance[20]				
Smart Keyless Entry with Push Button Start	S	S	S	S
Intelligent Adaptive Cruise Control with Stop & Go, Speed Sign Recognition and Lane Centring[21]	S	S	S	S
Intelligent Speed Assist[22]	S	S	S	S
Blind Spot Monitoring with Trailer Coverage[23]	S	S	S	S
Cross Traffic Alert	S	S	S	S
Dynamic Stability Control (DSC) incorporating ABS, Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Load Adaptive Control, Roll Over Mitigation, Traction Control & Trailer Sway Control	S	S	S	S
Evasive Steer Assist[24]	S	S	S	S
Lane Keeping Aid with Road Edge Detection and Driver Alert System	S	S	S	S
Post Impact Braking[25]	S	S	S	S
Pre-Collision Assist with Autonomous Emergency Braking (AEB)[26]	S	S	S	S
Reverse Brake Assist[27]	S	S	S	S
Parking Sensors - Front	S	S	S	S
Parking Sensors - Rear	S	S	S	S
360-Degree Camera including Rear View Camera	S	S	S	S

	XLT Single Cab Cab-Chassis	XLT Super Cab Cab-Chassis	XLT Double Cab Cab-Chassis	XLT Double Cab Pick-up
Driver Assistance[20] (continued)				
Traffic Sign Recognition[28]	S	S	S	S
Tyre Pressure Monitoring System	S	S	S	S
Towing & Hauling				
Onboard Scales[29]	S	S	S	S
Smart Hitch	S	S	S	S
Maximum Braked Towing Capacity (kg)[30]	4500	4500	4500	4500
Pro Trailer Backup Assist™	S	S	S	S
4.5T Compatible Tow Bar and 4.5T Compatible Hitch (excluding tow ball)	S	S	S	S
3.5T Tow Hitch (replacing the standard 4.5T Tow Hitch)	O	O	O	O
Integrated Trailer Brake Controller[31]	S	S	S	S
Trailer Light Check[32]	S	S	S	S
Towing Vehicle Integration with Towing Checklist	S	S	S	S
Tow/Haul Mode (part of Selectable Drive Modes)	S	S	S	S

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:

15. Use of Ford app is subject to the Ford app Terms and User Guide and Ford app Privacy Collection Notice, which are available on https://www.ford.com.au/privacy and requires a compatible mobile device, internet access and software (including software updates from time to time). The Ford app functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the Ford app on your mobile device, including associated fees. The Ford app and the Vehicle's Modem can only work when both are connected to the telecommunications network. The Vehicle's Modem will only function on the telecommunications network it could use at time of manufacture. When all compatible networks for the modem in your vehicle are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that the Ford app will be in fully operating condition at all times and the Ford app may be unavailable or particular Ford app services interrupted. If the Ford app is unavailable, the ability to lock or unlock your vehicle remotely could be limited, and a physical key might be needed. Always keep your key with you to ensure you can access your vehicle at all times even if the Ford app is unavailable. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. **16.** Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. **17.** Connected Navigation Services are included on eligible vehicles for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. To use Connected Navigation Services, users must have created a Ford App account (terms apply), have fully activated the vehicle's connect modem and have SYNC Location set to 'on'. Connected Navigation Services are included on eligible vehicles for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. To use Connected Navigation Services, users must have created a Ford App account (terms apply), have fully activated the vehicle's connect modem and have SYNC Location set to 'on'. **18.** Don't drive while distracted. Use voice-operated systems when possible; don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC 4A features are compatible with all phones. For compatibility, see ford.com.au/sync. **19.** Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. **20.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. **21.** Driver- assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. iACC uses various data to adjust the set speed of the vehicle to the speed limit detected by the system. The iACC system will not always detect the correct speed limit and may set a vehicle speed that is above or below the actual speed limit. If the system does this, it can be overridden by the driver applying the brake or accelerator. Customers should read the Owner's Manual for full details of the limitations of the iACC system before activating the system. **22.** Intelligent Speed Assist (ISA) uses various data to limit the set speed of the vehicle to the speed limit detected by the system. The ISA system will not always detect the correct speed limit and may limit a vehicle speed above or below the actual speed limit. ISA can be temporarily overridden by the driver firmly pressing the accelerator. In some circumstances, ISA will use map data to limit the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. Customers should read the Owner's Manual for details of the limitations of the ISA system before activating. **23.** Coverage system (requires a genuine factory fit tow bar) supports conventional trailer dimensions: up to 2.4m wide (measured at trailer front) and up to 10m long from the rear of your vehicle. Drivers will need to create a profile of their trailers in SYNC to support this system. **24.** Evasive Steer Assist does not control steering. **25.** This feature will return control of the vehicle to the driver if, at any time after the impact, the driver actively operates the accelerator pedal or carries out emergency braking by themself. If there is no such intervention from the driver, the system will brake the vehicle to a complete stop. **26.** Pre-collision Assist with Autonomous Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. It does not replace safe driving. See Owner's Manual for Limitations. **27.** Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h. Please see the Owner's Manual for precautions and limitations. **28.** Traffic Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. In some circumstances Speed Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **29.** Onboard Scales is not intended for trade measurement usage. The vehicle payload and hitch load measurements that display on the screen are estimated values and subject to a tolerance of +/-100 kg of the actual weight. **30.** Maximum towing capacity braked using a Genuine Ford tow pack. Subject to State and Territory regulations. To comply with these limits, any load transported by the vehicle may need to be restricted to not exceed the GCM and GVM limits. For further details regarding load restrictions, please consult your authorised Ford Dealer and / or refer to the vehicle brochure. **31.** Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. **32.** Trailer Light Check can be used via SYNC, or via Ford app as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a Ford App account (terms apply) and have fully activated the vehicle's Connect modem to use this feature via the app.

Ranger Super Duty XLT I Single Cab, Super Cab, Double Cab Cab-Chassis and Double Cab Pick-up 2027MY Specifications

	XLT Single Cab Cab-Chassis	XLT Super Cab Cab-Chassis	XLT Double Cab Cab-Chassis	XLT Double Cab Pick-up
Off-Road				
Off-Road Screen	S	S	S	S
Trail Control (with Hill Descent Control)[33]	S	S	S	S
Trail Turn Assist[33]	S	S	S	S
Mud / Ruts Mode (part of Selectable Drive Modes)[33]	S	S	S	S
Sand Mode (part of Selectable Drive Modes)[33]	S	S	S	S
Rock Crawl Mode (part of Selectable Drive Modes)[33]	S	S	S	S
High-Strength Steel Underbody Protection	S	S	S	S
Front Rated Recovery Points x2	S	S	S	S
Rear Rated Recovery Points x2	S	S	S	S
Locking Rear Differential[33]	S	S	S	S
Locking Front Differential (4L only)[33]	S	S	S	S
Tyre Pressure Monitoring System	S	S	S	S
Ford Factory Fitted Options				
Prestige Paint	O	O	O	O
Heavy-Duty Rock Sliders	O	O	O	O
Super Duty Snorkel Removal	NCO	NCO	NCO	NCO
Dual Battery Kit - Second Battery, DC Charger, Wiring Harness, Battery Tray, and Shield	O	O	O	O
Floor Covering - Carpet	S	S	S	S
3.5T Tow Hitch (replacing the standard 4.5T Tow Hitch)	O	O	O	O
Rear Seat Removal	—	S	—	—
Stylish Canopy - Lift and Slide	—	—	—	O
Stylish Canopy - Dual Lift	—	—	—	O
Commercial Canopy	—	—	—	O
Digital Rear View Camera[34]	—	—	—	O
Aeroklas Twin In-Bed Drawer System[34]	—	—	—	O

S = Standard **O =** Factory Option that can be ordered before a vehicle is manufactured at an additional cost **NCO =** No Cost Option

Disclaimer:
33. Intended for off-road use only. **34.** Requires a Canopy Option.

Discover more at ford.com.au

Contact us

If you have any questions or concerns, please contact our Customer Relationship Centre on 13 FORD (13 36 73) or email foacust1@ford.com

Running a fleet?

Our Ford Fleet team is here to assist you in any way we can. Please email askfleet@ford.com

1. Conditional Warranty applies to new and demonstrator vehicles with a Warranty Commencement Date on or after 1 September 2026. All services must be completed at a Ford dealer within servicing intervals. Warranty exclusions and conditions apply and can be viewed here. Our goods come with consumer guarantees that cannot be excluded under the Australian Consumer Law. This warranty does not limit and may not exceed your rights under the consumer guarantees.

2. Subject to availability. Participating dealers only. Other dealer conditions or requirements may apply.

3. Pick Up and Drop Off available for a general service or warranty repair only subject to dealer capacity and vehicle roadworthiness and driveability. Participating dealers only. Other dealer conditions or requirements may apply.

4. When a 90-minute Express Service is booked. 90 minutes from key handover to service completion for a General Service only, as set out in your vehicle's Service Portfolio. Does not include other work or repairs that may be required. Participating dealers only.

5. Available to Retail Customer or a Blue Business Fleet Customer only. Customer must comply with schedule service intervals at participating dealers to be eligible for 12 months Ford National Roadside assistance. see https://www.ford.com.au/owners/service/t-and-c/ for full terms.

6. Some insurance companies may use repairers that could use non genuine parts to repair your vehicle. If your claim is accepted the insurer will use Genuine Parts when available. If not available, the insurer may use genuine reconditioned or recycled parts or ADR certified new, recycled or reconditioned parts. Refer to the Ford Insure PDS for full details.

7. When purchasing your vehicle from a dealership, accessories included on the purchase invoice are included in cover, without the need to list them on your schedule. Refer to the Ford Insure PDS for full details.

8. If Your Vehicle is damaged while it is being driven on a beach or off any public road, coverage may be available. Any claim will be subject to any applicable excess being doubled and the PDS terms and conditions. Refer to the Ford Insure PDS for full details.

9. Automatic removal of your standard excess on glass damage means the Standard Excess will not apply if you sustain a loss where the only damage to your Vehicle was glass damage. Refer to the Ford Insure PDS for full details.

10. Ford dealers use new genuine manufacturer parts where possible. If new genuine is not available we will use genuine reconditioned or recycled manufacturer parts for Australian Design Rules certified new, recycled or reconditioned parts.

Find out more

Issue Date: 29 October 2026

Important information:

This brochure is designed to provide you with a general introduction to the Ford products (including available optional equipment) referred to and should be read in conjunction with the latest specification sheet. Features, designs, materials, colours and other specifications may vary from those depicted. Because of changes in conditions and circumstances Ford reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice, to discontinue or change the features, designs, materials, colours and other specifications and the prices of its products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchaser or purchasers. The latest specification sheet should be referred to for information on the availability, ordering and use of features and optional equipment. Always consult an authorised Ford Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order.